

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

ARS 82-6-1
March 1967

LIST OF INTERCEPTED PLANT PESTS, 1966

(Pests Recorded From July 1, 1965, Through June 30, 1966)

Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE

CONTENTS

	Page
Introduction.....	1
Notes on pests intercepted.....	2
Fruit flies.....	2
Insects other than fruit flies.....	3
Snails.....	5
Diseases.....	6
Nematodes	8
Summary of numbers of interceptions listed	9
Changes in nomenclature	10
Tabulation of insects (including mites and snails)	11
Hosts and insects	47
Insects intercepted with hosts unknown.....	57
Countries of origin and insects	61
Tabulation of diseases (including nematodes)	69
Hosts and diseases.....	81
Countries of origin and diseases.....	83

Plant Quarantine Division
Agricultural Research Service
U. S. Department of Agriculture
Federal Center Building
Hyattsville, Maryland 20782

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Research Service

LIST OF INTERCEPTED PLANT PESTS, 1966

(Pests Recorded From July 1, 1965, Through June 30, 1966)

Compiled by
Bessie C. Mumford
Plant Quarantine Aid

INTRODUCTION

This report of the 53rd year of plant quarantine work in the United States summarizes the records of plant pests found in, on, or with plants, plant products, and carriers (1) imported into or entering the United States or the offshore possessions, (2) offered for entry but refused, (3) in quarters or stores of planes and ships, (4) entered for immediate transportation and exportation in bond, (5) in domestic shipments to the mainland from the States of Alaska and Hawaii, the American Virgin Islands, the Commonwealth of Puerto Rico, Guam, and other possessions, or (6) in preclearance inspection in the Bahamas and Bermuda.

Insects, mites, and snails are included in the first tabulation; bacteria, fungi, and nematodes are in the second. The pests listed are of known or potential importance to agriculture and not reported or widely distributed in the United States. Some common organisms are included if they are new to the country of origin or the host plant.

Records were made from identifications received during the fiscal year 1966 and include some interceptions from previous years that were not determined until this year. Most insect and mite identifications are made by specialists of the Entomology Research Division and Plant Quarantine Division (both of the U.S. Department of Agriculture) and the Department of Entomology of the U.S. National Museum of the Smithsonian Institution.

However, many pests intercepted in California are identified by collaborating State officials. Snail identifications are made by workers in the Plant Quarantine Division and the Division of Mollusks of the Smithsonian Institution. Disease, nematode, and host identifications are made by personnel of the Plant Quarantine Division and the Crops Research Division.

Scientific names of insects and diseases are reviewed by specialists of the Plant Quarantine Division who assist in compiling the list. Nematode names are checked in Nematology Investigations and host names in the New Crops Research Branch. The common names given for hosts are usually those shown in Standardized Plant Names. Every effort is made to conform to the International Rules of Nomenclature.

Family names of insects, mites, and snails are given in the tabulation and orders are shown in the host list. Classes of diseases were omitted this year since the use of these is obsolete. All the diseases in the tabulation are fungi, except as noted after the names.

NOTES ON PESTS INTERCEPTED

The total number of interceptions submitted during the fiscal year 1966 was 34,641. Of those identified during the year, 9,468 were considered of enough significance to be tabulated, as compared with 8,001 the previous year. This does not include the incompletely determined pests, of which 165 fruit flies, 4,103 other insects, 611 diseases, and 502 nematodes, or a total of 5,381 interceptions were indexed for the files but were not added to the figures in the summary.

Fruit Flies

There were 508 fruit fly interceptions identified to species as follows:

Acanthiophilus eluta (twice) with Carduncellus caeruleus seed and dry leaf and centaurea seedhead in mail from Algeria.

Anastrepha ludens, the Mexican fruit fly (93 times), 92 from Mexico and 1 from British Honduras. Hosts were bullocksheart custard-apple, cargo (with tomato), grapefruit, King orange, mango, Ponderosa lemon, pummelo, sweet lime, and sweet orange.

Anastrepha mombinpraeoptans, the West Indian fruit fly (72 times), in Cainito star-apple, cherimoya, mango, mombin, tropical almond, and yellow mombin. Countries of origin were Brazil, Costa Rica, Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Puerto Rico, and South America [country(?)].

Anastrepha serpentina (once) in sapote in baggage from Mexico. A. serpentina(?)(once) in Arabian coffee berry in air baggage from Peru.

Anastrepha striata(?)(once) in guava in air baggage from El Salvador.

Anastrepha suspensa (once) in guava in air baggage from the Dominican

Republic. A. suspensa(?)(once) in Annona sp. fruit in air baggage from Jamaica.

Ceratitis capitata, the Mediterranean fruit fly (128 times), in American avocado, Arabian coffee berry, bullocksheart custard-apple, common pricklypear, fig, grapefruit, guava, kumquat, longan, loquat, lychee nut, mandarin orange, mango, orange-jasmine berry, peach, pepper, plum, pomegranate, purple granadilla, quince, servicetree mountain-ash fruit, sweet orange, tropical almond, unidentified fruit, western pricklypear, and yellow mombin. Countries of origin were Argentina, Congo (Kinshasa), Cyprus, France, Greece, Hawaii, Israel, Italy, Jordan, Morocco, Portugal, South Africa, Spain, Tunisia, and an unknown origin. C. capitata(?) (6 times) in Arabian coffee berry, lemon, peach, and sweet orange from France, Greece, Hawaii, Spain, and an unknown origin.

Ceratitis colae (twice) in guava in mail from Ghana and in Sudan colanut in aircargo from Nigeria.

Ceratitis rosa (once) in Synsepalum dulcificum fruit in airmail from Ghana.

Dacus cucurbitae, the melon fly (5 times) in tomato in stores from Hawaii. D. cucurbitae(?)(twice) in cucumber and tomato in stores from Hawaii.

Dacus dorsalis, the oriental fruit fly (34 times), 33 from Hawaii and 1 from the Philippines, adult in an airplane and with baggage; and larvae in American avocado, banana, guava, longan, mango, passionfruit, purple granadilla, rose-apple, santol fruit, and tropical almond. D. dorsalis(?) (3 times) in Indiapoon beautyleaf seed and in mango from Hawaii.

Dacus oleae, the olive fly (48 times), in common olive from Greece, Italy, Jordan, Lebanon, and Syria.

Euleia heraclei(?)(once) in parsley in air stores from Europe [country(?)].

Rhagoletis cerasi, the European cherry fruit fly (105 times), in cherry and Mazzard cherry from Austria, Czechoslovakia, England, Europe [country(?)], France, Germany, Hungary, Israel, Italy, Poland, Spain, Switzerland, an unknown origin, and Yugoslavia.

Spathulina tristis (once) in common thyme leaf in mail from Greece.

Insects Other Than Fruit Flies

Other insects of special interest were:

Acrolepia assetella (Yponomeutidae), the leek moth, in aircargo with cauliflower from France; in leek in aircargo from France and stores from Belgium, France, Germany, Spain, and Sweden; and in shallot in aircargo from France.

Adoxophyes reticulata (Tortricidae) on azalea in baggage from Japan.

Aleurocanthus woglumi (Aleyrodidae), the citrus blackfly (37 times), on

Citrus sp. leaf in air baggage from Colombia, Jamaica, and Mexico and baggage from Mexico; on lime leaf in aircargo from Jamaica and baggage and cargo from Mexico; and on sweet orange leaf in baggage from Mexico.

Busseola fusca (Noctuidae) in fresh corn ear in aircargo from Kenya.

Carposina nipponensis (Carposinidae), the oriental fruit borer, in apple in air stores and stores from Japan.

Chilo suppressalis (Crambidae), the Asiatic rice borer (21 times), in grass mat in cargo from Korea; in rice in mail and stores from Japan, rice straw used as packing in baggage from Japan, cargo from Spain, and stores from Japan, rice straw jacket in baggage from Europe [country(?)], rice straw mat in cargo and stores from Japan, rice straw rope around bags of talc in cargo from Korea; and with various stores (accidental association) from Japan.

Cryptophlebia leucotreta (Olethreutidae) in sweet orange in air stores and baggage from South Africa.

Dichocrocis punctiferalis (Pyraustidae), the yellow peach moth, in pine tree in baggage and dwarf Japanese white pine tree in cargo from Japan.

Epicaerus cognatus (Curculionidae) in potato in baggage from Mexico.

Epichorista ionephela (Tortricidae) on Cape chinkerichee cut flowers in aircargo, cargo, and mail and in peach in aircargo from South Africa.

Epinotia aporema (Olethreutidae) in string bean in stores from Brazil, Costa Rica, and Panama.

Epiphyas postvittana (Tortricidae) in apple in cargo from Australia and New Zealand.

Gnorimoschema ocellatella (Gelechiidae) in Swiss chard in stores from Italy.

Leucinodes orbonalis (Pyraustidae) in eggplant in air baggage from Nigeria and stores from Ghana.

Matsumuraeses phaseoli (Olethreutidae) in lima bean and string bean in stores from Japan.

Melolontha melolontha (Scarabaeidae) in airplane from an unknown origin and in soil with plant in air baggage from Germany.

Oxycarenus annulipes (Lygaeidae) in cottonseed in aircargo from India and Levant cottonseed in aircargo from South Africa.

Pityogenes chalcographus (Scolytidae) in pine dunnage from Sweden, in spruce dunnage from Europe [country(?)], in wooden crate of brass tubes in cargo from Germany, in wooden crate and furniture in cargo from Sweden, and in wooden slab in cargo hold from an unknown origin.

Sesamia nonagrioides (Noctuidae) on chestnut in air baggage from the Azores, Italy, and Portugal and baggage from Spain; in common ginger root in air baggage from the Azores; in corn ear in air baggage from Portugal; in guava in air baggage from the Azores; in popcorn ear in air baggage from Italy; and in sorghum cutting in air baggage from Portugal.

Sinoxylon conigerum (Bostrichidae) with cargo (baler twine, cotton piece goods, and household effects) from India, Pakistan, and Tanzania(?); wood in dunnage from an unknown origin; wooden box of curry powder from Singapore; wooden crates from India; and wooden slat from Pakistan.

Sitona humeralis (Curculionidae) in clover seed in mail from Tunisia.

Taeniothrips eucharpii (Thripidae)(8 times) in fringed iris in mail and in autumn lycoris and Lycoris sp. bulbs in cargo from Japan.

Tomicus piniperda (Scolytidae) in pine crate in cargo from Italy; pine dunnage from Germany, Netherlands, and an unknown origin; and unidentified wood in dunnage from Scotland(?).

Tortrix excessana (Tortricidae) in apple in cargo from New Zealand.

Trogoderma granarium (Dermestidae), the khapra beetle (486 times, not counting dead specimens found at large on ships or duplicate interceptions made at different ports from the same ship on one voyage), with almond, Arabian coffee grounds, bagging (including used burlap and jute and wrappers on various products), cacao bean, cargo, in cargo hold of ship, cashew nut, celery seed, chickpea, common fennel seed, coriander, cotton piece goods, cumin seed, debris, dill seed, filbert, garlic, grain residue, guar gum, gum arabic, gum damar, gum ghatti, gum hashabi, gum karaya, gum talha, gum tragacanth, herbs, lime, oriental sesame seed, papaya leaf, pea, peavine seed, pigeonpea, pistache nut, pumpkin seed, in quarters of ship, rice, senna pod, stores, unidentified seed, and wheat residue. Hosts were from Asia [country(?)], Belgium, Burma, Ceylon, Denmark, England, Formosa, France, Germany, Greece(?), Hong Kong, India, Indonesia, Iran, Iraq, Italy, Ivory Coast, Japan, Kuwait, Lebanon, Liberia, Malaysia, Netherlands, Nigeria, Pakistan, Saudi Arabia, Singapore, Spain(?), Sudan, Syria, Thailand, Turkey, United Arab Republic, and an unknown origin.

Snails

Snail interceptions of particular significance were:

Achatina fulica, the giant African snail (28 times), in airplane from Mauritius; in air baggage (at large and as collection) from Guam and Hawaii; with aircargo from Japan(?) and Okinawa, and cargo from Pakistan; and with clothing and unidentified plants in air baggage from Hawaii.

Cochlicella barbara (53 times) with automobile, cactus plant, camomile cut flower, cargo, ephedra seed, lantana seed, lettuce, marjoram twig, mint, pepper, soil with cargo and various plants, sweetpea seed, and watercress. Countries of origin were the Azores, Crete, England, France, Greece, Israel, Italy, Lebanon, Morocco, Portugal, and Spain.

Cochlicella conoidea (8 times) with automobile, boxwood seed, cargo, and soil from Germany, Italy, Portugal, and Spain.

Nineteen species of Helicella were intercepted a total of 243 times with automobile, baggage, cargo, mail, various plant material, soil, and stores from Algeria, Azores, Crete, England, Europe [country(?)], France, Germany, Greece, Iran, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Malta, Morocco, Netherlands, Norway, Poland, Portugal, Spain, Sweden, Switzerland, Tunisia, Turkey, United Arab Republic, and an unknown origin.

Monacha olivieri (5 times) with cable reel in aircargo and gas cylinders in cargo from Turkey, herbs in cargo from Italy, soil sample in mail from Israel, and soil with amaryllis bulb in air baggage from Germany.

Monacha syriaca (9 times) with cactus plant in air baggage from Israel; cargo from Israel, Lebanon, and Turkey; herbs in aircargo from Israel; pomegranate in air baggage from Israel; quince in stores from Turkey; and unidentified leaf in aircargo from Lebanon.

Theba pisana, the Mediterranean land snail (201 times), with automobile, in baggage as food, bean, broadbean, camomile, cargo, cork oak waste, cypress cone, flowers, Japanese hop seed, rosemary, sand, soil, sweet marjoram, sweetpea seed, unidentified plants and seed, and various vegetables in stores. Countries of origin were Australia, Azores, Crete, England, Europe [country(?)], France, Germany, Greece, Israel, Italy, Lebanon, Libya, Morocco, Netherlands, Poland, Portugal, Spain, Turkey, unknown, and Yugoslavia.

Diseases

Disease interceptions of special interest were:

Bubakia erythroxylonis on Huanuco cocaine tree leaf in air baggage and mail from Bolivia, air baggage from Colombia, and air baggage and air quarters from Panama.

Cercospora kikuchii on soybean in stores from Japan.

Cercospora subsessilis on West Indies mahogany in air baggage from Jamaica.

Cercospora lilliicola on red chilebell leaf in air stores from Chile.

Coleosporium merrillii on Calanthe sp. (orchid) in airmail from India.

Elsinoe australis, the sweet orange scab (381 times), 242 from Brazil, 73 from Argentina, 55 from South America [country(?)], 5 from Uruguay, 4 from an unknown origin, and 2 from Paraguay. Hosts were Citrus sp., cultivar orange, grapefruit, lime, mandarin orange, and sweet orange.

Guignardia citricarpa (Phyllostictina stage), the black spot of citrus (614 times), 293 from South Africa, 153 from Hong Kong, 61 from Japan, 43 from Australia, 20 from an unknown origin, 10 from Formosa, 7 from China, 4 each from Mozambique and Viet-Nam, 3 each from Argentina, Brazil, and New Zealand, 2 each from Malaysia, Philippines, and Thailand, and 1 each from Africa [country(?)], Indonesia, Korea, and Okinawa.

Hosts were Citrus sp., cultivar orange, grapefruit, lemon, lime, mandarin orange, pummelo, sour orange, and sweet orange.

Gymnosporangium cornutum on European mountain-ash leaf in baggage from Norway.

Mycosphaerella patouillardii on boxwood leaf in air baggage from France and air stores from Italy.

Phakopsora jatrophicola on nettlespurge leaf in air baggage from the Dominican Republic and Haiti.

Phyllostictina cruenta on stem of Eurasian solomonseal in air baggage from Japan.

Prospodium appendiculatum on leaf of Florida trumpetbush in baggage from Mexico.

Puccinia carduncelli on Carduncellus caeruleus and C. calvus leaves with seed in mail from Algeria and Morocco.

Puccinia clavata on clematis in mail from New Zealand.

Puccinia diplachnis on green sprangletop grass used as packing in baggage and cargo from Mexico.

Puccinia fumosa on Loeselia mexicana leaf in baggage from Mexico.

Puccinia lantanae on lantana leaf in air baggage from Haiti.

Puccinia morrisoni on leaf of horseshoe geranium plant in aircargo from Australia.

Puccinia nakanishikii on lemon grass leaf in stores from Indonesia.

Scopella sapotae on sapodilla leaf in baggage from the Bahamas.

Thecaphora solani on potato and Solanum stoloniferum tuber in baggage from Mexico.

Uredo scabies on Vanilla pompona leaf in air baggage from Honduras.

Uredo tillandsiae on Tillandsia sp. leaf in aircargo from Guatemala and Honduras.

Uromyces croci on root of crocus bulb in mail from the Netherlands.

Uromyces peglerae on Digitaria sp. plant in aircargo from South Africa.

Uromyces savulescui on Limonium sp. stem in automobile in cargo from Greece.

Uromyces setariae-italicae on Pangola grass, a new host genus, in air quarters from Venezuela.

Xanthomonas citri, citrus canker (499 times), 393 from Japan, 47 from Hong Kong, 14 from an unknown origin, 13 from India, 7 from Thailand, 6 from Formosa, 5 from Singapore, 4 from the Philippines, 3 from Okinawa, 2 each from Afghanistan, Asia [country(?)], and China, and 1 from the Mariana Islands. Hosts were Citrus paradisi X C. sinensis, Citrus sp., cultivar orange, daidai, grapefruit, lemon, lime, mandarin orange, pummelo, Satsuma orange, sour orange, sweet orange, and tangelo.

Xanthomonas sp. (Cancrosis B)(22 times), 21 from Argentina and 1 from Brazil, on lemon and sweet orange.

The nematode interceptions of special interest were:

Aphelenchoides fragariae in astilbe root in cargo from the Netherlands and tree peony buds in cargo and mail from Japan.

Ditylenchus dipsaci in garlic in cargo from Mexico and unidentified bulb in mail from England.

Helicotylenchus platyurus in root of ginger plant in baggage from Hawaii. This is our first interception of this nematode.

Hemicriconemoides squamosus in soil sample in baggage from Honduras and in soil with bamboo plant in air baggage from the Philippines.

Heterodera avenae, the oat nematode (56 times), in soil and soil with automobile, potato, propagative material, and tractor from Czechoslovakia, England, Europe [country(?)], Germany, Greece, Italy, Netherlands, and Scotland.

Heterodera fici in soil with dasheen in cargo from the Azores.

Heterodera galeopsidis (first interception) in soil with automobile from Europe [country(?)] and in soil with tractor from England.

Heterodera goettingiana in soil with a container in baggage from Mexico.

Heterodera humuli in soil with tractor from England.

Heterodera oryzae (first interception) in soil with amaryllis bulb in cargo from Japan.

Heterodera rostochiensis, the golden nematode (84 times), in soil sample; soil with automobile, equipment, shoes, tractor, and truck; and soil with horseradish, potato; propagative material (cactus, carnation, chrysanthemum, globeflower, heather, ivy, onion, orchid, primrose, unidentified plants, and violet), stores (beet, carrot, celeriac, celery, leek, parsley, rutabaga, and turnip), and shamrock. Countries of origin were Argentina, Azores, Belgium, Denmark, England, Finland, France, Germany, Ireland, Italy, Netherlands, Northern Ireland, Norway, Poland, Scotland, Sweden, an unknown origin, and Yugoslavia (first time from that country).

Rootknot nematodes, Meloidogyne arenaria (first time from Jamaica), M. hapla (first time from Austria), M. incognita acrita (first time from Cape Verde Islands(?)), M. incognita incognita, and M. javanica javanica (first time from Ceylon and Dominica), were intercepted a total of 34 times in roots of various plants.

Pratylenchus coffeae in yam in air baggage from Jamaica.

Pratylenchus neglectus (first interception) in Wargrave Pink geranium root in cargo from England.

Pratylenchus penetrans in root of epimedium plant in cargo from the Netherlands and root of maple tree in baggage from Japan.

Radopholus similis in roots of anthurium and bird-of-paradise-flower plants in baggage from Hawaii; and in root of banana plant in air baggage from Fiji.

SUMMARY OF NUMBERS OF INTERCEPTIONS LISTED

Country	Insect	Disease	Country	Insect	Disease			
AFRICA:								
Africa [country(?)]	3	2	Kwajalein	5	0			
Algeria	9	2	Mariana Islands	1	1			
Angola	2	0	Midway	6	0			
Cameroon	3	0	Midway(?)	1	0			
Cape Verde Islands(?)	0	1	New Caledonia	1	0			
Congo (Kinshasa)	1	0	New Zealand	16	11			
Ethiopia	2	0	Norfolk Island	0	1			
Ghana	7	0	Okinawa	10	5			
Ivory Coast	7	1	Okinawa(?)	5	0			
Kenya	1	0	Papua	0	2			
Liberia	10	0	Philippines	60	23			
Libya	45	0	Philippines(?)	3	0			
Mauritius	1	1	South Pacific	1	0			
Morocco	62	2	Tahiti	22	0			
Mozambique	0	4	Wake Island	1	0			
Nigeria	9	1	Wake Island(?)	3	0			
Senegal	1	0	West Pacific	24	0			
South Africa	36	307	EUROPE:					
Sudan	39	0	Austria	13	6			
Tanzania(?)	1	0	Azores	37	3			
Tunisia	5	0	Belgium	23	4			
United Arab Republic	8	0	Belgium(?)	1	0			
ASIA:								
Afghanistan	1	2	Crete	3	0			
Asia [country(?)]	6	2	Crete(?)	1	0			
Burma	1	0	Czechoslovakia	1	2			
Cambodia	1	0	Denmark	27	1			
Ceylon	1	1	England	78	115			
China	5	9	England(?)	1	0			
Cyprus	1	0	Europe [country(?)]	26	6			
Formosa	19	23	Finland	0	1			
Formosa(?)	1	0	France	313	14			
Hong Kong	52	203	France(?)	2	0			
India	121	23	Germany	90	43			
India(?)	2	0	Germany(?)	1	0			
Indonesia	1	3	Greece	120	3			
Iran	31	0	Greece(?)	2	0			
Iraq	3	0	Hungary	5	0			
Israel	47	0	Ireland	17	22			
Israel(?)	1	0	Italy	606	84			
Japan	941	1, 197	Jersey (Isle of)	0	1			
Japan(?)	3	1	Luxembourg	0	1			
Jordan	3	0	Malta	2	0			
Korea	11	3	Netherlands	42	20			
Kuwait	2	0	Netherlands(?)	1	0			
Lebanon	33	1	Northern Ireland	0	2			
Malaysia	2	3	Norway	5	3			
Pakistan	95	0	Poland	27	3			
Saudi Arabia	1	0	Portugal	34	3			
Singapore	6	5	Rumania	2	0			
Syria	17	0	Scotland	17	8			
Thailand	17	15	Scotland(?)	1	0			
Thailand(?)	1	0	Spain	177	4			
Turkey	65	0	Spain(?)	2	0			
Turkey(?)	1	0	Sweden	10	4			
Viet-Nam (South)	22	5	Switzerland	14	14			
Viet-Nam(?)	2	0	Union of Soviet Socialist Republics	3	0			
AUSTRALASIA:								
American Samoa	4	0	Yugoslavia	19	2			
Australia	15	53	NORTH AMERICA:					
Canton Island	1	0	Bermuda	11	0			
Fiji	9	1	Canada	2	3			
Guam	23	1	Central America:					
Guam(?)	1	0	British Honduras	11	2			
Hawaii	944	22	Canal Zone	4	5			
Hawaii(?)	1	0	Costa Rica	18	12			
Johnston Island	1	0	El Salvador	21	11			
			Guatemala	59	15			
			Honduras	39	21			

SUMMARY OF NUMBERS OF INTERCEPTIONS LISTED--Continued

Country	Insect	Disease	Country	Insect	Disease
NORTH AMERICA--Continued			SOUTH AMERICA:		
Central America--Continued			Argentina	4	100
Nicaragua.....	12	1	Argentina(?)	1	0
Panama.....	66	12	Bolivia.....	0	5
Panama(?)	2	0	Brazil	72	253
Mexico.....	485	92	Brazil(?)	1	0
Mexico(?)	2	0	Chile	118	12
West Indies:			Colombia.....	21	80
American Virgin Islands...	3	1	Ecuador.....	37	9
Antigua	3	0	Paraguay.....	0	4
Bahamas.....	16	14	Peru.....	19	7
Barbados	4	0	South America [country(?)] ..	2	55
British West Indies			Uruguay.....	0	7
[island(?)]	1	1	Venezuela.....	8	10
Cayman Islands.....	1	0	Venezuela(?)	0	2
Cuba	13	0			
Dominica	2	1	TOTALS:		
Dominican Republic.....	110	16	AFRICA.....	252	321
Dominican Republic(?)	1	0	ASIA.....	1,516	1,496
Guadeloupe.....	1	0	AUSTRALASIA.....	1,158	120
Haiti	18	12	EUROPE.....	1,723	369
Jamaica	68	74	NORTH AMERICA.....	1,062	309
Jamaica(?)	1	0	SOUTH AMERICA.....	283	544
Nevis.....	1	0	UNKNOWN	270	45
Puerto Rico.....	64	10	Total insect interceptions	6,264
St. Kitts	3	0	Total disease interceptions	3,204
St. Martin	1	0	GRAND TOTAL	9,468
Tortola.....	2	0			
Trinidad	15	6			
Trinidad(?)	1	0			
West Indies [island(?)]....	1	0			

CHANGES IN NOMENCLATURE

Insects:

- Aethes williana (Brahm) - [= Phalonia zephyrina (Treit.)]
- Autographa gamma (L.) - [= Plusia gamma (L.)]
- Cladardis elongatula (Klug) - [= Ardis brunniventris (Hartig)]
- Duplaspidiotus claviger (Ckll.) - [= Pseudaonidia clavigera Ckll.] —
- Dysmicoccus probrevipes (Morr.) - [= Pseudococcus probrevipes Morr.]
- Leperisinus varius (F.) - [= L. fraxini (Panz.)]
- Naphius apicalis Dallas - [= Rhyparochromus apicalis Dallas]
- Ochrostomus teapensis (Dist.) - [= Lygaeus teapensis Dist.]
- Remaudiereana nigriceps (Dallas) - [= Pachybrachius nigriceps (Dallas)]
- Spodoptera litura (F.) - [= Prodenia litura (F.)] —
- Tomicus piniperda (L.) - [= Blastophagus piniperda (L.)]
- Trachylepidia fructicassiella Rag. - [= Aganactesis indecora Dyar]
- Tryporyza incertulas (Walker) - [= Schoenobius incertulas (Walker)]

Diseases:

The imperfect stage of Guignardia citricarpa is now Phyllostictina instead of Phoma. —

Hosts:

- Citrus paradisi (grapefruit) - [formerly C. paradisi] —
- Euphoria longana (longan) - [formerly E. longan]
- Manilkara achras (sapodilla) - [formerly Achras zapota] —

Correction: The 1965 List showed khapra beetle from Australia in error. The host material was from there but the infestation occurred on board ship. This pest is not known to be in Australia.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Acanthiophilus eluta</u> (Mg.) (Tephritidae).....	Algeria	2	D. C.
<u>Carduncellus caeruleus</u> (dry leaf with seed)					
<u>Centaurea</u> sp. (seedhead)					
<u>Acanthoscelides armitagei</u> (Pic) (Bruchidae)	Colombia, Jamaica, Panama, Trinidad.	6	Fla., N. Y.
<u>Cajanus cajan</u> (pigeonpea)					
<u>Acanthoscelides obvelatus</u> Bridwell (Bruchidae) ..	Mexico.....	1	Tex.
<u>Vicia faba</u> (broadbean)					
<u>Acedes pallescentella</u> (Staint.) (Tineidae)	Unknown	2	Calif., Mich.
Debris (in cargo hold)					
<u>Aceria dianthi</u> (Lindroth) (Eriophyidae)	Greece(?)	1	Mich.
<u>Dianthus caryophyllus</u> (carnation) cut flower					
<u>Aceria nervisequa</u> (Can.) (Eriophyidae)	England, Italy	3	Mass.
<u>Fagus</u> sp. (beech) leaf					
<u>Achaea janata</u> (L.) (Noctuidae).....	Hawaii.....	1	Hawaii.
Cargo					
<u>Achatina fulica</u> Bowdich (Achatinidae).....	Guam, Hawaii, Japan(?), Mauritius, Okinawa, Pakistan.	26	1	1	Calif., Fla., Hawaii, N. Y.
Airplane					
Baggage (at large and as collection)					
Cargo					
Clothing					
Plants--unidentified					
<u>Acrolepia assetella</u> (Zell.) (Yponomeutidae).....	Belgium, France, Germany, Spain, Sweden.	4	5	Fla., Mass., N. Y., S. C., Tex., Va.
<u>Allium ascalonicum</u> (shallot)					
<u>A. porrum</u> (leek)					
Cargo (with cauliflower)					
<u>Acrosternum fieberi</u> (Stål)(?) (Pentatomidae).....	South Africa.....	1	N. Y.
<u>Vitis</u> sp. (grape)					
<u>Acrosternum heegeri</u> Fieber (Pentatomidae).....	Spain	1	N. C.
Cargo (with tent)					
<u>Acutaspis albopicta</u> (Ckll.) (Diaspididae).....	British Honduras, Canal Zone.	1	2	Fla., Hawaii.
<u>Brassavola digbyana</u> (orchid)					
Mail					
<u>Oncidium</u> sp. (orchid)					
<u>Acutaspis tingi</u> McKenzie (Diaspididae)	Mexico, Philippines..	1	3	Calif., Fla., Hawaii, Wash.
<u>Cocos nucifera</u> (coconut)					
Orchid (plant)					
<u>Phalaenopsis</u> sp. (orchid)					
<u>Thrixspermum</u> sp. (orchid)					
<u>Acutaspis umbonifera</u> (Newst.) (Diaspididae).....	British Honduras, El Salvador.	3	Fla.
Orchid (leaf of plant)					
<u>Adoretus sinicus</u> Burm. (Scarabaeidae).....	Guam(?), Hawaii, Okinawa, unknown.	17	4	Alaska, Calif., Hawaii.
Airplane					
<u>Alpinia purpurata</u> (galangal) leaf					
<u>Ananas comosus</u> (pineapple)					
Baggage					
Cargo (with lift van)					
Flowers (mixed)					
Mail (on parcel and in mail bag)					
<u>Adoxophyes reticulata</u> (Hbn.) (Tortricidae).....	Japan	1	Hawaii.
<u>Rhododendron</u> sp. (azalea) cut flower					
<u>Aeneolamia postica</u> subsp. <u>jugata</u> (Fowler) (Cercopidae).....	Mexico.....	1	Tex.
<u>Ricinus communis</u> (castorbean)					
<u>Aeneolamia reducta</u> (Lall.) (Cercopidae).....	Panama(?)	1	Fla.
Airplane					
<u>Aeolus pullatus</u> (Candeze) (Elateridae).....	Chile	7	N. Y.
<u>Cucumis melo</u> (melon)					
<u>Vitis</u> sp. (grape)					
<u>Aethes williana</u> (Brahm) (Phaloniidae).....	Italy	1	Pa.
<u>Daucus carota</u> var. <u>sativa</u> (carrot)					
<u>Aethus indicus</u> (Westw.) (Cydnidae)	West Pacific.....	1	Hawaii.
Airplane					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Agalliana sticticollis</u> (Stål) (Cicadellidae)	South America [country(?)]	1	Fla.
Airplane					
<u>Agraecia philippina</u> Karny (Tettigoniidae)	Unknown	1	Hawaii.
Airplane					
<u>Agroiconota judaica</u> (F.) (Chrysomelidae)	Colombia	1	Fla.
Baggage (brought for child's collection)					
<u>Agrotisia subhyalina</u> Hmpsn. (Noctuidae)	Ecuador, Panama	2	Fla.
Airplane					
<u>Aleophagus myersi</u> Essig (Aphididae)	South Africa	1	N. Y.
<u>Aloe</u> sp.					
<u>Aleurocanthus husaini</u> Corbett (Aleyrodidae)	India	2	Va.
<u>Tamarindus indica</u> (tamarind) leaf					
<u>Aleurocanthus spiniferus</u> (Q.) (Aleyrodidae)	Philippines	1	Wash.
<u>Areca catechu</u> (betel palm) leaf					
<u>Aleurocanthus woglumi</u> Ashby (Aleyrodidae)	Colombia, Jamaica, Mexico.	36	1	Ariz., Calif., Fla., Ill., Tex.
<u>Citrus aurantifolia</u> (lime) leaf					
<u>C. sinensis</u> (sweet orange) leaf					
<u>Citrus</u> sp. (leaf)					
<u>Aleurodicus iridescent</u> Ckll. (Aleyrodidae)	Peru	2	Fla.
Aquatic plant					
<u>Aleuroglandulus emmae</u> Rsl. (?) (Aleyrodidae)	Mexico	1	Ariz.
Orchid (leaf of plant)					
<u>Aleuroglandulus subtilis</u> Bondar (Aleyrodidae)	Venezuela	2	Fla.
<u>Echinodorus</u> sp. (burhead) leaf of plant					
<u>Aleurolobus marlatti</u> (Q.) (Aleyrodidae)	India	2	Va.
<u>Tamarindus indica</u> (tamarind) leaf					
<u>Aleurolobus niloticus</u> (Pr. & H.) (Aleyrodidae)	Israel	1	Calif.
Leaf--unidentified					
<u>Aleurolobus olivinus</u> Silvestri (Aleyrodidae)	Italy	1	N. Y.
<u>Olea europaea</u> (common olive) leaf					
<u>Aleuroplatus coccolus</u> Q. & B. (Aleyrodidae)	Colombia, Mexico	2	1	Fla., Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Philodendron</u> sp. (leaf of plant)					
<u>Aleurotrachelus camelliae</u> (Kuw.) (Aleyrodidae)	Japan	1	Alaska.
<u>Camellia japonica</u> (common camellia) leaf					
<u>Aleurotuberculatus aucubae</u> (Kuw.) (Aleyrodidae) do	3	1	Calif., Hawaii, Wash.
<u>Citrus ichangensis</u> X <u>C. reticulata</u> (ichandarin) leaf					
<u>C. ichangensis</u> X <u>C. reticulata</u> var. <u>austera</u> (yuzu) leaf					
<u>C. paradisi</u> X <u>C. reticulata</u> (tangelo)					
<u>Osmanthus fragrans</u> (sweet osmanthus) plant					
<u>Aleurotuberculatus euryae</u> (Kuw.) (Aleyrodidae) do	1	Hawaii.
Flowers (mixed)					
<u>Aleurotuberculatus psidii</u> (Singh)(?) (Aleyrodidae)	Hong Kong	1	Wash.
Leaf--unidentified					
<u>Alkindus atratus</u> Dist. (Cydnidae)	Colombia	1	Fla.
<u>Oryza sativa</u> (rice) screening					
<u>Allotaxis unifasciata</u> Hope (Cerambycidae)	Australia	1	Hawaii.
Flowers (mixed)					
<u>Amphimallon majalis</u> Raz. (Scarabaeidae)	France, unknown	5	N. Y.
Airplane					
<u>Anacridium aegyptium</u> (L.) (Acrididae)	Crete(?), Italy, Libya.	2	1	La., N. Y.
Baggage					
Cargo (with household goods)					
Cargo hold (of ship)					
<u>Anaphothrips flavicinctus</u> (Karny)(?) (Thripidae)	Cambodia	1	D. C.
Soil with <u>Zea mays</u> (corn) dried plant					
<u>Anastrepha ludens</u> (Loew) (Tephritidae)	British Honduras, Mexico.	85	8	Ariz., Calif., Fla., La., N. Y., Tex.
<u>Annona reticulata</u> (bullocksheart custard-apple)					
Cargo (with tomato)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Anastrepha ludens</u> --Continued					
<u>Citrus aurantifolia</u> (sweet lime)					
<u>C. grandis</u> (pummelo)					
<u>C. limon</u> var. <u>ponderosa</u> (Ponderosa lemon)					
<u>C. paradisi</u> (grapefruit)					
<u>C. reticulata</u> cv. (King orange)					
<u>C. sinensis</u> (sweet orange)					
<u>Mangifera indica</u> (mango)					
<u>Anastrepha mombinpraeoptans</u> Sein (Tephritidae).	Brazil, Costa Rica, Dominican Republic, Ecuador, El Salva- dor, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Puerto Rico, South America [country(?)].	71	1	Ariz., Calif., Fla., N. Y., P. R., Tex.
<u>Annona cherimola</u> (cherimoya)					
<u>Chrysophyllum cainito</u> (Cainito star-apple)					
<u>Mangifera indica</u> (mango)					
<u>Spondias mombin</u> (yellow mombin)					
<u>Spondias</u> sp. (mombin)					
<u>Terminalia catappa</u> (tropical almond)					
<u>Anastrepha serpentina</u> (Wied.) (Tephritidae)	Mexico.....	1	Md.
<u>Calocarpum sapota</u> (sapote)					
<u>Anastrepha serpentina</u> (Wied.) (?) (Tephritidae) ...	Peru.....	1	Calif.
<u>Coffea indica</u> (coffee) berry					
<u>Anastrepha striata</u> (Schin.) (?) (Tephritidae)	El Salvador	1	Calif.
<u>Psidium guajava</u> (guava)					
<u>Anastrepha suspensa</u> (Loew) (Tephritidae)	Dominican Republic ..	1	P. R.
<u>Psidium guajava</u> (guava)					
<u>Anastrepha suspensa</u> (Loew) (?) (Tephritidae)	Jamaica.....	1	N. Y.
<u>Annona</u> sp. (fruit)					
<u>Andricus furnessae</u> (Weld) (Cynipidae).....	Mexico.....	1	Ariz.
<u>Quercus</u> sp. (oak) acorn					
<u>Anomala expansa</u> Bates (?) (Scarabaeidae).....	Japan.....	1	Wash.
Mail (with nail bag)					
<u>Anomala orientalis</u> Waterh. (Scarabaeidae).....	... do		2	Calif.
Airplane					
<u>Anomala viridana</u> Kolbe (Scarabaeidae)	Formosa.....	1	Calif.
Bagging (around bamboo blinds)					
<u>Anoplodera rufipes</u> Schaller (Cerambycidae).....	Germany(?)		1	Ill.
<u>Malus sylvestris</u> (apple)					
<u>Antilocoris punctatus</u> (Dist.) (Lygaeidae).....	Peru.....			1	Hawaii.
Orchid (plant)					
<u>Anypsipyla univittella</u> Dyar (Phycitidae)	British Honduras, Guatemala, Mexico, Peru.	4	2	Calif., Hawaii, La., Tex.
<u>Cassia grandis</u> (pinkshower senna) pod					
<u>Cassia</u> sp. (senna) pod					
<u>Enterolobium</u> sp. (seed pod)					
<u>Samanea saman</u> (raintree saman) seed					
<u>Aonidiella comperei</u> McKenzie (Diaspididae).....	Thailand		1	N. Y.
<u>Citrus grandis</u> (pummelo)					
<u>Aonidiella inornata</u> McKenzie (Diaspididae).....	Guam, Hawaii, Japan, Okinawa, Philip- pines, Thailand.	4	4	4	Calif., Hawaii, Wash.
<u>Citrus reticulata</u> (mandarin orange)					
<u>Cocos nucifera</u> (coconut)					
Cutting--unidentified					
<u>Cycas revoluta</u> (sago palm) leaf					
Palm (leaf)					
<u>Spathoglottis</u> sp. (orchid) leaf					
<u>Aonidiella messengeri</u> (McKenzie) (Diaspididae) ..	Japan(?)	1	Wash.
Palm (leaf)					
<u>Araecerus levipennis</u> Jord. (Anthribidae)	Hawaii	1	1	Hawaii.
<u>Leucaena leucocephala</u> (whitepopinac lead- tree) pod and seed					
<u>Araecerus simulatus</u> (Gyll.) (?) (Anthribidae) do	4	Hawaii.
Baggage (with fruit and nuts)					
<u>Cassia glauca</u> (glossyshower senna) pod					
<u>Leucaena leucocephala</u> (seed)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<i>Araeocorynus cumingi</i> Jekel (Anthribidae)..... Baggage Mail (parcel) <i>Mucuna</i> sp. (seed)	Hawaii.....	6	Hawaii.
<i>Archips argyrospilus</i> (Wlk.) (Tortricidae) Mail	England.....	1	N. Y.
<i>Arge ochropus</i> (Gmel.) (Argidae) <i>Rosa</i> sp. (rose) cut flower	Europe [country(?)] ..	1	N. Y.
<i>Argina cibraria</i> (Clk.) (Arctiidae)..... Airplane	West Pacific.....	1	Hawaii.
<i>Arianta arbustorum</i> (L.) (Helicidae)..... Baggage <i>Brassica oleracea</i> var. <i>botrytis</i> (cauliflower) <i>B. oleracea</i> var. <i>capitata</i> (cabbage) Cargo (on tank treads) Debris (in cargo hold) <i>Juniperus</i> sp. (juniper) potted plant <i>Lactuca sativa</i> (lettuce) <i>Petroselinum crispum</i> var. <i>latifolium</i> (parsley)	France, Germany, Italy, Switzerland, unknown.	1	5	2	Ill., La., Md., N. Y.
<i>Arphnus melanotylus</i> Ashlock (Lygaeidae)..... Bromeliad (plant) Orchid (plant)	Honduras, Mexico....	2	Calif., Fla.
<i>Arugisa porrectalis</i> (Druce) (Noctuidae) Airplane	Jamaica(?).....	1	Fla.
<i>Ascia monuste</i> (L.) (Pieridae)..... Airplane <i>Brassica oleracea</i> var. <i>acephala</i> (kale)	St. Martin, unknown..	1	1	Am. V. I., P. R.
<i>Asphondylia albipila</i> Felt (Cecidomyiidae)..... <i>Larrea tridentata</i> (Coville creosote bush) leaf	Mexico.....	1	Tex.
<i>Aspidiella hartii</i> (Ckll.) (Diaspididae) <i>Zingiber officinale</i> (common ginger) root	Fiji, Philippines....	2	1	Calif.
<i>Aspidiella zingiberi</i> Mamet (Diaspididae)..... <i>Zingiber officinale</i> (common ginger) root	Fiji, Philippines....	4	1	Calif.
<i>Aspidiotus cryptomeriae</i> Kuw. (Diaspididae).... <i>Cryptomeria japonica</i> (Japanese cryptomeria)	Japan.....	1	Calif.
<i>Aspidiotus destructor</i> Sign. (Diaspididae) <i>Areca catechu</i> (betel palm) <i>Chamaedorea</i> sp. (palm) <i>Cocos nucifera</i> (coconut) <i>Garcinia mangostana</i> (mangosteen) <i>Sabal palmetto</i> (cabbage palmetto) seed <i>Terminalia catappa</i> (tropical almond)	El Salvador, Guam, Honduras, Jamaica, Mexico, Philippines, Trinidad, Viet-Nam.	23	1	1	Calif., Fla., Md., Tex., Wash.
<i>Asterobemisia carpini</i> (Koch) (Aleyrodidae)..... <i>Rubus</i> sp. (blackberry and raspberry) leaf	England, France, Ger- many, Spain, un- known.	107	Alaska, Mass., N. Y., Va.
<i>Asterolectanium epidendri</i> (Bouché) (Astrolectaniidae)..... Bromeliad (leaf of plant) <i>Neomoorea</i> sp. (leaf of plant)	Bahamas, British Honduras, Canal Zone, Colombia, Costa Rica, Guate- mala, Honduras, Jamaica, Trinidad.	23	Fla., N. Y.
Orchid (<i>Arpophyllum giganteum</i> , <i>Broughtonia</i> sp., <i>Cattleya</i> sp., <i>Epidendrum fragrans</i> , <i>Epidendrum</i> sp., <i>Oncidium</i> sp., uniden- tified orchid, and <i>Vanda</i> sp.) leaf of plant
<i>Asterolectanium inlabefactum</i> Rsl. (Astrolectaniidae)..... <i>Bambusa</i> sp. (bamboo) leaf	Mexico.....	1	Calif.
<i>Atta mexicana</i> (F. Smith) (Formicidae)..... Baggage Bromeliad (plant)	Honduras, Mexico....	1	2	Fla., Tex.
<i>Aulacaspis tubercularis</i> Newst. (Diaspididae).... <i>Mangifera indica</i> (mango)	El Salvador, Guam, Honduras, Hong Kong, Mexico, Philippines, Puerto Rico.	9	Calif., Fla., Wash.

a To
avellanae
u79168

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Aulacizes mutans</u> (Signoret)(Cicadellidae)..... Bromeliad (plant)	Mexico.....	1	Tex.
<u>Autographa gamma</u> (L.) (Noctuidae)..... Airplane	Thailand	1	Calif.
<u>Automeris acutissima</u> Walker (Saturniidae)..... Orchid (plant)	Nicaragua.....	1	Fla.
<u>Auximobasis coffeaella</u> Busck (Blastobasidae) ... <u>Coffea</u> sp. (coffee) seed	Colombia.....	1	La.
<u>Aylax salviae</u> (Giraud)(Cynipidae) <u>Salvia</u> sp. (sage)	Greece.....	1	N. Y.
<u>Bemisia tabaci</u> (Genn.) (Aleyrodidae)..... <u>Euphorbia pulcherrima</u> (common poinsettia) Leaf--unidentified	Hong Kong, Mexico...	1	1	Tex., Wash.
<u>Blapstinus punctulatus</u> Solier (Tenebrionidae).... <u>Cucumis melo</u> (melon) with packing <u>Vitis</u> sp. (grape)	Chile	96	N. Y.
<u>Blapstinus tibialis</u> Champion (Tenebrionidae).... Airplane	Venezuela.....	1	Fla.
<u>Blissus diplopterus</u> Dist. (Lygaeidae)..... <u>Prunus persica</u> (peach)	South Africa.....	1	N. Y.
<u>Bostrychopsis parallela</u> (Lesne)(Bostrichidae) ... Bamboo (strips around cotton piece goods) <u>Borassus flabellifera</u> (palmyrapalm) stem	India.....	2	Fla., La.
<u>Brachytrupes portentosus</u> (Licht.) (Gryllidae) Airplane	Viet-Nam(?).....	1	Calif.
<u>Bradybaena fodiens</u> (Pfr.) (Bradybaenidae)..... <u>Brassica</u> sp. ("Chinese greens") Cargo <u>Maxillaria</u> sp. (orchid) leaf of plant Orchid (plant)	Brazil, Guam, Japan, Mexico, Okinawa, South Pacific.	1	4	5	Alaska, Calif., Fla., Hawaii, Oreg., Tex., Wash.
<u>Petroselinum crispum</u> var. <u>latifolium</u> (parsley) Seed (miscellaneous) Soil with <u>Amaranthus</u> sp. (plant) <u>Spinacia oleracea</u> (spinach) <u>Vitis</u> sp. (grape)					
<u>Bradybaena similaris</u> (Fer.) (Bradybaenidae).... <u>Ananas comosus</u> (pineapple) Baggage <u>Capsicum annuum</u> (redpepper) Cargo <u>Cocos nucifera</u> (coconut) Flowers (<u>Alpinia purpurata</u> , <u>Anthurium andraeanum</u> , <u>Dahlia</u> sp., <u>Dendrobium</u> sp., <u>Heliconia humilis</u> , orchid, <u>Strelitzia reginae</u> , unidentified flowers, and <u>Vanda</u> 'Miss Joachim') Leaf--unidentified Mollusk (with shell of <u>Achatina fulica</u>) <u>Monstera</u> sp. (?) (leaf) Moss Plant material (<u>Aloe vera</u> , <u>Begonia</u> sp., <u>Cibotium chamissoi</u> , <u>Cordyline terminalis</u> , <u>Erythrina</u> sp., <u>Ficus elastica</u> , <u>Hibiscus</u> sp., <u>Jasminum multiflorum</u> , <u>Mentha</u> sp., and unidentified plant material)	Bermuda, Brazil, Cuba, Fiji, Hawaii, Japan, Mexico, Okinawa, Philip- pines, Puerto Rico, unknown.	37	1	18	Bermuda, Calif., Fla., Hawaii, N. Y., P. R., Tex.
Soil sample and soil with <u>Berberis</u> sp. and <u>Hibiscus</u> sp. (cuttings) Vegetables (garbage) <u>Zingiber officinale</u> (common ginger) root					
<u>Brevipalpus essigi</u> Baker (Tenuipalpidae)	Colombia.....	1	Fla.
<u>Pelargonium</u> sp. (geranium) plant					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Brontispa mariana</u> Spaeth (Chrysomelidae).....	Mariana Islands.....	1	Guam.
<u>Cocos nucifera</u> (coconut)					
<u>Bruchidius bimaculatus</u> (Ol.) (Bruchidae).....	Italy.....	1	N. Y.
<u>Vitis</u> sp. (grape)					
<u>Bruchidius gilvus</u> (Gyll.) (Bruchidae).....	... do	2	N. Y.
<u>Pyrus communis</u> (pear)					
<u>Bruchidius stylophorus</u> (Dan.) (Bruchidae).....	... do	1	N. Y.
<u>Malus sylvestris</u> (apple)					
<u>Bruchidius unicolor</u> (Ol.) (Bruchidae) do	1	N. Y.
<u>Vitis</u> sp. (grape)					
<u>Bruchophagus indigoferae</u> (Risbec) (Eurytomidae).	South Africa.....	2	D. C.
<u>Indigofera</u> sp. (indigo) seed					
<u>Bruchus affinis</u> Froel. (Bruchidae).....	Germany.....	1	N. J.
<u>Lathyrus latifolius</u> (perennial pea) seed					
<u>Bruchus dentipes</u> (Baudi) (Bruchidae).....	Syria	1	Mich.
<u>Vicia faba</u> (broadbean) seed					
<u>Bruchus emarginatus</u> Allard (Bruchidae).....	India, Israel.....	2	Tex.
<u>Glycine max</u> (soybean)					
<u>Lens culinaris</u> (lentil)					
<u>Bruchus ervi</u> Froel. (Bruchidae).....	France, Greece, Italy, Lebanon, South Africa.	7	5	La., Mass., Mich., N. Y., Pa., Tex.
<u>Lens culinaris</u> (lentil)					
<u>Vicia faba</u> (broadbean)					
<u>Bruchus lentis</u> Froel. (Bruchidae).....	Belgium, France, Ger- many, Greece, India, Iran, Israel, Italy, Turkey, unknown, Yugoslavia.	6	20	1	Fla., La., Md., Mich., N. Y., Tex.
<u>Lens culinaris</u> (lentil)					
<u>Pisum sativum</u> (pea) dried					
Seed (mixed)					
<u>Bruchus signaticornis</u> Gyll. (Bruchidae)	England(?), France, Greece, Italy, Tunisia, unknown.	10	4	Del., Ill., La., Mass., Md., N. Y., Ohio.
<u>Lens culinaris</u> (lentil)					
<u>Bruchus tristiculus</u> Fahr. (Bruchidae).....	Azores, Italy.....	2	3	Mass., N. Y.
<u>Lathyrus sativus</u> (grass peavine) seed					
<u>Phaseolus</u> sp. (?) (seed)					
<u>Bruchus tristis</u> Boh. (Bruchidae).....	Italy, unknown.....	6	1	1	La., Mass., N. Y.
<u>Lathyrus sativus</u> (grass peavine) seed					
Legume (seed)					
<u>Lupinus albus</u> (white lupine) seed					
Seed--unidentified					
<u>Vicia faba</u> (broadbean)					
<u>Bryobia curiosa</u> Summers (Tetranychidae)	Mexico.....	1	Calif.
<u>Chrysanthemum</u> sp. (plant)					
<u>Buliminopsis siamensis</u> (Redf.) (Bradybaenidae) ..	Thailand	1	Fla.
Orchid (plant)					
<u>Busseola fusca</u> Fuller (Noctuidae).....	Kenya.....	1	Mich.
<u>Zea mays</u> (corn) on cob					
<u>Cacographis osteolalis</u> Led. (Schoenobiidae)....	Mexico.....	1	Tex.
<u>Alocasia</u> sp. (plant)					
<u>Cactoblastis cactorum</u> (Berg) (Phycitidae)	Hawaii, Tortola.....	2	Amer. V. I., Hawaii.
<u>Camellia sinensis</u> (common tea)					
<u>Opuntia</u> sp. (pricklypear) leaf					
<u>Cadra calidella</u> (Guen.) (Phycitidae).....	Greece, Italy.....	2	Mich., N. Y.
<u>Ficus carica</u> (fig)					
<u>Caeporis stigmula</u> (Germ.) (Chrysomelidae)	Argentina	1	Mass.
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
<u>Calepitrimerus fagisylvaticus</u> K. (Eriophyidae) ..	England	2	Mass.
<u>Fagus</u> sp. (beech) stem with leaves					
<u>Callidium rufipenne</u> Motsch. (Cerambycidae)....	Japan	1	8	Calif., Fla., Md., Minn., Ohio.
Cargo					
<u>Cryptomeria</u> sp. (dunnage)					
<u>Pinus</u> sp. (pine) dunnage					
Ship (on deck)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Callidium rufipenne</u> --Continued					
<u>Tsuga</u> sp. (hemlock) dunnage					
Wood (dunnage)					
<u>Callosobruchus ademptus</u> (Sharp)(Bruchidae)	Korea.....	1	N. J.
<u>Pueraria lobata</u> (Thunberg kudzubean) seed					
<u>Callosobruchus analis</u> (F.) (Bruchidae)	China, Italy, Pakistan, unknown.	4	Fla., Ga., N. Y.
Bagging (empty burlap bags)					
<u>Cicer arietinum</u> (chickpea)					
<u>Phaseolus lunatus</u> (lima bean) dried					
Stores					
<u>Calyptocephala gerstackeri</u> Boh. (Chrysomelidae)	Mexico.....	5	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Calyptocephala marginipennis</u> Boh. (Chrysomelidae)	do.....	7	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Caprhiobia similis</u> Slater (Lygaeidae).....	South Africa.....	1	N. Y.
<u>Protea</u> sp. (cut flower)					
<u>Capritermes nitobei</u> (Shiraki)(Termitidae).....	Okinawa.....	1	Calif.
Airplane					
<u>Carpophilus maculatus</u> Murr. (Nitidulidae).....	Haiti, Hawaii.....	1	1	Fla., Hawaii.
Plants--unidentified					
<u>Plumeria</u> sp. (frangipani) cut flower					
<u>Carposina nipponensis</u> Wlsm. (Carposinidae).....	Japan.....	1	6	Calif., N. C., N. Y., Pa., Wash.
<u>Malus sylvestris</u> (apple)					
<u>Cataenococcus guatemalensis</u> (Ferris) (Pseudococcidae).....	El Salvador, Guatemala.	2	Fla.
Orchid (leaf of plant)					
<u>Catephia leucomelas</u> (L.) (Noctuidae).....	Japan.....	1	Alaska.
Airplane					
<u>Cecilioides aperta</u> (Swainson)(Achatinidae)	Azores.....	1	Mass.
<u>Rosmarinus officinalis</u> (rosemary) roots					
<u>Cenopalpus lineola</u> (C. & F.) (Tenuipalpidae)....	Germany.....	1	Wash.
<u>Pinus</u> sp. (pine) twig					
<u>Cenopalpus pulcher</u> (C. & F.) (Tenuipalpidae)....	Germany, Italy, Yugoslavia.	3	N. Y.
<u>Malus sylvestris</u> (apple)					
<u>Cepaea hortensis</u> (Müller)(Helicidae)	France, Switzerland..	1	1	Ill., Va.
Baggage (as collection and for propagation)					
Cargo (on crate)					
<u>Ceratitis capitata</u> (Wied.) (Tephritidae).....	Argentina, Congo (Kinshasa), Cyprus, France, Greece, Hawaii, Israel, Italy, Jordan, Morocco, Portugal, South Africa, Spain, Tunisia, unknown.	106	22	Calif., Fla., Hawaii, Mass., N. J., N. Y., Ohio, Tex., Va.
<u>Annona reticulata</u> (bullocksheart custard-apple)					
<u>Capsicum annuum</u> (redpepper)					
<u>Citrus paradisi</u> (grapefruit)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. sinensis</u> (sweet orange)					
<u>Coffea arabica</u> (Arabian coffee) berry					
<u>Cydonia oblonga</u> (quince)					
<u>Eriobotrya japonica</u> (loquat)					
<u>Euphoria longana</u> (longan) fruit					
<u>Ficus carica</u> (fig)					
Fruit--unidentified					
<u>Fortunella</u> sp. (kumquat)					
<u>Litchi chinensis</u> (lychee) nut					
<u>Mangifera indica</u> (mango)					
<u>Murraya paniculata</u> (orange-jasmine) berry					
<u>Opuntia humifusa</u> (common pricklypear)					
<u>O. occidentalis</u> (western pricklypear)					
<u>Passiflora edulis</u> (purple granadilla)					
<u>Persea americana</u> (American avocado)					
<u>Prunus domestica</u> (plum)					
<u>P. persica</u> (peach)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Ceratitis capitata</u> --Continued					
<u>Psidium guajava</u> (guava)					
<u>Punica granatum</u> (pomegranate)					
<u>Sorbus domestica</u> (servicetree mountain-ash)					
<u>Spondias mombin</u> (yellow mombin)					
<u>Terminalia catappa</u> (tropical almond)					
<u>Ceratitis capitata</u> (Wied.) (?)(Tephritidae).....	France, Greece, Hawaii, Spain, unknown.	2	4	Calif., Fla., Hawaii, Mass., N. Y.
<u>Citrus limon</u> (lemon)					
<u>C. sinensis</u> (sweet orange)					
<u>Coffea arabica</u> (Arabian coffee) berry					
<u>Prunus persica</u> (peach)					
<u>Ceratitis colae</u> Silv. (Tephritidae).....	Ghana, Nigeria	1	1	D. C., N. Y.
<u>Cola acuminata</u> (Sudan colanut) seed					
<u>Psidium guajava</u> (guava)					
<u>Ceratitis rosa</u> Karsch (Tephritidae)	Ghana.....	1	D. C.
<u>Synsepalum dulcificum</u> (fruit)					
<u>Cerconota anonella</u> (Sepp)(Stenomidae).....	Brazil, Colombia, Costa Rica, Mexico, Panama.	4	2	Fla., N. C., Tex.
<u>Annona cherimola</u> (cherimoya)					
<u>A. muricata</u> (soursop)					
<u>Annona</u> sp. (fruit)					
<u>Ceresium unicolor</u> (F.) (Cerambycidae)	Hawaii.....	1	Hawaii.
Baggage					
<u>Ceroplastes japonicus</u> Green (Coccidae)	Italy.....	1	Mass.
<u>Laurus</u> sp. (laurel) leaf					
<u>Ceroplastes rubens</u> Mask. (Coccidae).....	Australia, Hawaii....	11	2	Calif., Hawaii.
<u>Acrostichum</u> sp. (fern) leaf					
<u>Alyxia olivaeformis</u> (maile alyxia) leaf lei					
<u>Anthurium andraeanum</u> (flamingo anthurium)					
<u>Gardenia jasminoides</u> (leaf of cut flower)					
<u>Ceroplastes rubens</u> Mask. (?) (Coccidae).....	Japan.....	1	Alaska.
<u>Gardenia</u> sp. (leaf of cut flower)					
<u>Ceroplastes rusci</u> (L.) (Coccidae).....	Portugal	1	Mass.
<u>Ficus carica</u> (fig)					
<u>Chaetococcus phragmitis</u> (Marchal) (?)(Pseudococcidae).....	Austria	1	Oreg.
<u>Phragmites communis</u> (common reed) fencing					
<u>Chalciope hypsasia</u> (Cram.) (Noctuidae)	Unknown, West Pacific.	2	Calif., Hawaii.
<u>Chelysoma variabilis</u> (H. -S.) (Pentatomidae).....	Mexico.....	1	Tex.
<u>Ananas comosus</u> (pineapple)					
<u>Chilo suppressalis</u> (Wlk.) (Crambidae)	Europe [country(?)], Japan, Korea, Spain.	8	13	Calif., Hawaii, Mass., Mich., N. Y., Tex., Va., Wash.
Grass (mat)					
<u>Oryza sativa</u> (rice) grain; straw jacket, mat, packing, and rope					
Stores					
<u>Chirosia parvicornis</u> (Zett.) (Anthomyiidae).....	Italy.....	1	N. Y.
<u>Dicksonia</u> sp. (fern)					
<u>Chlorophorus annularis</u> (F.) (Cerambycidae).....	Formosa, Japan	2	N. C., S. C.
Bamboo (pole)					
<u>Chrysodeixis chalcites</u> (Esp.) (Noctuidae).....	Hawaii.....	3	Hawaii.
Clothing					
<u>Cordyline terminalis</u> (common dracena)					
<u>Vanda 'Miss Joachim'</u> (orchid) cut flower					
<u>Chrysolina americana</u> (L.) (Chrysomelidae).....	Italy.....	2	N. Y., Pa.
<u>Majorana hortensis</u> (sweet marjoram)					
<u>Rosmarinus officinalis</u> (rosemary) leaf					
<u>Cissites maculata</u> (Swed.) (Meloidae).....	Mexico.....	1	Tex.
<u>Cucumis melo</u> var. <u>cantalupensis</u> (cantaloupe)					
<u>Cladardis elongatula</u> (Klug) (Tenthredinidae)	Europe [country(?)], France, Germany, Hungary, unknown.	10	1	Ill., Mich., N. Y.
<u>Rosa</u> sp. (rose) cut flower					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Cladius pectinicornis</u> (Fourc.) (Tenthredinidae)...	England, France,	4	Ill., N. Y.
Rosa sp. (rose) cut flower					
<u>Clavaspis herculeana</u> (Doane & Hadden)					
(Diaspididae)	Guam, Hawaii, New Caledonia, Philippines.	1	6	Calif., Hawaii.
<u>Erythrina</u> sp. (coral bean) cutting					
Palm (seed)					
<u>Plumeria rubra</u> (Mexican frangipani) cutting					
<u>Spondias</u> sp. (mombin)					
<u>Coccus viridis</u> (Green) (Coccidae)	Dominican Republic,	77	1	6	Am. V. I., Calif., Fla., Hawaii, P. R.
<u>Adenium</u> sp. (plant)	Hawaii, Jamaica, Philippines(?), St. Kitts, Singapore.				
<u>Camellia sinensis</u> (common tea) bush					
<u>Citrus</u> sp. (leaf)					
<u>Codiaeum variegatum</u> (variegated croton) leaf					
<u>Coffea arabica</u> (Arabian coffee) leaf and berry					
<u>Fortunella</u> sp. (kumquat) leaf, stem, and fruit					
<u>Gardenia jasminoides</u> (cut flower)					
<u>G. taitensis</u> (cut flower)					
<u>Ixora</u> sp. (leaf)					
<u>Plumeria</u> sp. (frangipani) cutting					
<u>Psidium guajava</u> (guava)					
<u>Cochlicella barbara</u> (L.) (Helicellidae)	Azores, Crete, England, France, Greece, Israel, Italy, Lebanon, Morocco, Portugal, Spain.	36	6	11	Del., La., Mass., Md., N. C., N. J., N. Y., Pa., P. R., S. C., Va., Wash.
Anthemis sp. (camomile) cut flower					
Automobile					
Cactus (plant)					
<u>Capsicum annuum</u> (redpepper)					
Cargo					
<u>Ephedra</u> sp. (seed)					
<u>Lactuca sativa</u> (lettuce)					
<u>Lantana X hybrida</u> (seed)					
<u>Lathyrus odoratus</u> (sweetpea) seed					
<u>Majorana</u> sp. (marjoram) twig					
<u>Mentha</u> sp. (mint)					
<u>Nasturtium officinale</u> (watercress)					
Soil with cargo, <u>Dianthus caryophyllus</u> , herbs, <u>Laurus</u> sp., <u>Olea europaea</u> , <u>Philodendron</u> sp., and unidentified plants					
<u>Cochlicella conoidea</u> (Drap.) (Helicellidae)	Germany, Italy, Portugal, Spain.	7	1	Mass., N. J., S. C.
Automobile					
<u>Buxus sempervirens</u> (boxwood) seed					
Cargo					
Soil (per se) and soil with cargo					
<u>Coleotichus blackburniae</u> White (Pentatomidae)...	Philippines	1		Hawaii.
Airplane					
<u>Coleotichus marianensis</u> Usinger (Pentatomidae).	Guam	1		Hawaii.
Airplane					
<u>Colias chrysostheme</u> (Esper) (Pieridae)	Italy	1		N. Y.
Baggage					
<u>Conoderus exsul</u> (Sharp) (Elateridae)	Hawaii	6	3	Hawaii.
<u>Anthurium</u> sp. (cut flower)					
Baggage					
<u>Cordyline terminalis</u> (common dracena)					
Mail					
<u>Operculina tuberosa</u> (wood-rose) seed					
<u>Conoderus pallipes</u> (Esch.) (Elateridae)	West Pacific	1		Hawaii.
Airplane					
<u>Conoderus rodriguezi</u> (Candeze) (Elateridae)	Unknown	1		Tex.
Airplane					
<u>Conoderus rufangulus</u> (Gyll.) (Elateridae)	Chile	6		N. Y.
Cucumis melo (melon) with packing					
<u>Vitis</u> sp. (grape)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Conotelus mexicanus</u> Murr. (Nitidulidae).....	Guam, Guatemala, Hawaii, Mexico, Philippines, West Pacific.	44	1	1	Ariz., Calif., Fla., Hawaii, Tex.
<u>Apium graveolens</u> var. <u>dulce</u> (celery)					
<u>Calliandra inaequilatera</u> (stem of plant)					
Debris					
Flowers (<u>Chrysanthemum</u> sp., <u>Dendrobium</u> sp., <u>Dianthus caryophyllus</u> , <u>Gardenia</u> <u>jasminoides</u> , <u>G. taitensis</u> , <u>Hedychium</u> <u>coronarium</u> , <u>Plumeria rubra</u> , unidentified flowers, and <u>Vanda</u> sp.) cut					
<u>Lactuca sativa</u> (lettuce)					
<u>Spinacia oleracea</u> (spinach)					
<u>Conotrachelus aguacatae</u> Barber (Curculionidae).	Mexico.....	12	Tex.
<u>Persea americana</u> (American avocado)					
<u>P. americana</u> var. <u>drymifolia</u> (Mexican avocado)					
<u>Conotrachelus perseae</u> Barber (Curculionidae)...	... do	2	Tex.
<u>Persea americana</u> (American avocado)					
<u>Contarinia lycopersici</u> Felt (Cecidomyiidae)....	... do	1	Ariz.
<u>Solanum melongena</u> (eggplant)					
<u>Contarinia pisi</u> (Winnertz)(Cecidomyiidae).....	Italy.....	1	Mass.
<u>Vicia faba</u> (broadbean) pod					
<u>Cordylomera spinicornis</u> (F.) (Cerambycidae)....	Cameroon.....	1	Va.
<u>Khaya</u> sp. (khaya) log					
<u>Cossus cossus</u> (L.) (Cossidae).....	Unknown	1	1	Mich., Ohio.
Cargo (on crate)					
Cargo hold (at large)					
<u>Crastia eleutho</u> (Quoy & Gaimard)(Danaidae)....	American Samoa	1	Hawaii.
Quarters					
<u>Creatonotos gangis</u> (L.) (Arctiidae)	West Pacific.....	2	Hawaii.
Airplane					
<u>Cryphalus abietis</u> (Ratz.) (Scolytidae)	Germany	1	Wash.
Wood (under bark of crate)					
<u>Cryphula apicata</u> (Dist.) (Lygaeidae)	Guatemala, Mexico...	1	6	Fla., Tex.
Orchid (plant)					
<u>Pelargonium</u> sp. (geranium)					
<u>Cryptoblabes gnidiella</u> (Mill.) (Phycitidae).....	Brazil, Greece, Israel, Italy, Malta, Portugal, Spain, unknown.	10	11	Fla., Mass., Mich., N. Y., Va.
<u>Citrus sinensis</u> (sweet orange)					
<u>Laurus</u> sp. (laurel) leaf					
<u>Punica granatum</u> (pomegranate)					
<u>Cryptophlebia illepida</u> (Btlr.) (Olethreutidae)....	Hawaii	4	Hawaii.
<u>Litchi chinensis</u> (lychee) nut					
<u>Macadamia ternifolia</u> (queenslandnut macadamia) husk					
<u>Cryptophlebia leucotreta</u> (Meyr.) (Olethreutidae)...	South Africa	1	1	N. Y.
<u>Citrus sinensis</u> (sweet orange)					
<u>Cryptophlebia ombrodelta</u> (Lower) (Olethreutidae).	Hawaii, Philippines ..	5	Hawaii.
<u>Delonix</u> sp. (pod)					
<u>Litchi chinensis</u> (lychee) nut					
<u>Macadamia</u> sp. (nut)					
<u>Tamarindus indica</u> (tamarind)					
<u>Cryptotermes brevis</u> (Wlk.) (Kalotermitidae)....	Cuba, Hawaii, unknown.	4	2	Fla., Hawaii, S. C.
Airplane					
Baggage (luggage with wooden frame)					
Cardboard (carton)					
Wood (crate)					
<u>Cryptotermes dudleyi</u> Banks (Kalotermitidae)....	Brazil	1	S. C.
Wood (crate)					
<u>Ctenochira exerpta</u> Spaeth (Chrysomelidae).....	Mexico.....	1	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Ctenochira hectica</u> (Boh.) (Chrysomelidae).....	... do	1	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Ctenochira hieroglyphica</u> (Boh.) (Chrysomelidae) .	Mexico.....	1	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Ctenochira vivida</u> (Boh.) (Chrysomelidae).....	do.....	1	Tex.
<u>Chamaedorea oblongata</u> (palm) leaf					
<u>Ctenochira vivida tabida</u> Boh. (Chrysomelidae)....	do.....	1	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Ctenopseutis obliquana</u> (Wlk.) (Tortricidae).....	New Zealand.....	4	Hawaii.
<u>Malus sylvestris</u> (apple)					
<u>Curculio elephas</u> (Gyll.) (Curculionidae).....	France, Greece, Italy, Portugal, Spain, Yugoslavia.	63	1	Mass., Mich., N. Y., P. R.
<u>Castanea sativa</u> (European chestnut)					
<u>Castanea</u> sp.					
<u>Curculio nucum</u> L. (Curculionidae).....	Germany, Italy	6	N. Y., Tex.
<u>Corylus avellana</u> (European filbert)					
<u>Corylus</u> sp. (filbert or hazelnut)					
<u>Cyane terpischorella</u> Busck (Tineidae).....	Hawaii.....	1	Hawaii.
<u>Coffea arabica</u> (Arabian coffee)					
<u>Cylas formicarius elegantulus</u> (Summers) (Curculionidae)	Bahamas, Cuba, Dominican Republic, Formosa(?), Haiti, Jamaica, Japan, Mexico, Puerto Rico, Thailand.	17	14	Am. V. I., Calif., Fla., La., N. Y., Pa., P. R., Tex.
<u>Cargo</u>					
<u>Ipomoea batatas</u> (sweetpotato)					
<u>Cynips insana</u> Westw. (Cynipidae).....	Italy.....	1	N. Y.
Plant--unidentified (gall)					
<u>Cyrtomenus bergi</u> Froeschner (Cynipidae).....	Guatemala.....	1	Tex.
Soil with tree					
<u>Dacus cucurbitae</u> (Coq.) (Tephritidae).....	Hawaii.....	5	Calif.
<u>Lycopersicon esculentum</u> (tomato)					
<u>Dacus cucurbitae</u> (Coq.) (?) (Tephritidae)	do.....	2	Calif.
<u>Cucumis sativus</u> (cucumber)					
<u>Lycopersicon esculentum</u> (tomato)					
<u>Dacus dorsalis</u> Hend. (Tephritidae).....	Hawaii, Philippines ..	32	2	Calif., Hawaii.
Airplane					
Baggage					
<u>Eugenia jambos</u> (rose-apple)					
<u>Euphoria longana</u> (longan) fruit					
<u>Mangifera indica</u> (mango)					
<u>Musa</u> sp. (banana)					
<u>Passiflora edulis</u> (purple granadilla)					
<u>Passiflora</u> sp. (passionfruit)					
<u>Persea americana</u> (American avocado)					
<u>Psidium guajava</u> (guava)					
<u>Sandoricum koetjape</u> (santol) fruit					
<u>Terminalia catappa</u> (tropical almond)					
<u>Dacus dorsalis</u> Hend. (?) (Tephritidae).....	Hawaii.....	2	1	Calif., Guam, Hawaii.
<u>Calophyllum inophyllum</u> (Indiapoond beauty-leaf) seed					
<u>Mangifera indica</u> (mango)					
<u>Dacus oleae</u> (Gmel.) (Tephritidae)	Greece, Italy, Jordan, Lebanon, Syria.	48	Ill., Mass., N. Y., Va.
<u>Olea europaea</u> (common olive)					
<u>Deilephila nerii</u> (L.) (Sphingidae)	West Pacific.....	1	Hawaii.
Airplane					
<u>Delphacodes balboae</u> Muir & Giff. (Delphacidae) ..	Argentina(?).....	1	Fla.
Airplane					
<u>Dendrocoris suffultus</u> (Dist.) (Pentatomidae)....	Mexico(?).....	1	Tex.
Groceries					
<u>Dendrocoris variegatus</u> Nelson (Pentatomidae)...	Mexico.....	1	Ariz.
Orchid (plant)					
<u>Deroceras caruanae</u> (Pollonera) (Limacidae).....	Denmark, Germany, Italy.	4	1	Mass., N. Y.
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
<u>Lactuca sativa</u> (lettuce)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Deroceras caruanae</u> --Continued Soil with plants					
<u>Deuteronoda suturalis</u> Bech. (Chrysomelidae) ... Quarters	Panama(?)	1	Fla.
<u>Diabrotica porracea</u> Har. (Chrysomelidae) Bromeliad (plant)	Honduras.....	2	Fla.
<u>Dialeurodes kirkaldyi</u> (Kot.) (Aleyrodidae) Cuttings--unidentified <u>Gardenia jasminoides</u> (leaf and lei) <u>G. taitensis</u> (leaf of cut flower and plant) <u>Hibiscus</u> sp. (leaf of cutting) <u>Jasminum multiflorum</u> (furry jasmine) <u>J. sambac</u> (Arabian jasmine) leaf of plant Leaf--unidentified	Hawaii, Philippines, Tahiti.	11	1	15	Calif., Hawaii, Wash.
<u>Diatraea considerata</u> Hein. (Crambidae) <u>Saccharum officinarum</u> (sugarcane)	Mexico.....	14	Ariz., Calif.
<u>Dichocrocis punctiferalis</u> (Guen.) (Pyraustidae) ... <u>Pinus parviflora</u> (Japanese white pine) <u>Pinus</u> sp. (pine) dwarf tree	Japan.....	2	Wash.
<u>Dichomeris marginella</u> (Fab.) (Gelechiidae) <u>Juniperus</u> sp. (juniper) leaf of plant	Canada.....	1	Wash.
<u>Dichromothrips corbetti</u> (Priesner) (Thripidae) ... <u>Vanda 'Miss Joachim'</u> (orchid) cut flower	Hawaii.....	1	Hawaii.
<u>Dicladispa armigera</u> (Oliv.) (Chrysomelidae) Ship (on deck)	India(?)	1	N. C.
<u>Dinaspis aculeata</u> Ferris (Diaspididae) <u>Chamaedorea elegans</u> (palm) seed	Mexico.....	2	Calif.
<u>Dinoderus bifoveolatus</u> (Woll.) (Bostrichidae) Wood (crate)	Formosa.....	1	S. C.
<u>Dinurothrips hookeri</u> Hood (Thripidae) Orchid (plant)	Peru.....	1	Fla.
<u>Diocalandra taitensis</u> (Guer.) (Curculionidae) <u>Cocos nucifera</u> (coconut)	Hawaii.....	15	4	Hawaii.
<u>Diplatys jansoni</u> (Kirby) (Pygidicranidae) Bromeliad (plant)	Honduras, Mexico....	3	Fla., Tex.
<u>Diploptera punctata</u> (Esch.) (Diplopteridae) Bromeliad (plant)	Jamaica.....	1	Calif.
<u>Draeculacephala clypeata</u> Osborn (Cicadellidae) .. Airplane	Colombia.....	1	Fla.
<u>Drymaeus alternans</u> (Beck) (Bulimulidae) Bromeliad (plant) <u>Chamaedorea</u> sp. (palm) leaf <u>Oncidium</u> sp. (orchid) plant Orchid (plant)	Guatemala, Honduras, Mexico, Nicaragua.	1	10	Fla., Tex.
<u>Drymaeus hegewischi</u> (Pfr.) (Bulimulidae) Bromeliad (plant) Cargo Orchid (plant)	Costa Rica, Mexico ..	1	7	Fla., Tex.
<u>Duplaspidiotus claviger</u> (Ckl.) (Diaspididae) Plant--unidentified	Hawaii.....	1	Calif.
<u>Duplaspidiotus tesseratus</u> (Charm.) (Diaspididae) .. <u>Brya ebenus</u> (ebony cocuswood) cutting Orchid (plant)	Jamaica, Mexico....	2	Calif., Fla.
<u>Dysmicoccus neobrevipes</u> Beardsley (Pseudo- coccidae) <u>Ananas comosus</u> (pineapple) <u>Garcinia mangostana</u> (mangosteen) <u>Hedychium coronarium</u> (common gingerlily) <u>Musa X paradisiaca</u> (common banana)	Hawaii, Philippines ..	3	1	Hawaii, Wash.
<u>Dysmicoccus probrevipes</u> (Morr.) (Pseudo- coccidae) Bromeliad (leaf of plant)	Mexico.....	1	Fla.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Dyspessa ulula</u> (Bkh.) (Cossidae)	Italy, Spain.....	7	N. Y., P. R.
<u>Allium sativum</u> (garlic) bulb					
<u>Entylia gemmata</u> (Germar) (Membracidae)	Brazil	1	N. Y.
<u>Coffea</u> sp. (coffee) berry					
<u>Epicaerus cognatus</u> Sharp (Curculionidae)	Mexico.....	1	Tex.
<u>Solanum tuberosum</u> (potato)					
<u>Epichorista ionephela</u> (Meyr.) (Tortricidae).....	South Africa.....	4	Ill., N. Y.
<u>Ornithogalum thrysoides</u> (Cape chinkerichee)					
<u>Prunus persica</u> (peach)					
<u>Epilachna borealis</u> (F.) var. (Coccinellidae)....	Mexico.....	1	Tex.
<u>Musa X paradisiaca</u> (common banana)					
<u>Epilachna niponica</u> Lewis (Coccinellidae).....	Japan	1	Wash.
<u>Lycopersicon esculentum</u> (tomato)					
<u>Epinotia aporema</u> (Wlsm.) (Olethreutidae)	Brazil, Costa Rica, Panama.	3	Md., Pa.
<u>Phaseolus vulgaris</u> cv. (string bean)					
<u>Epiphyas postvittana</u> (Wlk.) (Tortricidae)	Australia, New Zealand.	7	Hawaii.
<u>Malus sylvestris</u> (apple)					
<u>Epipocus rufitarsus</u> (Chev.) (Endomychidae)	Mexico.....	1	Tex.
<u>Musa X paradisiaca</u> (common banana)					
<u>Ericeia inangulata</u> (Guen.) (Noctuidae).....	Japan	1	Calif.
Airplane					
<u>Ernobius abietis</u> (F.) (Anobiidae)	Germany, Switzerland	5	N. J., N. Y., Va.
<u>Picea</u> sp. (spruce) cone					
<u>Pinus</u> sp. (pine) cone					
<u>Eucheria socialis</u> Westw. (Pieridae).....	Mexico.....	1	Tex.
Plant material					
<u>Eudesmia menea</u> (Drury) (Arctiidae)	Colombia.....	1	Fla.
Orchid (plant)					
<u>Euleia heraclei</u> (L.) (?) (Tephritidae)	Europe [country(?)]	1	N. Y.
<u>Petroselinum crispum</u> var. <u>latifolium</u> (parsley)					
<u>Eupteryx zelleri</u> (Kbm.) (Cicadellidae)	Italy	1	N. Y.
<u>Rosmarinus</u> sp. (rosemary) plant					
<u>Euricania ocellus</u> Walker (Ricaniidae)	Unknown	1	Hawaii.
Airplane					
<u>Eurygaster austriaca</u> (Schrank) (Pentatomidae) ...	Spain	1	Mass.
<u>Avena sativa</u> (oat) horse feed					
<u>Eurypedus nigrosignatus</u> (Boh.) (Chrysomelidae) ..	Honduras.....	1	Fla.
Orchid (plant)					
<u>Eurytoma amygdali</u> Enderlein (Eurytomidae)	Greece.....	1	Md.
<u>Prunus amygdalus</u> (almond)					
<u>Euscepes postfasciatus</u> (Fairm.) (Curculionidae) ..	Hawaii	1	Hawaii.
<u>Ipomoea batatas</u> (sweetpotato)					
<u>Euschistus integer</u> Stål (Pentatomidae)	Mexico.....	1	Tex.
<u>Capsicum annuum</u> 'Chilli' (long redpepper)					
<u>Eustrophinus marginatus</u> (Champ.) (Melandryidae).	... do	1	Tex.
Orchid (plant)					
<u>Euzophera bigella</u> Zell. (?) (Phycitidae). ;	Union of Soviet Socialist Republics.	1	N. Y.
<u>Punica granatum</u> (pomegranate)					
<u>Evergestis forficalis</u> (L.) (Pyraustidae)	Belgium, England,	5	Fla., La., N. Y.
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)	France, Netherlands.				
<u>Raphanus sativus</u> (radish)					
Soil with <u>Brassica rapa</u> (turnip)					
<u>Exosoma lusitanica</u> (L.) (Chrysomelidae)	Morocco	1	Md.
<u>Allium cepa</u> (onion)					
<u>Filiippia viburni</u> (Sign.) (Coccidae)	England	1	Mass.
<u>Hedera</u> sp. (ivy) leaf					
<u>Frankliniella formosae</u> Moulton (Thripidae)	Australia, Japan, Korea, unknown.	69	68	Alaska, Calif., Hawaii, Wash.
<u>Citrus</u> sp. (fruit)					
Flowers (<u>Callistephus chinensis</u> , <u>Chrysanthemum</u> sp., <u>Dianthus caryophyllus</u> ,					
<u>Gardenia</u> sp., <u>Gladiolus</u> sp., <u>Rosa</u> sp.,					
and unidentified flowers) cut					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Frankliniella intonsa</u> (Trybom)(Thripidae)..... Flowers (<u>Aster</u> sp., <u>Callistephus chinensis</u> , <u>Calluna vulgaris</u> , <u>Chrysanthemum</u> sp., <u>Dahlia</u> sp., <u>Dianthus caryophyllus</u> , <u>Gladiolus</u> sp., <u>Lathyrus odoratus</u> , <u>Lavandula</u> sp., <u>Paeonia</u> sp., <u>Rosa</u> sp., and unidentified flowers) cut	Austria, Belgium, Denmark, England, Europe [country(?)], France, Germany, Ireland, Italy, Poland, Sweden, Switzerland.	34	9	1	Mass., N.J., N.Y., Pa., Wash.
<u>Frankliniella panamensis</u> Hood (Thripidae)..... <u>Gladiolus</u> sp. (cut flower)	Colombia.....	1	Fla.
<u>Frankliniella schultzei</u> (Trybom)(Thripidae)..... <u>Chrysanthemum</u> sp. (cut flower) <u>Gladiolus</u> sp. (leaf and stem of cut flower) <u>Ornithogalum thyrsoides</u> (Cape chinkerichee) cut flower	South Africa.....	2	1	Mass., N.Y.
<u>Frankliniella sulphurea</u> Schmutz (Thripidae)..... <u>Capsicum annuum</u> (redpepper)	Dominican Republic ..	4	P.R.
<u>Fundella pellucens</u> (Zell.) (Phycitidae)	Barbados, Dominican Republic, Jamaica.	5	Fla., N.Y.
<u>Cajanus cajan</u> (pigeonpea) <u>Cicer arietinum</u> (chickpea) <u>Vigna sinensis</u> (common cowpea)					
<u>Furcaspis oceanica</u> Ldgr. (Diaspididae)..... <u>Cocos nucifera</u> (coconut) nut and plant	Kwajalein, Philip- pines(?).	2	1	Hawaii, Oreg.
<u>Gahaniola phragmitis</u> Erdös (Eurytomidae)..... <u>Phragmites communis</u> (common reed) mat	Austria	2	Mass., Pa.
<u>Galgupha albipennis</u> (Eschscholtz)(Cydnidae)..... <u>Cucumis melo</u> (melon)	Chile	1	N.Y.
<u>Galgupha quadrisignata</u> (Stål)(Cydnidae)..... Orchid (plant)	Mexico.....	1	Ariz.
<u>Gelechia ericetella</u> (Hbn.)(Gelechiidae)	Denmark	1	N.Y.
<u>Calluna vulgaris</u> (heather) cut flower					
<u>Genaparlatoria pseudaspidotus</u> (Ldgr.) (Diaspididae)	Costa Rica, Hawaii, Jamaica.	1	2	Fla., Hawaii.
Orchid (plant)					
<u>Vanda</u> sp. (orchid) leaf of cut flower and plant					
<u>Gesonula punctifrons</u> (Stål)(Acrididae)	Japan	1	Calif.
Cargo (with carton of tropical fish)					
<u>Giraudiella inclusa</u> (Frau.)(Cecidomyiidae)..... <u>Phragmites communis</u> (common reed) screen	Austria	1	Oreg.
<u>Glaucias nigromarginatus</u> (Stål)(Pentatomidae)... Airplane	Tahiti.....	1	Hawaii.
<u>Gnorimoschema ocellatella</u> (Boyd)(Gelechiidae).. <u>Beta vulgaris</u> var. <u>cicla</u> (Swiss chard)	Italy	1	N.Y.
<u>Gonioelus deplanatus</u> Sharp (Biphyllidae)..... <u>Yucca</u> sp. (leaf)	Guatemala.....	1	Fla.
<u>Gortyna flavago</u> (Schiff.)(Noctuidae)	Italy	1	N.Y.
<u>Cynara scolymus</u> (artichoke)					
<u>Graphosoma lineatum</u> (L.)(Pentatomidae)	Portugal	1	Mass.
<u>Brassica</u> sp. (seed)					
<u>Graptostethus manillensis</u> (Stål)(Lygaeidae)	Hawaii	1	Hawaii.
<u>Ipomoea aquatica</u> (morningglory) leaf					
<u>Graptostethus nigriceps</u> Stål (Lygaeidae)..... <u>Ipomoea tuberosa</u> (wood-rose)	American Samoa	1	Hawaii.
<u>Gryllotalpa africana</u> P. de B. (Gryllotalpidae)...	Viet-Nam	1	Calif.
Cargo					
<u>Gryllus bimaculatus</u> (DeG.)(Gryllidae)	Unknown, Viet-Nam..	1	2	Calif., Hawaii.
Airplane					
Cargo					
<u>Gryllus oceanicus</u> Le Guillou (Gryllidae)..... Airplane	Guam	1	Calif.
<u>Gynaikothrips ficorum</u> (Marchal)(Phlaeo- thripidae)	Japan	1	Hawaii.
Flowers (mixed) leaf and stem					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Halimococcus borassi</u> Green(?) (Phoenico-coccidae).....	India.....	1	N. Y.
<u>Borassus flabellifer</u> (palmyrapalm) fiber					
<u>Haplothrips gowdeyi</u> (Franklin) (Phlaeothripidae)	Antigua, Bermuda, Dominican Republic, Hawaii, Philippines, Puerto Rico, Tortola.	7	2	Am. V. I., Bermuda, Hawaii, Ohio, P. R.
<u>Capsicum annuum</u> (redpepper)					
<u>Cucumis</u> sp.					
Compositae (cut flower)					
Cuttings (assorted)					
<u>Gomphrena</u> sp. (globe-amaranth) cut flower					
<u>Salvia officinalis</u> (garden sage) cutting					
<u>Solanum</u> sp. (nightshade)					
Vegetables					
<u>Haplothrips tritici</u> (Kurdj.) (Phlaeothripidae)	Lebanon.....	1	Mass.
<u>Triticum aestivum</u> (wheat)					
<u>Helicella candidula</u> (Studer) (Helicellidae).....	England.....	1	N. Y.
Soil with unidentified plant					
<u>Helicella caperata</u> (Montagu) (Helicellidae).....	Algeria, Azores, England, France, Germany, Ireland, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, Tunisia, unknown.	8	11	11	Calif., D. C., Del., Ill., La., Mass., Minn., N. J., N. Y.
<u>Begonia</u> sp. (plant)					
Cargo					
<u>Phlox</u> sp. (cut flower)					
<u>Rosmarinus officinalis</u> (rosemary)					
Seed (<u>Carduncellus caeruleus</u> , <u>Centaurea</u> sp., <u>Coix lacryma-jobi</u> , <u>Trifolium</u> sp., and wild flower collection)					
Soil with cactus, <u>Chrysanthemum</u> sp., <u>Dianthus</u> sp., <u>Fragaria</u> sp., and <u>Sansevieria</u> sp. plants					
Stores (<u>Apium graveolens</u> var. <u>dulce</u> , <u>Brassica oleracea</u> var. <u>capitata</u> , <u>Cynara</u> <u>scolymus</u> , herbs, <u>Lactuca sativa</u> , and miscellaneous stores)					
<u>Helicella caroni</u> (Desh.) (Helicellidae).....	Libya.....	1	La.
Cargo					
<u>Helicella cespitum</u> (Drap.) (Helicellidae)	Italy, Libya, Spain...	5	La., N. Y
Baggage					
Cargo					
<u>Phaseolus vulgaris</u> (bean)					
<u>Helicella conspurcata</u> (Drap.) (Helicellidae).....	Azores, Greece, Italy, Jordan, Morocco, Portugal, Spain, unknown.	7	3	16	Fla., Ill., La., Mass., N. J., N. Y., P. R., S. C., Tex.
<u>Asparagus</u> sp. (plant)					
<u>Begonia</u> sp. (plant)					
Bromeliad (plant)					
Cargo					
<u>Helleborus viridis</u> (green hellebore) seed					
<u>Lactuca sativa</u> (lettuce)					
Plants--unidentified					
<u>Rosmarinus officinalis</u> (rosemary) cutting					
Soil (per se) and soil with <u>Amaryllis</u> sp., cactus, <u>Chrysanthemum</u> sp., <u>Ficus</u> sp., grass, <u>Nerium oleander</u> , and unidentified plants					
Stores					
<u>Vicia sativa</u> (common vetch) seed					
<u>Vitis vinifera</u> (European grape) leaf					
<u>Helicella cretica</u> (Fer.) (Helicellidae).....	Greece, Israel, Italy, Spain, Turkey.	40	2	10	Del., La., Mass., N. Y. Pa., Tex., Va.
<u>Anthemis</u> sp. (camomile) flower					
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
Cargo					
<u>Dahlia</u> sp. (cut flower)					
Herbs					
<u>Majorana</u> sp. (marjoram)					
<u>Polianthes tuberosa</u> (tuberose) bulb					
<u>Raphanus sativus</u> (radish)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Helicella cretica</u> --Continued Soil (per se) and soil with cargo, <u>Coleus</u> sp., <u>Jasminum</u> sp., <u>Olea europaea</u> , and unidentified plants Stores <u>Symporicarpos</u> sp. (snowberry) plant					
<u>Helicella derbentina</u> (Andrz.) (Helicellidae)..... Cargo Legume (seed) <u>Rosmarinus officinalis</u> (rosemary) branch	Iran, Turkey	12	1	Del., La., N. Y.
<u>Helicella doumeti</u> (Bourg.) (Helicellidae) Cargo <u>Helicella itala</u> (L.) (Helicellidae)	Libya	1	La.
<u>Cargo</u> <u>Olea</u> sp. (olive) <u>Onobrychis viciifolia</u> (common sainfoin) seed Seed--unidentified	Israel, Italy, Poland, Spain(?) .	2	2	D. C., La., N. Y., Wis.
<u>Helicella maritima</u> (Drap.) (Helicellidae)..... <u>Anthemis</u> sp. (camomile) Automobile Baggage (snails as such) <u>Carduncellus caeruleus</u> (dry leaf with seed) <u>Carduncellus</u> sp. (dry leaf with seed) Cargo (snails with general cargo and brought in cargo as food) <u>Dianthus caryophyllus</u> (carnation) cut flower and plant Herbs (dried) <u>Hordeum vulgare</u> (barley)	Algeria, Azores, France, Greece, Italy, Libya, Morocco, Spain, Tunisia, Turkey, unknown.	40	11	5	D. C., Del., Ill., La., Mass., Md., Mich., Minn., N. Y., Ohio, Pa., P. R., S. C., Va., Wis.
Legume (seed) Mail <u>Majorana hortensis</u> (sweet marjoram) <u>Quercus suber</u> (cork oak) <u>Rosa</u> sp. (rose) cut flower Soil with <u>Asparagus</u> sp. (plant) and cargo Stores (<u>Apium graveolens</u> var. <u>dulce</u> , <u>Brassica oleracea</u> var. <u>capitata</u> , <u>Lactuca sativa</u> , <u>Phaseolus vulgaris</u> cv., and on wooden crate in stores)					
<u>Helicella meda</u> (Porro.) (Helicellidae)..... Soil with <u>Adiantum</u> sp. (maidenhair fern)	Malta	1	N. Y.
<u>Helicella mograbina</u> (Morelet) (Helicellidae) Cargo <u>Helicella obvia</u> (Menke) (Helicellidae)	Morocco	1	La.
<u>Soil (per se)</u> <u>Helicella protea</u> (Ziegler) (Helicellidae)	Ireland	1	N. Y.
<u>Aster</u> sp. (?) (seed) Cargo <u>Dimorphotheca</u> sp. (Cape marigold) seed <u>Foeniculum</u> sp. (fennel) seed Herbs <u>Phaseolus vulgaris</u> cv. (string bean) <u>Thymus capitatus</u> (conehead thyme)	Israel, Lebanon, Turkey, United Arab Republic.	18	1	3	D. C., Del., Fla., La., Mich., N. Y., Va.
<u>Helicella pyramidata</u> (Drap.) (Helicellidae)	France, Greece, Italy, Libya, Spain, Turkey.	6	1	2	La., N. C., N. Y.
<u>Apium graveolens</u> var. <u>dulce</u> (celery) Cargo Soil with <u>Crassulaceae</u> (plant) <u>Vicia faba</u> (broadbean)					
<u>Helicella seetzeni</u> (Koch.) (Helicellidae)	Israel	1	N. Y.
Baggage <u>Helicella trochoides</u> (Poiret) (Helicellidae)..... Cargo	Greece, unknown.....	2	Del., N. C.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Helicella trochoides</u> --Continued Soil (with pipes)					
<u>Helicella variabilis</u> (Drap.) (Helicellidae).....	Crete, Europe [country(?)], Italy, Libya, Morocco, Spain, Turkey, unknown.	11	5	Del., Fla., Ill., La., N.Y., Tex.
<u>Anthemis</u> sp. (camomile)					
<u>Beta vulgaris</u> var. <u>cicla</u> (Swiss chard)					
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
Cargo					
<u>Lactuca sativa</u> (lettuce)					
<u>Prunus domestica</u> (plum)					
<u>Helicella virgata</u> DaCosta (Helicellidae).....	Italy	1	N.Y.
<u>Opuntia humifusa</u> (common pricklypear)					
<u>Helicina chrysocheila</u> Binney (Helicinidae)	Mexico.....	1	Tex.
Soil with unidentified plant					
<u>Helicina convexa</u> Pfr. (Helicinidae).....	Bermuda	1	Bermuda, Fla., N.Y.
<u>Bryophyllum</u> sp. (plant)					
Cargo					
Soil with <u>Hibiscus</u> sp. (cutting)					
<u>Helicina denticulata</u> (Pfr.) (Helicinidae)	British Honduras.....	1	Fla.
Orchid (plant)					
<u>Helicina neritella</u> Lamarck (Helicinidae)	Dominica.....	1	P.R.
<u>Epidendrum</u> sp. (orchid)					
<u>Helicina oweniana</u> Pfr. (Helicinidae).....	Mexico.....	8	La., Tex.
<u>Chamaedorea oblongata</u> (palm) leaf					
<u>Chamaedorea</u> sp. (leaf)					
<u>Helicina substriata</u> Gray (Helicinidae)	Cayman Islands	1	Fla.
Orchid (plant)					
<u>Helicina zephyrina</u> Duclos (Helicinidae).....	Mexico.....	25	5	La., Tex., Va.
Bromeliad (plant)					
Cactus (plant)					
<u>Chamaedorea elegans</u> (palm) leaf					
<u>C. oblongata</u> (leaf)					
<u>Chamaedorea</u> sp. (leaf)					
<u>Gladiolus</u> sp. (cut flower)					
Orchid (plant)					
Palm (leaf and plant)					
<u>Tillandsia ionantha</u> (bromeliad) plant					
<u>Helix aperta</u> Born (Helicidae).....	Africa [country(?)], Azores, Belgium, England, Europe [country(?)], France, Germany, Greece, Israel, Italy, Morocco, Netherlands.	19	38	3	Calif., Ga., La., Mass., Md., N.C., N.Y., P.R., Tex., Va.
Baggage (snails for food)					
Cargo					
Flowers (mixed)					
Mail					
Soil with <u>Beta vulgaris</u> and various plants					
Stores (<u>Allium porrum</u> , <u>Beta vulgaris</u> var. <u>cicla</u> , <u>Brassica oleracea</u> var. <u>botrytis</u> , <u>B. oleracea</u> var. <u>capitata</u> , <u>Cichorium endivia</u> , <u>Cynara scolymus</u> , <u>Daucus carota</u> var. <u>sativa</u> , <u>Foeniculum vulgare</u> , <u>Lactuca sativa</u> , and <u>Malus sylvestris</u>)					
<u>Helix aspersa</u> Müller (Helicidae).....	Australia, Azores, Belgium, Brazil, Chile, England, Europe [country(?)], France, Greece, Haiti, Ireland, Italy, Mexico, Morocco, Netherlands, Peru, Portugal, Spain, Turkey, United Arab Republic, unknown.	59	42	6	Ala., Ariz., Calif., Del., Fla., Ga., Ill., La., Mass., Md., Mich., N.C., N.J., N.Y., Ohio, Pa., P.R., S.C., Tex., Va.
<u>Agave</u> sp. (plant)					
Automobile					
Baggage (snails as such)					
Cactus (plant)					
Cargo (snails with crates and brought in cargo as food)					
<u>Coriandrum sativum</u> (coriander)					
Flowers (<u>Antirrhinum majus</u> , <u>Chrysanthemum</u> sp., <u>Delphinium</u> sp., <u>Dianthus caryophyllus</u> , <u>Gardenia</u> sp., <u>Lapageria rosea</u> , <u>Rosa</u> sp., and unidentified flowers) cut					
<u>Hibiscus syriacus</u> (shrub-althea) seed					
<u>Lilium</u> sp. (lily) plant					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Helix aspersa</u> --Continued					
Mail					
<u>Mentha</u> sp. (mint) leaf					
<u>Rosmarinus officinalis</u> (rosemary)					
Soil with <u>Citrus</u> sp. (plant)					
Stores (<u>Allium cepa</u> , <u>A. porrum</u> , <u>Apium graveolens</u> var. <u>rapaceum</u> , <u>Beta vulgaris</u> var. <u>cicla</u> , <u>Brassica oleracea</u> var. <u>acephala</u> , <u>B. oleracea</u> var. <u>botrytis</u> , <u>B. oleracea</u> var. <u>capitata</u> , <u>Cichorium intybus</u> , <u>Citrus sinensis</u> , <u>Cucumis sativus</u> , <u>Daucus carota</u> var. <u>sativa</u> , <u>Lactuca sativa</u> , <u>L. sativa</u> var. <u>longifolia</u> , <u>Malus sylvestris</u> , and at large in storeroom)					
Wood (hardwood log)					
<u>Helix cincta</u> (Müller)(<u>Helicidae</u>).....	Spain	1	Fla.
Stores					
<u>Helix lucorum</u> L. (<u>Helicidae</u>)	Italy	4	Ill., N. Y.
Baggage (snails as such)					
<u>Corylus</u> sp. (hazelnut)					
<u>Helix pomatia</u> (L.)(<u>Helicidae</u>).....	France, Greece, Italy, Switzerland.	4	1	1	Del., Ill., N. Y.
Baggage (snails for collection and as food)					
<u>Capsicum annuum</u> (bell pepper)					
Cargo					
<u>Hemiberlesia mendax</u> McKenzie (<u>Diaspididae</u>) ...	Guatemala.....	2	Calif.
Orchid (leaf of plant)					
<u>Hemiceras albulana</u> (Druce)(?)(<u>Notodontidae</u>)....	Mexico.....	1	Tex.
<u>Cucumis melo</u> var. <u>cantalupensis</u> (cantaloupe)					
<u>Hemimene juliana</u> (Curt.)(<u>Olethreutidae</u>).....	Greece, Israel, Italy .	6	N. Y.
<u>Castanea</u> sp. (chestnut)					
<u>Heraeus guttatus</u> (Dallas)(<u>Lygaeidae</u>)	Jamaica.....	1	Fla.
Airplane					
<u>Herse convolvii</u> (L.)(<u>Sphingidae</u>)	Unknown	1	Hawaii.
Airplane					
<u>Heterobostrychus aequalis</u> (Waterh.)(<u>Bostri-chidae</u>).	Formosa, India, Philippines, Thai-land, unknown, Viet-Nam(?).	10	Calif., Md., N. C.
Cargo					
<u>Quercus</u> sp. (oak) cargo pallet					
Wood (crate)					
<u>Heterobostrychus brunneus</u> (Murray)(<u>Bostri-chidae</u>).	Africa [country(?)] ..	1	Minn.
<u>Triplochiton scleroxylon</u> (wawa wood)					
<u>Homalodisca ichthyocephala</u> (Signoret)					
(<u>Cicadellidae</u>).	Mexico.....	1	Tex.
<u>Cucumis melo</u> var. <u>cantalupensis</u> (cantaloupe)					
<u>Homothrips distinctus</u> Bagn. (<u>Thripidae</u>).....	South Africa	5	Mass., N. Y.
Flowers (mixed)					
<u>Protea</u> sp. (cut flower)					
<u>Hyalopeplus pellucidus</u> (Stål)(<u>Miridae</u>)	Hawaii	1	Hawaii.
Mail (package)					
<u>Hylesinus crenatus</u> F. (<u>Scolytidae</u>)	Belgium.....	1	Mich.
Bark (dunnage)					
<u>Hylurgops palliatus</u> (Gyll.)(<u>Scolytidae</u>).....	France.....	1	Minn.
Wood (dunnage)					
<u>Hylurgus ligniperda</u> (F.)(<u>Scolytidae</u>).....	France, Italy	1	1	Ga., Minn.
Wood (under bark of crate and in dunnage)					
<u>Inglisia vitrea</u> Ckll. (<u>Coccidae</u>)	Jamaica, Trinidad	2	Fla.
<u>Begonia</u> sp. (leaf of plant)					
<u>Oxalis</u> sp. (stem of plant)					
<u>Ips sexdentatus</u> (Boern.)(<u>Scolytidae</u>).....	Germany	1	Mich.
Pinus sp. (pine) dunnage					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Ips typographus</u> (L.) (Scolytidae).....	Europe [country(?)], Japan.	2	Mich.
<u>Picea</u> sp. (spruce) dunnage					
<u>Pinus</u> sp. (pine) bark dunnage					
<u>Iridomyrmex iniquus</u> Mayr (Formicidae).....	Jamaica.....	1	N. Y.
Orchid (plant)					
<u>Ischnodemus oblongus</u> (Fabr. ?) (Lygaeidae)	Mexico.....	1	Calif.
<u>Tillandsia</u> sp. (bromeliad) plant					
<u>Ischyurus septem-signatus</u> Sharp (Erotylidae)	do.....	1	Calif.
Orchid (plant)					
<u>Isothrips obscuratus</u> (J. C. Crawford) (Thripidae). <u>Chrysanthemum</u> sp. (cut flower) Flowers (mixed)	Australia, New Zealand.	3	Calif., Hawaii.
<u>Prunus persica</u> (peach)					
<u>Kakothrips pisivorus</u> Westw. (Aeolothripidae) ...	France.....	1	Pa.
<u>Lathyrus odoratus</u> (sweetpea) cut flower					
<u>Kiefferia pimplinellae</u> (Loew) (Cecidomyiidae)....	Italy.....	1	N. Y.
<u>Foeniculum</u> sp. (fennel)					
<u>Kleidocerys ericae</u> Horvath (Lygaeidae).....	France(?).....	1	N. Y.
<u>Rubus</u> sp. (raspberry) leaf					
<u>Kleidocerys truncatulus ericae</u> Horvath (Lygaeidae).....	Netherlands	1	N. J.
Nursery stock					
<u>Lachnus longipes</u> (DuFour) (Aphididae)	Italy	1	Mass.
<u>Castanea</u> sp. (chestnut) stem of plant					
<u>Lamellaxis clavulinus</u> (Potiez & Michaud) (Achatinidae)	Hawaii	1	Hawaii.
<u>Cocos nucifera</u> (coconut)					
<u>Lamellaxis micra</u> (Orbigny) (Achatinidae).....	Bahamas, British Honduras, Ecuador, Guatemala, Hawaii, Mexico, Nicaragua.	1	8	Fla., Hawaii, La., S. C., Tex.
Cactus (plant)					
Moss					
<u>Musa</u> sp. (banana) plant					
Orchid (plant)					
Soil (per se) and soil with unidentified plant					
<u>Zephyranthes</u> sp. (zephyr lily) bulb					
<u>Lampides boeticus</u> (L.) (Lycaenidae).....	Hawaii, Italy	4	Hawaii, N. Y.
<u>Canavalia cathartica</u> (mauna loa) lei					
<u>Sesbania grandiflora</u> (cut flower)					
<u>Vicia faba</u> (broadbean) pod					
<u>Lamprodema maurum</u> (F.) (Lygaeidae).....	Italy	1	Mass.
Amaryllidaceae (plant)					
<u>Lampronchaea aurea</u> (Macq.) (Lonchaeidae)....	Wake Island(?).....	1	Hawaii.
Airplane					
<u>Lamprosema zoilusalis</u> (Wlk.) (Pyraustidae).....	Mexico(?).....	1	Fla.
Airplane					
<u>Larinus flavescens</u> Germ. (Curculionidae)	Morocco, Spain.....	2	D. C.
<u>Carduncellus caeruleus</u> (dry leaf with seed)					
<u>C. calvus</u> (seed)					
<u>Laspeyresia splendana</u> (Hbn.) (Olethreutidae)	France, Greece, Italy, Poland, Portugal, Spain, Yugoslavia.	75	1	Ill., Mass., Mich., N. Y., Ohio, P. R., Tex., Wash.
<u>Castanea sativa</u> (European chestnut)					
<u>Castanea</u> sp.					
<u>Corylus</u> sp. (filbert)					
<u>Quercus</u> sp. (oak) acorn					
<u>Laspeyresia strobilella</u> (L.) (Olethreutidae).....	Italy, Switzerland....	3	Md., N. Y.
<u>Picea</u> sp. (spruce) cone					
<u>Lejeania darnaudi</u> (Pfr.) (Helicidae).....	Ethiopia.....	1	Del.
Cargo					
<u>Leperisinus varius</u> (F.) (Scolytidae).....	Belgium.....	1	Mich.
Wood (hardwood dunnage)					
<u>Lepidosaphes chinensis</u> Chamb. (Diaspididae) ...	Formosa.....	1	Wash.
<u>Pistacia chinensis</u> (Chinese pistache)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Lepidosaphes conchiformoides</u> Borchs. (Diaspididae)	Hong Kong, Israel(?), Japan.	6	48	Calif., Hawaii, Wash.
<u>Diospyros kaki</u> (Kaki persimmon)					
<u>Diospyros</u> sp. (persimmon)					
<u>Punica granatum</u> (pomegranate)					
<u>Pyrus communis</u> (pear)					
<u>Lepidosaphes esakii</u> Tak. (Diaspididae)	Guam, Hawaii(?), Kwajalein.	3	1	Alaska, Hawaii.
<u>Cocos nucifera</u> (coconut)					
<u>Pandanus</u> sp. (screwpine)					
<u>Lepidosaphes kamakurensis</u> Kuw. (Diaspididae)	Japan	1	Wash.
<u>Camellia japonica</u> (common camellia)					
<u>Lepidosaphes kuwacula</u> Kuw. (Diaspididae) do	1	Wash.
<u>Paonia suffruticosa</u> (tree peony)					
<u>Lepidosaphes tokionis</u> (Kuw.) (Diaspididae)	Hawaii	2	6	Calif., Hawaii.
<u>Codiaeum variegatum</u> (variegated croton)					
<u>Codiaeum</u> sp. (croton)					
<u>Lepidosaphes tubulorum</u> Ferris (Diaspididae)	Japan	1	Wash.
<u>Syringa</u> sp. (lilac) plant					
<u>Leptodictya sinaloana</u> Drake(?) (Tingidae)	Mexico	1	Calif.
<u>Tillandsia</u> sp. (bromeliad) plant					
<u>Leucaspis riccae</u> Targ. (Coccidae)	Unknown	1	Mich.
<u>Olea europaea</u> (common olive)					
<u>Leucinodes orbonalis</u> Guen. (Pyraustidae)	Ghana, Nigeria	1	2	N. Y., Pa.
<u>Solanum melongena</u> (eggplant)					
<u>Leucoptera coffeella</u> G.-M. (Lyonetiidae)	Brazil	1	Calif.
<u>Coffea indica</u> (coffee) leaf					
<u>Lincus spathuliger</u> Breddin (Pentatomidae)	Peru	1	Fla.
Orchid (plant)					
<u>Lindingaspis ferrisi</u> McKenzie (Diaspididae)	Asia [country(?)]	1	Hawaii.
<u>Mangifera indica</u> (mango)					
<u>Lindingaspis musae</u> (Laing) (Diaspididae)	Nigeria	1	Wash.
Leaf--unidentified (around meat)					
<u>Liogenys macropelma</u> Bates (Scarabaeidae)	Panama	1	39	Fla., Tex.
Airplane					
<u>Hibiscus esculentus</u> (okra)					
<u>Lochmaea capreae</u> (L.) (Chrysomelidae)	Switzerland	1	N. J.
Plants (Alpine)					
<u>Loxa flavicollis</u> (Drury) (Pentatomidae)	Bahamas, Guatemala	1	1	Fla.
Airplane					
Cutting--unidentified					
<u>Lygaeus circumPLICatus</u> Dist. (Lygaeidae)	Mexico	1	Tex.
<u>Ananas comosus</u> (pineapple)					
<u>Macroglossum stellatarum</u> (L.) (Sphingidae)	Unknown	1	S. C.
Airplane					
<u>Macrosiphum hellibori</u> Theobald & Walton(?) (Aphididae)	England	1	N. J.
<u>Helleborus</u> sp. (hellebore) plant					
<u>Macrosiphum ibarae</u> Mats. (Aphididae)	Japan, unknown	2	5	Wash.
<u>Centaurea cyanus</u> (cornflower)					
<u>Chrysanthemum</u> sp. (cut flower)					
Flowers (mixed)					
<u>Rosa</u> sp. (rose) cut flower					
<u>Macrotermes gilbus</u> (Hagen) (Termitidae)	Philippines, Wake Island(?).	2	Hawaii.
Airplane					
<u>Mamestra brassicae</u> (L.) (Noctuidae)	Belgium, England, France, Germany, Italy, Japan, Netherlands, Portugal, Spain, Yugoslavia.	2	28	Alaska, Del., Fla., La., Mass., Minn., N. Y., Ohio, Oreg., P. R., Tex., Wash.
<u>Brassica chinensis</u> (pakchoi)					
<u>B. oleracea</u> var. <u>botrytis</u> (cauliflower)					
<u>B. oleracea</u> var. <u>capitata</u> (cabbage)					
<u>B. pekinensis</u> (petsai)					
Cargo					
Flowers (mixed)					
Stores					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Maruca testulalis</u> (Geyer)(Pyraustidae)	Hawaii, Jamaica, Panama, Philip-pines, Puerto Rico, Senegal, South Africa.	42	3	Ala., Fla., Hawaii, N. Y., P. R., Tex.
<u>Cajanus cajan</u> (pigeonpea)					
<u>Canavalia cathartica</u> (mauna loa) lei Cargo					
<u>Phaseolus vulgaris</u> cv. (string bean)					
<u>Sechium edule</u> (chayote)					
<u>Sesbania grandiflora</u> (Agati sesbania) pod					
<u>Sesbania</u> sp. (cut flower)					
<u>Matsumuraeses phaseoli</u> (Mats.)(Olethreutidae) ..	Japan	4	Oreg., Wash.
<u>Phaseolus lunatus</u> (lima bean)					
<u>P. vulgaris</u> cv. (string bean)					
<u>Mecidea longula</u> Stål (Pentatomidae)	West Indies [is-land(?)]	1	Fla.
Airplane					
<u>Mecidea major</u> Sailer (Pentatomidae)	Mexico	1	1	Tex.
<u>Cucumis melo</u> var. <u>cantalupensis</u> (cantaloupe)					
Grass (leaf and seed)					
<u>Megachile umbripennis</u> Sm. (Megachilidae)	Midway	1	Hawaii.
Airplane					
<u>Megastigmus cryptomeriae</u> Yano (Torymidae) ...	Japan	1	1	Ohio, Wash.
<u>Cryptomeria japonica</u> (Japanese cryptomeria) seed					
<u>Cryptomeria</u> sp. (dunnage)					
<u>Megastigmus pistaciae</u> Wlk. (Torymidae)	Afghanistan	1	Va.
<u>Pistacia</u> sp. (pistache) nut					
<u>Melanagromyza caerulea</u> (Mall.)(Agromyzidae) ..	Mexico	1	Md.
<u>Phaseolus vulgaris</u> cv. (string bean)					
<u>Melanaspis aliena</u> (Newst.) (Diaspididae)	Costa Rica, Mexico,	3	Calif., Fla.
<u>Cattleya</u> sp. (orchid) leaf of plant					
<u>Laelia</u> sp. (orchid) leaf of plant					
Orchid (leaf of plant)					
<u>Melanaspis odontoglossi</u> (Ckll.) (Diaspididae)	Peru	1	Hawaii.
<u>Jacaranda</u> sp. (seed pod)					
<u>Melanotus cete</u> Candeze (Elateridae)	Japan	1	Oreg.
<u>Lilium</u> sp. (lily) bulb					
<u>Melaphis chinensis</u> (Bell)(?)(Aphididae)	Korea	1	Wash.
Gall nut					
<u>Melolontha melolontha</u> (L.) (Scarabaeidae)	Germany, unknown	1	1	Ill., N. Y.
Airplane					
Soil with unidentified plant					
<u>Merimna atrata</u> (Hope)(Buprestidae)	Australia	1	Hawaii.
Baggage					
<u>Merobruchus insolitus</u> (Sharp)(Bruchidae)	Mexico	1	Calif.
<u>Acacia</u> sp. (seed pod)					
<u>Metopoplax ditomoides</u> (Costa)(Lygaeidae)	Turkey(?)	1	Del.
Cargo					
<u>Metriona annexa</u> Boh. (Chrysomelidae)	Honduras	1	Fla.
Bromeliad (plant)					
<u>Metriona propinqua</u> Boh. (Chrysomelidae)	Dominican Republic ..	1	Fla.
<u>Cajanus cajan</u> (pigeonpea)					
<u>Metriona trisignata</u> Boh. (Chrysomelidae)	Guatemala, Honduras, Mexico.	10	2	Fla., Tex.
Bromeliad (plant)					
<u>Chamaedorea</u> sp. (palm) leaf					
Orchid (plant)					
<u>Microcentrum suave</u> Heb. (Tettigoniidae)	Mexico	1	Ariz.
Baggage					
<u>Microplax interrupta</u> Fieber (Lygaeidae)	Spain	1	N. C.
Mollusk (in dead shell)					
<u>Mikiola fagi</u> (Hartig)(Cecidomyiidae)	Unknown	1	Ohio.
<u>Fagus sylvatica</u> (European beech) leaf					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Milax gagates</u> (Drap.) (Limacidae).....	Azores, Belgium, Colombia, Ecuador, England, France, Germany, Greece, Ireland, Italy, Mexico, Netherlands, Spain.	3	25	10	Ala., Fla., Ga., Ill., Mass., Minn., N. C., N. Y., Oreg., Pa., S. C., Tex.
Airplane					
<u>Brassica</u> sp. (mustard) plant					
<u>Cheiranthus</u> sp. (wallflower) plant					
<u>Dahlia</u> sp. (plant)					
<u>Nepeta cataria</u> (catnip)					
Orchid (plant)					
<u>Rosmarinus officinalis</u> (rosemary)					
Soil with <u>Dianthus</u> sp., moss, and unidentified plant					
Stores (<u>Allium porrum</u> , <u>Beta vulgaris</u> var. <u>cicla</u> , <u>Brassica oleracea</u> var. <u>botrytis</u> , <u>B. oleracea</u> var. <u>capitata</u> , <u>Cichorium intybus</u> , <u>Foeniculum vulgare</u> , and <u>Lactuca sativa</u>)					
<u>Trifolium repens</u> cv. (shamrock)					
<u>Minthea rugicollis</u> (Wlk.) (Lyctidae).....	Brazil, China, India, Japan, Nigeria, Singapore.	9	Calif., Ga., Mass., Md., Mich., Tex.
<u>Bambusa</u> sp. (bamboo)					
Wood (crate, face mask, umbrella handle, and wood used as Chinese medicine)					
<u>Miogryllus ensifer</u> (Scudd) (Gryllidae).....	Panama	1	Tex.
Airplane					
<u>Mocis undata</u> (F.) (Noctuidae)	Midway, West Pacific.	2	Calif., Hawaii.
Airplane					
<u>Modicogryllus confirmatus</u> (Walk.) (Gryllidae) ...	Viet-Nam	1	Calif.
Baggage					
<u>Modicogryllus conspersus</u> (Schaum) (Gryllidae)...	Hawaii	1	Hawaii.
Plant material (rotted twigs)					
<u>Monacha cantiana</u> (Montagu) (Helicellidae)	France, Italy, Yugoslavia.	1	1	1	Ill., La., N. Y.
<u>Apium graveolens</u> var. <u>dulce</u> (celery)					
Baggage					
Soil with unidentified plants					
<u>Monacha carthusiana</u> (Müller) (Helicellidae).	France, Greece, Italy, Morocco, Netherlands, Spain, Turkey, United Arab Republic.	9	6	7	Del., Ga., La., N. J., N. Y., P. R., S. C
Baggage (snails as such)					
Cargo					
<u>Origanum</u> sp. (dry leaf)					
Seed (<u>Buxus sempervirens</u> , <u>Clematis viticella</u> , <u>Daphne laureola</u> , <u>Rhus coriaria</u> , <u>Syringa vulgaris</u> , and <u>Thuja orientalis</u>)					
Soil with unidentified plants					
Stores (<u>Apium graveolens</u> var. <u>dulce</u> , <u>Brassica oleracea</u> var. <u>capitata</u> , <u>Capsicum annuum</u> , <u>Daucus carota</u> var. <u>sativa</u> , <u>Lactuca sativa</u> , and <u>Petroselinum crispum</u> var. <u>latifolium</u>)					
<u>Monacha olivieri</u> (Fer.) (Helicellidae).....	Germany, Israel, Italy, Turkey.	4	1	Del., Mass., N. J., N. Y., Pa.
Cargo					
Herbs (dry)					
Soil (per se) and soil with <u>Amaryllis</u> sp.					
<u>Monacha schotti</u> (Pfr.) (Helicellidae).....	Israel.....	1	La.
Soil with <u>Olea europaea</u> (tree)					
<u>Monacha syriaca</u> (Ehrh.) (Helicellidae).....	Israel, Lebanon, Turkey.	7	1	1	La., Md., N. Y., Tex.
Cactus (plant)					
Cargo					
<u>Cydonia oblonga</u> (quince)					
Herbs					
Leaf--unidentified					
<u>Punica granatum</u> (pomegranate)					
<u>Moodna bisinuella</u> Hamp. (Phycitidae)	Guatemala, Mexico, Nicaragua.	5	2	La., Md., Tex.
<u>Zea mays</u> (corn) fresh ear					
<u>Morganella longispina</u> (Morg.) (Diaspididae)	Brazil, Japan, Philippines, Puerto Rico, Tahiti.	10	16	Calif., Hawaii, N. Y.
<u>Citrus aurantifolia</u> (lime)					
<u>C. aurantium</u> (sour orange)					
<u>C. grandis</u> (pummelo)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Morganella longispina</u> --Continued					
<u>Citrus paradisi</u> (grapefruit)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. sinensis</u> (sweet orange)					
<u>Mormidea pictiventris</u> Stål (Pentatomidae)	Honduras.....	1	Fla.
Orchid (plant)					
<u>Mycetaspis personata</u> (Comst.) (Diaspididae).....	Brazil, Japan, Mexico, Tahiti, unknown.	9	13	Calif., Del., Wash.
<u>Citrus aurantifolia</u> (lime)					
<u>C. limon</u> (lemon)					
<u>C. paradisi</u> (grapefruit)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. sinensis</u> (sweet orange)					
Leaf--unidentified					
<u>Myelobia decolorata</u> (H. - S.) (Crambidae).....	Mexico.....	1	Tex.
<u>Bambusa</u> sp. (bamboo)					
<u>Myelobia smerinthia</u> (Hbn.) (Crambidae) do	3	Tex.
Bamboo					
<u>Myzaphis turanica</u> Nevsky (Aphididae)	Azores.....	1	Mass.
Baggage (with <u>Hydrangea</u> sp. plant)					
<u>Naphius apicalis</u> Dallas (Lygaeidae)	South Africa.....	3	N. Y.
<u>Vitis</u> sp. (grape)					
<u>Nasutitermes costalis</u> (Holmgr.) (Termitidae)....	Dominican Republic	1	P. R.
Plant--unidentified					
<u>Nasutitermes nigriceps</u> (Hald.) (Termitidae).....	Bahamas.....	1	Fla.
Orchid (plant)					
<u>Nasutitermes rippertii</u> (Rambur) (Termitidae)....	... do	1	Fla.
Orchid (plant)					
<u>Naupactus xanthographus</u> (Germ.) (Curculionidae).	Chile	2	N. Y.
<u>Cucumis melo</u> (melon)					
<u>Neocattarus maculatus</u> Dist. (Lygaeidae).....	Mexico.....	2	Tex.
Bromeliad (plant)					
Orchid (plant)					
<u>Neoclytus acuminatus</u> (F.) (Cerambycidae).....	Unknown	1	Tex.
Wood (dunnage)					
<u>Neoleucinodes elegantalis</u> (Guen.) (Pyraustidae) ..	Colombia, Ecuador, Mexico, Panama, unknown.	6	3	Fla., P. R., Tex.
<u>Lycopersicon esculentum</u> (tomato)					
<u>Solanum melongena</u> (eggplant)					
<u>S. quitoense</u> ("narancillo")					
<u>Neolobophora inopinata</u> (Burr) (Forficulidae).....	Honduras.....	2	Fla.
Bromeliad (plant)					
<u>Neophyllaphis araucariae</u> Takah. (Aphididae)....	Hawaii	2	Hawaii.
<u>Araucaria excelsa</u> (Norfolk-Island-pine) leaf					
<u>Neotermes chilensis</u> (Blanchard) (Kalotermitidae)	Chile	3	N. Y.
Packing material (with melon)					
Wood (crate for melons)					
<u>Nephottix apicalis</u> (Motsch.) (Cicadellidae).....	Cameroon, unknown..	1	3	Hawaii, Md., Pa.
Airplane					
Debris (in cargo hold of ship)					
Herbarium specimen					
<u>Nephottix cincticeps</u> (Uhler) (Cicadellidae)	Japan	1	Alaska.
Airplane					
<u>Nephottix impicticeps</u> Ishihara (Cicadellidae) ..	India(?), Philippines, unknown, Viet-Nam, West Pacific.	1	5	Ariz., Hawaii, Mass., Pa.
Airplane					
Cargo (with furniture)					
Debris (in cargo hold)					
Stores (assorted dry)					
<u>Nipaecoccus vastator</u> (Mask.) (Pseudococcidae)...	Hong Kong.....	1	Wash.
<u>Euphorbia longana</u> (longan)					
<u>Nymphalis io</u> (L.) (Nymphalidae)	Azores.....	1	Del.
Airplane					
<u>Nymphalis urticae</u> (L.) (Nymphalidae)	Netherlands	1	N. Y.
Baggage (insect as such)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Nysius caledoniae</u> Dist. (Lygaeidae)..... <u>Vanda 'Miss Joachim'</u> (orchid) cut flower	Hawaii	1	Hawaii.
<u>Nysius kinbergi</u> Usinger (Lygaeidae)..... <u>Vanda 'Miss Joachim'</u> (orchid) cut flower	... do	3	Hawaii.
<u>Nysius nemorivagus</u> White (Lygaeidae)..... <u>Araucaria excelsa</u> (Norfolk-Island-pine) leaf	... do	1	Hawaii.
<u>Nysius terrestris</u> Usinger (Lygaeidae)..... <u>Araucaria excelsa</u> (Norfolk-Island-pine) leaf	... do	1	Hawaii.
<u>Ochrostomus moa</u> (Barber)(Lygaeidae)..... Orchid (plant)	Bahamas	1	Fla.
<u>Ochrostomus teapensis</u> (Dist.)(Lygaeidae)..... <u>Ananas comosus</u> (pineapple)	Mexico.....	1	Tex.
<u>Odonaspis bambusarum</u> (Ckll.)(Diaspididae).... Bamboo	Japan(?)	1	Wash.
<u>Oeobia ferrugalis</u> (Guen.)(Pyraustidae) <u>Brassica oleracea</u> var. <u>acephala</u> (collards)	Italy, Portugal.....	1	1	N. Y., P. R.
<u>Cynara scolymus</u> (artichoke) leaf of plant					
<u>Ogdoecosta catenulata</u> (Boh.)(Chrysomelidae).... Baggage	Mexico.....	2	1	Tex.
<u>Bromeliad</u> (plant)					
<u>Musa</u> sp. (banana)					
<u>Ollarianus sexmaculatus</u> Lnv. (Cicadellidae) Airplane	Nicaragua	1	Fla.
<u>Oncometopia clarior</u> (Walker)(Cicadellidae) <u>Chamaedorea</u> sp. (palm) leaf	Mexico.....	1	Tex.
<u>Opeas pumilum</u> (Pfr.)(Achatinidae) <u>Cibotium chamissoi</u> (tree fern)	Hawaii	1	Hawaii.
<u>Oplomus pulchra</u> Dallas (Pentatomidae)..... Bromeliad (plant)	Honduras	4	Fla.
<u>Oplomus rutilus</u> Dallas (Pentatomidae)..... Bromeliad (plant)	Honduras, Mexico....	3	Fla., Tex.
<u>Oplomus rutilus</u> Dallas (Pentatomidae)..... Orchid (plant)					
<u>Opogona sacchari</u> (Bojer)(Tineidae)..... <u>Colocasia esculenta</u> (dasheen) root	Azores.....	1	N. Y.
<u>Opuntiaspis philococcus</u> (Ckll.)(Coccidae)..... Cactus (plant)	Mexico.....	2	Ariz., Tex.
<u>Myrtillocactus</u> sp.(?)(cactus) plant					
<u>Orchidophilus aterrimus</u> (Waterh.)(Curculionidae) <u>Anthurium</u> sp. (cut flower)	Hawaii, Philippines ..	9	1	Calif., Hawaii.
<u>Dendrobium</u> sp. (orchid) cut flower					
<u>Dianthus caryophyllus</u> (carnation) lei Orchid (cut flower and plant)					
<u>Vanda</u> sp. (orchid) cut flower					
<u>Orsillus reyi</u> Puton (Lygaeidae)..... <u>Pinus</u> sp. (pine) cone	Greece.....	1	N. Y.
<u>Orthalicus decolor</u> (Strebel)(Bulimulidae) <u>Cattleya</u> sp. (orchid) plant	Guatemala.....	3	Fla.
<u>Orthalicus undatus</u> (Brug.)(Bulimulidae) Orchid (plant)	Jamaica.....	3	Fla.
<u>Orthezia selaginellae</u> Morr. (Ortheziidae)..... <u>Selaginella</u> sp. (plant)	Mexico.....	1	Tex.
<u>Orthotylus ericetorum</u> (Fall.)(Miridae) <u>Calluna vulgaris</u> (heather)	Norway	1	N. Y.
<u>Ostrinia nubilalis</u> (Hbn.)(Pyraustidae) <u>Capsicum annuum</u> (bell pepper)	Italy, Japan	1	10	1	Hawaii, N. Y., Oreg., Tex., Wash.
<u>Paeonia albiflora</u> (Chinese peony) plant stem <u>Phaseolus vulgaris</u> cv. (string bean)					
<u>Zea mays</u> (corn) fresh ear					
<u>Otala lactea</u> (Müller)(Helicidae)..... Baggage (snails as such)	Bermuda, Italy, Morocco, Spain,	6	3	Bermuda, La., Mich., N. C.,
Cargo (with cargo and for food)	Switzerland.				
<u>Chrysanthemum</u> sp. (cut flower)					N. Y., P. R., Va.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Otala lactea</u> --Continued					
<u>Lactuca sativa</u> (lettuce)					
<u>Otala vermiculata</u> (Müller)(Helicidae).....	Algeria, England, France, Germany, Greece, Italy, Morocco, Nether- lands, Spain, un- known, Yugoslavia.	35	27	3	Ala., Fla., Ill., La., Mass., N. Y., Pa., P. R., S. C., Tex., Va.
Automobile					
Baggage (snails as such)					
<u>Beta vulgaris</u> var. <u>cicla</u> (Swiss chard)					
<u>Brassica oleracea</u> var. <u>botrytis</u> (cauliflower)					
<u>B. oleracea</u> var. <u>capitata</u> (cabbage)					
Cargo					
<u>Dianthus caryophyllus</u> (carnation)					
<u>Lactuca sativa</u> (lettuce)					
<u>L. sativa</u> var. <u>longifolia</u> (Romaine lettuce)					
Mail (snails as such)					
<u>Narcissus</u> sp. (cut flower)					
<u>Petroselinum crispum</u> var. <u>latifolium</u> (parsley)					
Soil with unidentified plants					
Stores (with nuts and vegetables)					
<u>Ovatus crataegarius</u> (Wlk.) (Aphididae).....	Azores.....	1	Mass.
<u>Mentha</u> sp. (mint) plant					
<u>Oxycarenus annulipes</u> (Germar)(Lygaeidae).....	India, South Africa...	1	1	D. C., N. Y.
<u>Gossypium herbaceum</u> (Levant cotton) seed					
<u>Gossypium</u> sp. (cotton) seed					
<u>Oxycarenus luctuosus</u> (Mont.) (Lygaeidae)	Australia.....	1	N. Y.
<u>Cymbidium</u> sp. (orchid) cut flower					
<u>Oxycarenus maculatus</u> Stål (Lygaeidae)	South Africa.....	4	N. Y.
<u>Protea</u> sp. (cut flower)					
<u>Oxychilus alliarius</u> (Müller)(Zonitidae).....	Brazil, Costa Rica, England, France, Mexico, Portugal, Scotland.	1	2	6	D. C., Mass., N. C., N. Y., Tex.
<u>Amaryllis</u> sp. (bulb)					
<u>Brassavola</u> sp. (orchid)					
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
<u>Citrus sinensis</u> (sweet orange)					
Fern (plant)					
Orchid (plant)					
<u>Sambucus nigra</u> 'Golden' (European elder)					
Soil					
<u>Oxychilus cellarius</u> (Müller)(Zonitidae)	Hawaii, Mexico, Netherlands, Spain.	1	3	Calif., Md., P. R., Tex.
<u>Anthurium</u> sp. (plant)					
<u>Cibotium</u> sp. (tree fern) log					
Orchid (plant)					
<u>Vicia sativa</u> (vetch) seed					
<u>Oxydema fusiforme</u> Woll. (Curculionidae).....	Hawaii.....	3	Hawaii.
<u>Aleurites moluccana</u> (candlenut tree)					
<u>Cassia</u> sp. (senna) seed pod					
<u>Dianthus</u> sp. (cut flower)					
<u>Ozophora atropicta</u> Barber (Lygaeidae)	Bahamas.....	1	Fla.
Airplane					
<u>Ozophora concava</u> (Dist.)(Lygaeidae)	El Salvador, Guate- mala.	1	1	Fla.
Airplane					
Orchid (plant)					
<u>Pachybrachius albocinctus</u> Barber (Lygaeidae)...	Bahamas.....	1	Fla.
Airplane					
<u>Pachybrachius nietneri</u> (Dohrn)(?)(Lygaeidae)....	Unknown	1	Hawaii.
Airplane					
<u>Pachycoris fabricii</u> (L.) (Pentatomidae)	Haiti.....	1	Fla.
Malvaceae (leaf)					
<u>Pagiocerus frontalis</u> (F.)(Scolytidae)	Ecuador, Peru.....	18	1	Calif., Fla., Ill., La., N. Y.
<u>Zea mays</u> (corn) grain, fresh ear, and meal					
<u>Palmicultor oceanicus</u> (Tak.)(Pseudococcidae)...	Hawaii.....	4	2	Calif.
<u>Cocos nucifera</u> (coconut)					
<u>Palmicultor palmarum</u> (Ehrh.)(Pseudococcidae)...	Hawaii, Philippines ..	11	1	Calif., Hawaii, Oreg., Wash.
<u>Cocos nucifera</u> (coconut) leaf and nut					
<u>Pangaeus aethiops</u> (F.)(Cydnidae)	Mexico.....	1	Tex.
Orchid (plant)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Paraleyrodes citri</u> Bondar (Aleyrodidae)..... <u>Citrus</u> sp. (leaf)	Mexico.....	2	Calif., Tex.
<u>Paraleyrodes citricolus</u> CostaLima (Aleyrodidae). Orchid (leaf of plant)	Ecuador.....	1	N. Y.
<u>Paraleyrodes goyabae</u> (Goeldi)(Aleyrodidae) <u>Psidium guajava</u> (guava)	Mexico.....	1	Tex.
<u>Paraluperodes suturalis</u> (Mots.)(Chrysomelidae) . Airplane	Unknown	1	Calif.
<u>Pareophora pruni</u> (L.)(Tenthredinidae)..... <u>Dianthus</u> sp. (cut flower)	Italy.....	1	Mass.
<u>Parlatoria cinerea</u> Hadden (Diaspididae) <u>Citrus aurantifolia</u> (lime) <u>C. grandis</u> (pummelo) <u>C. limon</u> (lemon) <u>C. paradisi</u> (grapefruit) <u>C. reticulata</u> (mandarin orange) <u>C. sinensis</u> (sweet orange) Plant--unidentified	Argentina, Brazil, Colombia, Formosa, France, Guatemala, Honduras, Israel, Italy, Japan, Mexico, Panama, Tahiti, Trinidad, unknown, Viet-Nam.	17	62	1	Alaska, Calif., N. Y., Wash.
<u>Parlatoria crypta</u> McKenzie (Diaspididae)..... <u>Jasminum sambac</u> (Arabian jasmine) plant	India.....	1	Hawaii.
<u>Parlatoria zizyphus</u> (Lucas)(Diaspididae)..... <u>Camellia</u> sp. (dry leaf) <u>Citrus aurantifolia</u> (lime) <u>C. aurantium</u> (sour orange) <u>C. grandis</u> (pummelo) fruit and plant <u>C. limon</u> (lemon) <u>C. paradisi</u> (grapefruit) <u>C. reticulata</u> (mandarin orange) dried peel <u>C. sinensis</u> (sweet orange) <u>Citrus</u> sp. (dried peel, fruit, and leaf)	China, Formosa, France, Guam, Haiti, Hong Kong, India, Iran, Israel, Italy, Japan, Mexico, Morocco, Okinawa(?), Philippines, Singa- pore, South Africa, Spain, Thailand, Trinidad(?), un- known, Viet-Nam, West Pacific.	79	120	1	Ala., Alaska, Calif., Del., Fla., Hawaii, Mass., Md., Mich., N. C., N. Y., Oreg., Pa., Va., Wash.
<u>Paroecanthus aztecus</u> Sauss. (Gryllidae)..... Bromeliad (plant)	Mexico.....	1	Tex.
<u>Patapius spinosus</u> (Rossi)(Leptopodidae) Cargo	Spain	1	N. C.
<u>Paulinia acuminata</u> (DeG.)(Acrididae)..... Airplane	Unknown	1	Fla.
<u>Pealius hibisci</u> (Kot.)(Aleyrodidae)..... <u>Gardenia</u> sp. (leaf) <u>Hibiscus rosa-sinensis</u> (Chinese hibiscus) <u>Jasminum</u> sp. (jasmine) leaf <u>Lonicera</u> sp. (honeysuckle) leaf	Hawaii, Philippines ..	3	1	Calif., Hawaii.
<u>Pectinophora gossypiella</u> (Saund.)(Gelechiidae)... <u>Gossypium barbadense</u> (Sea-Island cotton) boll <u>G. hirsutum</u> (Upland cotton) seed <u>Gossypium</u> sp. (cotton) bale, boll, seed, and waste packing <u>Hibiscus esculentus</u> (okra) pod	American Virgin Is- lands, Antigua, Bra- zil, Dominican Re- public, Haiti, Hawaii, India, Jamaica, Mexico, Pakistan, St. Kitts, Trinidad, Turkey, unknown, Venezuela.	115	3	3	Fla., Ga., Hawaii, N. Y., Pa., P. R., Tex.
<u>Pectinophora scutigera</u> (Hold.)(Gelechiidae).... <u>Gossypium barbadense</u> (Sea-Island cotton) seed	Hawaii.....	1	Hawaii.
<u>Pentalonia nigronervosa</u> Coq. (Aphididae)..... <u>Alpinia purpurata</u> (galangal) leaf and lei <u>A. speciosa</u> (shellflower galangal) cut flower <u>Anthurium</u> sp. Flowers (mixed) <u>Hedychium</u> sp. (gingerlily) plant <u>Musa X paradisiaca</u> (common banana) plant <u>Phaeomeria speciosa</u> (cut flower)	British West Indies [island(?)], Canal Zone, Dominican Republic, Guam, Hawaii, Jamaica, Panama, unknown.	54	3	5	Calif., Fla., Hawaii, N. Y., P. R.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Pentalonia nigronervosa</u> --Continued					
<u>Plumeria</u> sp. (frangipani) cut flower					
<u>Strelitzia</u> sp. (bird-of-paradise-flower) leaf					
Zingiberaceae (cut flower and leaf)					
<u>Pentatomidae</u> <u>Pentatoma rufipes</u> (L.) (Pentatomidae)	France(?)	1	Va.
Airplane					
<u>Perkinsiella saccharicida</u> Kirk. (Delphacidae) ... Flowers (lei)	Hawaii	1	Hawaii.
<u>Petrobia latens</u> (Muller)(Tetranychidae)..... Flowers (wild)	Australia.....	1	N. Y.
<u>Phaedon armoraciae</u> (L.)(Chrysomelidae)..... <u>Nasturtium officinale</u> (watercress)	France.....	1	N. Y.
<u>Phalantha intricata</u> Gorham (Endomychidae).... <u>Ananas comosus</u> (pineapple)	Mexico.....	1	Tex.
<u>Pheidole megacephala</u> (F.)(Formicidae)..... <u>Adiantum tenerum</u> (fan maidenhair fern)	American Samoa, Bahamas, Barbados, Brazil, Fiji, Guadeloupe, Guam, Guatemala, Hawaii, Japan, Nevis, Thailand.	18	2	4	Calif., Fla., Hawaii, N. Y., P. R.
<u>Ananas comosus</u> (pineapple)					
<u>Cocos nucifera</u> (coconut)					
<u>Cymbopogon citratus</u> (lemon grass)					
Flowers (<u>Amaranthus</u> sp., <u>Calotropis gigantea</u> , <u>Heliconia</u> sp., <u>Hibiscus</u> sp., orchid, <u>Strongylodon</u> sp., unidentified flowers, and <u>Vanda</u> sp.) cut and lei					
Food (parcel)					
<u>Pandanus</u> sp. (screwpine) fruit					
<u>Primula</u> sp. (primrose) root					
<u>Saccharum officinarum</u> (sugarcane)					
<u>Samanea</u> sp. (saman) log					
Wood (stump)					
<u>Phelomerus aberrans</u> (Sharp)(Bruchidae)..... <u>Acacia</u> sp. (seed)	British Honduras, Honduras, Mexico.	2	1	Calif., La., Tex.
<u>Cassia grandis</u> (pinkshower senna) seed pod					
<u>Phenacaspis kuwanai</u> (Tak.)(?)(Diaspididae) <u>Prunus subhirtella</u> (Higan cherry) stem	Japan	1	Hawaii.
<u>Phenacoccus hirsutus</u> Green (Pseudococcidae) ... <u>Hibiscus</u> sp. (cut flower)	Thailand	1	Hawaii.
<u>Phlegetonia fasciatrix</u> (Semp.) (Noctuidae)..... Airplane	West Pacific	1	Hawaii.
<u>Phloeosinus rudis</u> Bldfd. (Scolytidae)..... <u>Cryptomeria japonica</u> (Japanese cryptomeria) dunnage	Japan	5	Mich., Ohio.
<u>Phloeotribus scarabaeoides</u> (Bern.)(Scolytidae) .. <u>Olea europaea</u> (common olive) fruit and scion	Italy, Lebanon	2	2	N. J., N. Y., Ohio.
<u>Phlyctinus callosus</u> Boh. (Curculionidae)..... <u>Vitis</u> sp. (grape)	South Africa	1	N. Y.
<u>Phytomyza rufipes</u> Meig. (Agromyzidae)..... <u>Brassica oleracea</u> var. <u>botrytis</u> (cauliflower) <u>Cichorium endivia</u> (endive)	Belgium, Germany, Netherlands, Yugoslavia.	1	3	Fla., Oreg., Tex.
<u>Pieris brassicae</u> (L.) (Pieridae)..... <u>Brassica oleracea</u> var. <u>botrytis</u> (cauliflower) <u>B. oleracea</u> var. <u>capitata</u> (cabbage) Cargo (household goods)	France, Greece, Italy, Netherlands, Portugal, United Arab Republic.	4	4	Del., La., Mass., Md., N. Y., P. R.
<u>Pineus harakawai</u> Inouye (Chermidae)..... <u>Pinus</u> sp. (pine) dwarf tree	Japan	2	Calif.
<u>Pityogenes bidentatus</u> (Hbst.) (Scolytidae)..... Wood (dunnage)	Germany	1	Ga.
<u>Pityogenes chalcographus</u> (L.) (Scolytidae)..... <u>Picea</u> sp. (spruce) dunnage	Europe [country(?)], Germany, Sweden, unknown.	4	2	Fla., Mich., Ohio, Va.
<u>Pinus</u> sp. (pine) dunnage					
Wood (crate, furniture, and slab)					
<u>Pityogenes quadridens</u> (Hartig) (Scolytidae)	Unknown	1	Ohio.
<u>Pinus</u> sp. (pine) dunnage					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Plagionotus arcuatus</u> (L.) (Cerambycidae)..... Cargo hold (at large) <u>Quercus</u> sp. (oak) dunnage Wood (dunnage)	Belgium(?), Europe [country(?)], Germany.	5	Mich., Minn., N. C.
<u>Planococcus dendrobii</u> Ezz. & McC. (Pseudococcidae)..... <u>Phalaenopsis mannii</u> (orchid) leaf of plant	India.....	1	Wash.	
<u>Planococcus lilacinus</u> (Ckll.) (Pseudococcidae) ... <u>Lansium domesticum</u> (langsat) <u>Ribes</u> sp. ("Chinese gooseberry")	Japan, Philippines ...	4	Calif., Guam, Hawaii.
<u>Planococcus philippensis</u> Ezz. & McC. (Pseudococcidae)..... <u>Spathoglottis</u> sp. (orchid) stem of plant	Philippines	1	Wash.	
<u>Platyplax salviae</u> (Schill.) (Lygaeidae)..... <u>Pinus</u> sp. (pine) lumber	Italy.....	1	Tex.
<u>Platypus rugulosus</u> Chap. (Platypodidae)..... Airplane Wood (logs for lumber)	Dominican Republic(?), Honduras.	2	Fla., N. C.
<u>Platsenta illecta</u> (Wlk.) (Noctuidae) Airplane	Guam, Japan, unknown, Wake Island(?), West Pacific.	10	Alaska, Calif., Hawaii.
<u>Plebeiogryllus guttiventris</u> (Walk.) (Gryllidae).... Cargo	Viet-Nam	1	S. C.
<u>Plemeliella abietina</u> Seitner (Cecidomyiidae) <u>Picea abies</u> (Norway spruce) seed <u>P. glauca</u> (white spruce) seed <u>P. omorica</u> (Serbian spruce) seed	Austria, Belgium, Denmark, France, Italy, Poland, Rumania, Sweden, Union of Soviet Socialist Republics, Yugoslavia.	20	N. J.
<u>Plinthinus brevipennis</u> (Latr.) (Lygaeidae)..... Moss	France.....	1	N. Y.
<u>Plocoscelus arthriticus</u> (Wied.) (Micropezidae) ... Airplane	Unknown	1	Fla.
<u>Poecilozonites bermudensis</u> (Pfr.) (Zonitidae).... <u>Musa X paradisiaca</u> (common banana)	Bermuda	1	N. Y.
<u>Polygraphus poligraphus</u> (L.) (Scolytidae)..... Wood (hardwood dunnage)	Belgium.....	1	Minn.
<u>Porotermes quadricollis</u> (Rambur) (Hodotermitidae)..... Packing material (with melons)	Chile	1	N. Y.
<u>Porphyrobaphe iostoma</u> (Sowerby) (Bulimulidae) .. <u>Musa X paradisiaca</u> (common banana)	Ecuador, unknown....	8	Fla., N. Y., Tex.
<u>Prays fulvocanellus</u> Wlsm. (Yponomeutidae).... <u>Pelea anisata</u> (seed lei)	Hawaii.....	3	Hawaii.
<u>Prays oleellus</u> (F.) (Yponomeutidae) <u>Olea europaea</u> (common olive) fruit and leaf	Greece, Italy.....	6	Mass., N. Y.
<u>Procyrtia intectus</u> (Fowler) (Membracidae)..... Bromeliad (plant) <u>Epidendrum</u> sp. (orchid) plant Orchid (plant)	Guatemala, Mexico...	3	Ariz., Fla., Tex.
<u>Prodenia androgea</u> (Cram.) (Noctuidae)..... Airplane	Unknown	1	Fla.
<u>Protaetia fusca</u> (Herbst) (Scarabaeidae)..... Airplane <u>Mangifera indica</u> (mango) <u>Sesbania</u> sp. (leaf)	Hawaii.....	3	1	Hawaii.
<u>Strelitzia reginae</u> (Queens bird-of-paradise-flower)					
<u>Pseudaonidia trilobitiformis</u> (Green) (Diaspididae). <u>Citrus limon</u> (lemon) <u>C. sinensis</u> (sweet orange)	Brazil, Peru, South Africa.	2	1	1	Calif., Fla., Oreg.

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Pseudaonidia trilobitiformis</u> --Continued					
<u>Ficus</u> sp. (fig) leaf of plant					
<u>Mangifera indica</u> (mango)					
<u>Pseudaulacaspis simplex</u> Takagi(?) (Diaspididae) ..	Japan	1	Hawaii.
<u>Prunus</u> sp. (cherry) blossom					
<u>Pseudischaspis longissima</u> (Ckll.) (Diaspididae) .	Guatemala, Nicaragua	3	Calif.
<u>Citrus aurantifolia</u> (lime)					
<u>Pseudococcus hispidus</u> Morr. (Pseudococcidae) ..	Philippines		1	Wash.
<u>Lansium</u> sp. (langsat)					
<u>Pseudococcyx tessulatana</u> (Stdgr.) (Olethreutidae) .	France	1	N. Y.
<u>Cupressus</u> sp. (cypress) seed cone					
<u>Pseudopachymerina lallemandi</u> (Mars.) (Bruchidae) .	Israel	1	N. Y.
<u>Acacia</u> sp. (seed)					
<u>Pseudoparlatoria perparvula</u> Ferris (Diaspididae) .	Mexico	1	Tex.
<u>Persea americana</u> (American avocado) leaf					
<u>Psylliodes chrysocephala</u> (L.) (Chrysomelidae) ...	France		1	Pa.
<u>Brassica rapa</u> (turnip)					
<u>Pteleobius kraatzi</u> Eichh. (Scolytidae)	Belgium		1	Minn.
Wood (dunnage)					
<u>Puto ulter</u> Ferris (Pseudococcidae)	Guatemala			5	Calif., Fla.
<u>Brassia</u> sp. (orchid) leaf of plant					
<u>Lycaste</u> sp. (orchid) leaf of plant					
Orchid (leaf of plant)					
<u>Pyrgocorypha hamata</u> (Scudd.) (Tettigoniidae)	Nicaragua			1	Fla.
Orchid (plant)					
<u>Remaudiereana nigriceps</u> (Dallas) (Lygaeidae)	Hawaii, Philippines, Wake Island.		3	Hawaii.
Airplane					
<u>Retracarus johnstoni</u> Keifer (Eriophyidae)	Mexico	1	Tex.
<u>Chamaedorea elegans</u> (palm) leaf					
<u>Rhabdoscelus obscurus</u> (Boisd.) (Curculionidae) ..	Fiji	1	Hawaii.
<u>Saccharum officinarum</u> (sugarcane) node					
<u>Rhagoletis cerasi</u> (L.) (Tephritidae)	Austria, Czechoslova- kia, England, Europe [country(?)], France, Germany, Hungary, Israel, Italy, Poland, Spain, Switzerland, unknown, Yugoslavia.	61	44	Calif., Ill., N. Y.
<u>Prunus avium</u> (Mazzard cherry)					
<u>Prunus</u> sp. (cherry)					
.					
<u>Rhaphigaster nebulosa</u> (Poda) (Pentatomidae)	Italy	1	N. Y.
<u>Pinus</u> sp. (pine) cone					
<u>Rhinocola ericae</u> (Curt.) (Psyllidae)	England, Ireland, Norway, Scotland.	6	3	Mich., N. Y., Pa., Wash.
<u>Calluna vulgaris</u> (heather)					
<u>Rhodogastria timolis</u> Tens. (Arctiidae)	Philippines		1	Hawaii.
Airplane					
<u>Saccharicoccus sacchari</u> (Ckll.) (Pseudococcidae) .	Cuba, Hawaii, Mexico.	7	1	1	Ariz., Calif., Fla., Hawaii, Tex.
<u>Saccharum officinarum</u> (sugarcane)					
<u>Sameodes cancellalis</u> (Zell.) (Pyraustidae)	West Pacific		1	Hawaii.
Airplane					
<u>Scaphoideus morosus</u> Melichar (Cicadellidae)	Asia [country(?)]		1	Hawaii.
Airplane					
<u>Schasalcadia bahamensis</u> Pir. (Helicinidae)	Bahamas			4	Fla.
Orchid (plant)					
<u>Schneidereria pistaciella</u> Weber (Gelechiidae) ...	Germany, Greece, Italy, Spain.	11	1	Mass., N. Y.
Baggage					
<u>Pistacia vera</u> (common pistache) nut					
<u>Pistacia</u> sp. (pistache) nut and husk					
<u>Sciara thomae</u> (L.) (Sciaridae)	France		1	N. Y.
Airplane					
<u>Sciophila varia</u> Winn. (Mycetophilidae)	Hungary	1	N. Y.
<u>Solanum tuberosum</u> (potato)					
<u>Sesamia cretica</u> Led. (Noctuidae)	Greece, Italy	2	N. Y.
<u>Sorghum dochna</u> var. <u>technicum</u> (broomcorn)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Sesamia nonagrioides</u> (Lef.) (Noctuidae).....	Azores, Italy, Portugal, Spain.	10	2	Mass., N. Y., P. R.
<u>Castanea</u> sp. (chestnut)					
<u>Psidium guajava</u> (guava)					
<u>Sorghum</u> sp. (cutting)					
<u>Zea mays</u> (corn)					
<u>Z. mays</u> var. <u>everta</u> (popcorn) ear					
<u>Zingiber officinale</u> (common ginger) root					
<u>Sideridis vitellina</u> (Hbn.) (?) (Noctuidae).....	Unknown	1	Fla.
Airplane					
<u>Silba aristella</u> (Becker) (Lonchaeidae).....	Greece.....	1	N. Y.
<u>Ficus carica</u> (fig)					
<u>Silba virescens</u> Macquart (Lonchaeidae).....	Greece, Italy	2	1	N. Y.
<u>Ficus carica</u> (fig)					
<u>Sinoxylon anale</u> Lesne (Bostrichidae).....	India, Pakistan, United Arab Republic.	3	Tex., Va., Wash.
Wood (camel seat, crate, and slat)					
<u>Sinoxylon conigerum</u> Gerst. (Bostrichidae).....	India, Pakistan, Singa- pore, Tanzania(?), unknown.	12	2	Calif., Md., Pa., S. C., Tex., Wash.
Cargo					
Wood (crate, dunnage, and slat)					
<u>Sinoxylon crassum</u> var. <u>dekkanense</u> Lesne (Bostrichidae).....	Pakistan	1	S. C.
Wood (slat on bale of cotton piece goods)					
<u>Siphanta acuta</u> (Wlk.) (Flatidae).....	Hawaii	2	Hawaii.
<u>Alpinia</u> sp. (cut flower)					
<u>Dendrobium</u> sp. (orchid) cut flower					
<u>Sisamnes contractus</u> Dist. (Lygaeidae).....	Mexico.....	1	1	Tex.
<u>Ananas comosus</u> (pineapple) fruit and plant					
<u>Sitona humeralis</u> Steph. (Curculionidae).....	Tunisia	1	D. C.
<u>Trifolium</u> sp. (clover) seed					
<u>Sogata nautica</u> Muir (Delphacidae).....	Ecuador.....	1	Fla.
Airplane					
<u>Solaropsis monile</u> (Broderip) (Camaenidae) do	4	Fla., La.
<u>Musa X paradisiaca</u> (common banana)					
<u>Spathulina tristis</u> (Lw.) (Tephritidae).....	Greece	1	Ill.
<u>Thymus vulgaris</u> (common thyme)					
<u>Sphaerocoris annulus</u> (F.) (Pentatomidae).....	Ethiopia	1	D. C.
<u>Vernonia pauciflora</u> (ironweed) seed					
<u>Sphenarches caffer</u> (Zell.) (Pterophoridae).....	Dominican Republic, Puerto Rico, Trinidad.	5	Fla., N. Y., P. R.
Baggage					
<u>Cajanus cajan</u> (pigeonpea)					
<u>Spilococcus townsendi</u> (Ckll.) (Pseudococcidae)...	Mexico	1	Tex.
<u>Fouquieria</u> sp. (succulent) leaf					
<u>Spilostethus pandurus</u> (Scopoli) (Lygaeidae)	Greece	1	1	Del., Ga.
Cargo					
<u>Lactuca sativa</u> (lettuce)					
<u>Spodoptera litura</u> (F.) (Noctuidae).....	Japan, unknown, West Pacific.	5	Alaska, Calif., Hawaii.
Airplane					
<u>Spodoptera mauritia acronyctoides</u> (Guen.) (Noctuidae).....	Johnston Island, unknown.	3	Calif., Hawaii.
Airplane					
<u>Spodoptera pecten</u> Guen. (Noctuidae).....	Japan, Midway, Okina- wa, West Pacific.	12	Calif., Hawaii.
Airplane					
<u>Statira denticulata</u> Champion (Lagriidae).....	Honduras	1	Fla.
Bromeliad (plant)					
<u>Stenoma catenifer</u> Wlsm. (Stenomidae).....	Colombia, Costa Rica, Ecuador, El Salva- dor, Guatemala, Honduras, Mexico, Nicaragua, Panama, Peru.	49	9	Calif., Fla., La., N. Y., Tex.
<u>Persea americana</u> (American avocado)					
<u>P. americana</u> var. <u>drymifolia</u> (Mexican avocado)					
<u>Persea</u> sp.					
<u>Stenoptilia stigmatodactyla</u> Zell. (Pterophoridae).....	Switzerland	1	Wash.
<u>Gentiana</u> sp. (gentian) cut flower					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Stephanoderes hampei</u> (Ferr.) (Scolytidae).....	Angola, Brazil(?), Cameroon, Hawaii, Ivory Coast, Liberia, Nigeria, unknown.	12	Fla., Hawaii, Mich., N. J., N. Y.
<u>Coffea arabica</u> (Arabian coffee) berry					
<u>C. canephora</u> (robust coffee) berry					
<u>Coffea</u> sp.					
<u>Sternochetus mangiferae</u> (F.) (Curculionidae).....	Asia [country(?)], Guam, Hawaii, India, Philippines.	147	19	3	Calif., Hawaii, N. Y., Oreg., Va., Wash.
<u>Mangifera indica</u> (mango) fruit and dry seed					
<u>Stictococcus sjostedti</u> Ckll. (Stictococcidae).....	Nigeria	1	N. Y.
<u>Synsepalum dulcificum</u>					
<u>Succinea horticola</u> Reinhardt (Succineidae).....	Japan, Okinawa(?) ...	1	3	Hawaii, Wash.
<u>Cargo</u>					
<u>Cotoneaster</u> sp. (plant)					
<u>Cydonia</u> sp. (quince)					
<u>Rhododendron</u> sp. (azalea) plant					
<u>Sybra alternans</u> (Wied.) (Cerambycidae).....	Hawaii, Japan	3	2	Hawaii.
<u>Asparagus plumosus</u> (fern asparagus)					
<u>Cordyline terminalis</u> (common dracena)					
<u>Flowers</u> (mixed)					
<u>Plumeria</u> sp. (frangipani) stem of plant					
<u>Syneda confirmans</u> Wlk. (Noctuidae).....	Venezuela	1	Fla.	
<u>Airplane</u>					
<u>Taeniothrips atratus</u> (Hal.) (Thripidae).....	England, Europe [country(?)], France, Germany, Ireland, Italy, Netherlands, Poland, Scotland, Switzerland, Union of Soviet Socialist Republics, unknown, Yugoslavia.	26	11	3	D. C., Mass., Mich., N. J., N. Y., Pa., Wash.
<u>Flowers</u> (<u>Antirrhinum majus</u> , <u>Calluna vulgaris</u> , <u>Chrysanthemum</u> sp., <u>Dahlia</u> sp., <u>Dianthus barbatus</u> , <u>D. caryophyllus</u> , <u>Gladiolus</u> sp., <u>Lathyrus odoratus</u> , <u>Lavandula</u> sp., <u>Rosa</u> sp., and mixed cut flowers)					
<u>Fragaria</u> sp. (strawberry)					
<u>Plant</u> --unidentified					
<u>Taeniothrips dianthi</u> Priesner (Thripidae).....	Europe [country(?)], Germany, Hungary, Israel, Italy, Netherlands(?), Rumania, Yugoslavia.	9	3	Mass., N. Y.
<u>Dianthus caryophyllus</u> (carnation) cut flower					
<u>Flowers</u> (mixed)					
<u>Helianthus</u> sp. (sunflower) petal					
<u>Taeniothrips discolor</u> (Karny) (Thripidae).....	Israel, unknown	1	1	N. Y.
<u>Chrysanthemum</u> sp. (cut flower)					
<u>Dianthus</u> sp. (leaf of cut flower)					
<u>Taeniothrips ericae</u> (Hal.) (Thripidae).....	Denmark, France, Germany, Ireland, Netherlands, Norway, Scotland.	19	3	Mich., N. J., N. Y., Pa.
<u>Calluna vulgaris</u> (heather) cut flower and cutting					
<u>Rosa</u> sp. (rose) cut flower					
<u>Taeniothrips eucharii</u> (Whetzel) (Thripidae).....	Japan	8	Calif., N. C., N. Y., Wash.
<u>Iris japonica</u> (fringed iris)					
<u>Lycoris squamigera</u> (autumn lycoris) bulb					
<u>Lycoris</u> sp. (bulb)					
<u>Taeniothrips hawaiiensis</u> (Morg.) (Thripidae).....	Hawaii, Japan, Kwa-jalein, unknown.	245	8	Alaska, Calif., Hawaii, Wash.
<u>Flowers</u> (<u>Canavalia cathartica</u> , <u>Chrysanthemum</u> sp., <u>Dianthus caryophyllus</u> , <u>Fagraea berteriana</u> , <u>Gardenia jasminoides</u> , <u>Hibiscus</u> sp., <u>Jasminum</u> sp., <u>Philadelphus</u> sp., <u>Plumeria rubra</u> , <u>Plumeria</u> sp., <u>Rosa</u> sp., <u>Stephanotis floribunda</u> , <u>Strongylodon macrocarpa</u> , and mixed cut flowers)					
<u>Sesbania grandiflora</u> (Agati sesbania) pod					
<u>Talponia batesi</u> Hein. (Olethreutidae).....	Jamaica, Mexico.....	3	N. Y., Tex.
<u>Annona cherimola</u> (cherimoya)					
<u>A. reticulata</u> (bullocksheart custard-apple)					
<u>Talurus rugosus</u> (Jacoby) (Chrysomelidae).....	Unknown	1	Tex.
<u>Airplane</u>					
<u>Temnaspidiottus excisus</u> (Green) (Diaspididae)....	Panama	1	Calif.
<u>Citrus sinensis</u> (sweet orange)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Tenthecoris bicolor</u> (Scott)(Miridae).....	Honduras.....	1	Fla.
<u>Catasetum</u> sp. (orchid) plant					
<u>Tenthecoris confusus</u> Hsiao & Sailer (Miridae)...	Guatemala.....	1	Fla.
Orchid (plant)					
<u>Tenthecoris distinctus</u> Hsiao & Sailer (Miridae)..	Mexico.....	5	Ariz., Tex.
Bromeliad (plant)					
Orchid (plant)					
<u>Tillandsia ionantha</u> (plant)					
<u>Tenthecoris vestitus</u> (Dist.) (Miridae).....	... do	1	Fla.
<u>Stanhopea</u> sp. (orchid) plant					
<u>Tenuipalpus japonicus</u> Nishio (Tenuipalpidae)....	Japan.....	2	Wash.
<u>Diospyros kaki</u> (Kaki persimmon)					
<u>Tetraleurodes aucubae</u> (Kuw.)(Aleyrodidae).....	... do	2	Calif.
<u>Citrus aurantium</u> (sour orange)					
<u>Tetranychus viennensis</u> Zacher (Tetranychidae) ..	China, Germany,	8	35	Alaska, Calif.,
<u>Malus sylvestris</u> (apple)	Japan, Korea,				N. Y., Oreg.,
<u>Pyrus communis</u> (pear)	Okinawa(?), Spain.				Wash.
<u>Theba pisana</u> (Müller)(Helicidae).....	Australia, Azores,	153	39	9	Ala., Calif.,
<u>Anthemis</u> sp. (camomile)	Crete, England,				Del., Fla.,
Automobile	Europe [country(?)],				Ga., Ill., La.,
Baggage (snails for food)	France, Germany,				Mass., Md.,
Cargo	Greece, Israel,				Mich., Minn.,
<u>Cupressus</u> sp. (cypress) cone	Italy, Lebanon,				N. C., N. J.,
Flowers (mixed)	Libya, Morocco,				N. Y., Pa.,
<u>Humulus japonicus</u> (Japanese hop) seed	Netherlands, Poland,				P. R., S. C.,
<u>Lathyrus odoratus</u> (sweetpea) dry seed	Portugal, Spain,				Tex., Va.,
Mail (snails as such)	Turkey, unknown,				Wash., Wis.
<u>Majorana hortensis</u> (sweet marjoram)	Yugoslavia.				
<u>Phaseolus vulgaris</u> (bean)					
Plants--unidentified					
<u>Quercus suber</u> (cork oak) waste					
<u>Rosa</u> sp. (rose) cut flower					
<u>Rosmarinus officinalis</u> (rosemary)					
Sand (for use in making cement)					
Seed--unidentified					
Soil (per se) and soil with cactus, cargo,					
<u>Olea</u> sp., <u>Philodendron</u> sp., <u>Primula</u> sp.,					
and unidentified plants					
Stores (<u>Allium porrum</u> , <u>Apium graveolens</u>					
var. <u>dulce</u> , <u>Beta vulgaris</u> var. <u>cicla</u> ,					
<u>Brassica oleracea</u> var. <u>botrytis</u> , <u>B. oleracea</u>					
var. <u>capitata</u> , <u>Cicer arietinum</u> , <u>Cichorium</u>					
<u>intybus</u> , <u>Citrus sinensis</u> , <u>Daucus carota</u> var.					
<u>sativa</u> , <u>Lactuca sativa</u> , <u>L. sativa</u> var. <u>longi-</u>					
<u>folia</u> , <u>Malus sylvestris</u> , <u>Petroselinum</u>					
<u>crispum</u> var. <u>latifolium</u> , <u>Pisum sativum</u> ,					
and at large in storeroom)					
<u>Vicia faba</u> (broadbean)					
<u>Theretra clotho celata</u> Bltr. (Sphingidae).....	Thailand(?).....	1	Hawaii.
Airplane					
<u>Theretra inornata</u> (Wlk.)(Sphingidae)	Unknown	1	Hawaii.
Airplane					
<u>Theretra nessus</u> (Drury)(Sphingidae).....	Japan.....	1	Calif.
Airplane					
<u>Theretra oldenlandiae</u> (F.)(Sphingidae).....	Viet-Nam	1	Hawaii.
Airplane					
<u>Thrips angusticeps</u> Uzel (Thripidae).....	Denmark, England,	4	5	Mass., N. Y.,
<u>Brassica chinensis</u> (pakchoi)	Germany, Greece,				Pa.
<u>Brassica</u> sp. (mustard) greens	Israel, Italy,				
<u>Cichorium endivia</u> (endive)	unknown.				
Compositae (cut flower)					
<u>Dianthus barbatus</u> (sweetwilliam) cut flower					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued.

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Thrips angusticeps</u> --Continued					
<u>Dianthus</u> sp. (cut flower)					
<u>Lactuca sativa</u> (lettuce)					
<u>Rosa</u> sp. (rose) cut flower					
<u>Thrips major</u> Uzel (Thripidae).....	Denmark, England, France, Greece, Italy, Poland, Sweden, Turkey, unknown.	14	4	3	Mass., N. Y., Pa., Wash.
<u>Calluna vulgaris</u> (heather) cutting					
<u>Chrysanthemum</u> sp. (cut flower)					
<u>Dahlia</u> sp. (cut flower)					
<u>Dianthus caryophyllus</u> (carnation) cut flower					
Flowers (mixed)					
<u>Gentiana</u> sp. (gentian) cut flower					
<u>Rosa</u> sp. (rose) cut flower and cutting					
<u>Thrips pillichi</u> Priesner (Thripidae).....	England, France, Germany, Nether- lands.	4	5	2	Mass., N. J., N. Y., Wash.
<u>Aster</u> sp. (cut flower)					
<u>Chrysanthemum</u> sp. (cut flower)					
Flowers (mixed)					
Nursery stock					
<u>Thysanofiorinia nephelii</u> (Mask.) (Diaspididae)....	Hong Kong.....	1	Hawaii.
<u>Euphorbia longana</u> (longan)					
<u>Timarcha goettingensis</u> (L.) (Chrysomelidae)....	Poland.....	1	Wis.
<u>Onobrychis</u> sp. (sainfoin) seed					
<u>Tithraustes butes</u> Druce (Dioptidae)	Mexico.....	1	Tex.
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Tomicus piniperda</u> (L.) (Scolytidae).....	Germany, Italy, Neth- erlands, Scotland(?), unknown.	1	4	Mich., Minn., Ohio.
<u>Pinus</u> sp. (pine) crate and Dunnage					
Wood (dunnage)					
<u>Tortrix excessana</u> (Wlk.) (Tortricidae).....	New Zealand.....	4	Hawaii.
<u>Malus sylvestris</u> (apple)					
<u>Torymus arundinis</u> (Walk.) (Torymidae).....	Austria	1	Oreg.
<u>Phragmites communis</u> (common reed) mat					
<u>Toxoptera citricida</u> (Kirk.) (Aphididae).....	Hawaii	1	Hawaii.
<u>Plumeria</u> sp. (frangipani) cut flower					
<u>Trachylepida fructicassiella</u> Rag. (Galleriidae) .	Bahamas, St. Kitts, Trinidad.	3	Am. V. I., Bahamas, N. Y.
<u>Cassia fistula</u> (goldenshower senna) pod					
<u>Cassia</u> sp. (pod)					
Legume (seed pod)					
<u>Trialeurodes lauri</u> (Sign.) (Aleyrodidae).....	Greece.....	1	N. Y.
<u>Laurus</u> sp. (laurel) branch					
<u>Trialeurodes similis</u> Rsl. (Aleyrodidae)	Mexico.....	1	Tex.
<u>Casimiroa edulis</u> (white sapote) leaf					
<u>Trialeurodes variabilis</u> (Q.) (Aleyrodidae).....	Jamaica.....	1	Fla.
Leaf--unidentified					
<u>Trialeurodes vitrinellus</u> Ckll. (Aleyrodidae)....	Mexico.....	3	Calif., Tex.
<u>Citrus</u> sp. (leaf)					
<u>Trichia cinctella</u> (Drap.) (Helicellidae).....	France, Italy, Turkey.	3	4	5	Del., La., Mass., N. J., N. Y., Va.
<u>Brassica oleracea</u> var. <u>capitata</u> (cabbage)					
Cargo					
<u>Clematis viticella</u> (Italian clematis) seed					
<u>Dicksonia antartica</u> (fern) with flowers					
Flowers (mixed)					
<u>Helleborus viridis</u> (green hellebore) seed					
<u>Hibiscus syriacus</u> (shrub-althea) seed					
<u>Lactuca sativa</u> (lettuce)					
<u>Phaseolus vulgaris</u> cv. (string bean)					
Soil with <u>Tanacetum vulgare</u> (common tansy)					
<u>Trichia hispida</u> (L.) (Helicellidae)	Canada, England, France, Germany, Greece, Iran, Ire- land, Italy, Nether- lands, Turkey.	9	1	16	Del., Fla., Ga., Ill., Mass., Mich., N. C., N. J., N. Y., Pa., Tex., Va., Wash.
<u>Amaryllis</u> sp. (plant)					
<u>Brassica oleracea</u> var. <u>botrytis</u> (cauliflower)					
Cactus (plant)					
Cargo					
<u>Cheiranthus</u> sp. (wallflower) plant					
<u>Cupressus</u> sp. (cypress) cone					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Trichia hispida</u> --Continued					
<u>Dahlia</u> sp. (clump)					
<u>Foeniculum</u> sp. (fennel) stem					
<u>Helleborus foetidus</u> (bearsfoot hellebore) seed					
<u>Humulus japonicus</u> (Japanese hop) seed					
<u>Juglans</u> sp. (walnut) log					
Plants--unidentified					
<u>Rosmarinus officinalis</u> (rosemary) ground dry leaves					
<u>Saxifraga</u> sp. (saxifrage) plant					
Soil with <u>Begonia</u> sp., Crassulaceae,					
<u>Dianthus</u> sp., earthworms, <u>Primula</u> sp.,					
and <u>Ribes nigrum</u>					
<u>Syringa vulgaris</u> (common lilac) seed					
<u>Ulmus</u> sp. ("Carpathian" elm) log					
<u>Trichia holotricha</u> (Boettger)(Helicellidae)	Spain	1	Tex.
Stores					
<u>Trichia lanuginosa</u> Boissy(?) (Helicellidae) do	1	La.
Cargo (household goods)					
<u>Trichia striolata</u> (Pfr.) (Helicellidae)	Algeria, Brazil, England, France, Germany, Greece, Israel, Italy, Turkey.	7	5	8	Del., Fla., La., Mich., N.J., N.Y., P.R.
<u>Allium porrum</u> (leek)					
<u>Camellia sinensis</u> (tea) dried					
Cargo					
<u>Cichorium intybus</u> (escarole)					
<u>Coffea arabica</u> (Arabian coffee)					
<u>Foeniculum</u> sp. (fennel) stem					
<u>Lactuca sativa</u> (lettuce)					
Orchid (plant)					
Plant--unidentified					
Seed (<u>Buxus sempervirens</u> , <u>Clematis vitalba</u> , Compositae, <u>Hibiscus syriacus</u> , and <u>Ligustrum vulgare</u>)					
Soil with <u>Primula</u> sp. and <u>Tradescantia</u> sp.					
<u>Solanum melongena</u> (eggplant)					
<u>Tricorynus nelumboae</u> (Fisher)(Anobiidae)	Dominican Republic ..	1	N.Y.
<u>Caesalpinia coriaria</u> (divi-divi) pod					
<u>Trioza anceps</u> Tuthill (Psyllidae)	Mexico.....	2	Calif., Tex.
<u>Persea americana</u> (American avocado) fruit and leaf					
<u>Trogoderma granarium</u> Everts (Dermestidae) ...	Asia [country(?)], Belgium, Burma, Ceylon, Denmark, England, Formosa, France, Germany, Greece(?), Hong Kong, India, Indo- nesia, Iran, Iraq, Italy, Ivory Coast, Japan, Kuwait, Lebanon, Liberia, Malaysia, Nether- lands, Nigeria, Pakistan, Saudi Arabia, Singapore, Spain(?), Sudan, Syria, Thailand, Turkey, United Arab Republic, unknown.	336	150	Ala., Alaska, Del., Ga., Ill., La., Mass., Md., Mich., N.C., N.Y., Ohio, Oreg., Pa., S.C., Va., Wash.
Acacia senegal (gum arabic and gum hashabi)					
Acacia sp. (gum talha)					
<u>Allium sativum</u> (garlic)					
<u>Anacardium</u> sp. (cashew) nut					
<u>Anethum graveolens</u> (dill) seed					
<u>Anogeissus latifolia</u> (gum ghatti)					
<u>Apium graveolens</u> var. <u>dulce</u> (celery) seed					
<u>Astragalus gummifer</u> (gum tragacanth)					
Bagging (including used burlap and jute and wrappers on bamboo poles, cocoa beans, gall nuts, graphite, gum splits, metal bolts, and wool)					
<u>Cajanus cajan</u> (pigeonpea)					
Cargo (with aluminum sheets, angle iron, lauan lumber, mica, sesame seed, sheep- skins, viscose rayon, and wool)					
Cargo hold (at large, with debris, and under rust scales)					
<u>Carica papaya</u> (papaya) leaf					
<u>Cassia</u> sp. (senna) pod					
<u>Cicer arietinum</u> (chickpea)					
<u>Citrus aurantifolia</u> (lime)					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Trogoderma granarium</u> --Continued					
<u>Coffea arabica</u> (Arabian coffee) ground					
<u>Coriandrum sativum</u> (coriander)					
<u>Corylus</u> sp. (filbert)					
<u>Cucurbita pepo</u> (pumpkin) seed					
<u>Cuminum cyminum</u> (cumin) seed					
<u>Cyamopsis tetragonoloba</u> (guar gum)					
Debris (in hold and storeroom)					
<u>Foeniculum vulgare</u> (common fennel) seed					
<u>Gossypium</u> sp. (cotton) piece goods					
Grain (residue in hold)					
Gum damar					
Herbs					
<u>Lathyrus</u> sp. (peavine)					
<u>Oryza sativa</u> (rice)					
<u>Pistacia</u> sp. (pistache)					
<u>Pisum sativum</u> (pea)					
<u>Prunus amygdalus</u> (almond)					
Quarters (of ship)					
Seed--unidentified					
<u>Sesamum indicum</u> (oriental sesame) seed					
<u>Sterculia urens</u> (gum karaya)					
Stores (in storeroom and with dry stores)					
<u>Theobroma cacao</u> (cacao) bean					
<u>Triticum aestivum</u> (wheat) residue					
<u>Trogoxylon prostomoides</u> (Gorh.) (Lyctidae)	British Honduras, Hong Kong, Mexico.	3	1	Fla., Tex.
<u>Bambusa</u> sp. (bamboo) furniture					
Mail (with Chinese food)					
Orchid (plant)					
Packing material					
<u>Tropidacris latreillei</u> (Perty) (Acrididae)	Unknown	1	P. R.
Airplane					
<u>Tryporyza incertulas</u> (Walker) (Schoenobiidae) ...	Japan, Midway(?), Philippines, un- known, Viet-Nam.	6	Alaska, Calif., Hawaii.
Airplane					
<u>Tydeus caudatus</u> (Duges) (Tydeidae)	Chile, Europe [coun- try(?)], France.	1	2	Alaska, Fla., N. Y.
<u>Citrus limon</u> (lemon)					
<u>Mimosa</u> sp. (leaf)					
<u>Pyrus communis</u> (pear)					
<u>Uhleroides hispaniolae</u> Davis(?) (Cicadidae)	Dominican Republic	1	N. C.
Airplane					
<u>Ulopa reticulata</u> (F.) (Cicadellidae)	Scotland.....	1	N. Y.
<u>Calluna vulgaris</u> (heather) leaf					
<u>Umbonia curvispina</u> Stål (Membracidae)	Mexico.....	1	Tex.
<u>Agave</u> sp. (plant)					
<u>Unaspis yanonensis</u> (Kuw.) (Diaspididae)	Australia, Canton Is- land, Hong Kong, Japan, Korea, Philippines(?), Singapore, unknown.	102	482	1	Alaska, Calif., Hawaii, N. Y., Oreg., Wash.
<u>Citrus aurantifolia</u> (lime)					
<u>C. aurantium</u> (sour orange)					
<u>C. grandis</u> (pummelo)					
<u>C. ichangensis</u> X <u>C. reticulata</u> (ichandarin)					
<u>C. limon</u> (lemon)					
<u>C. paradisi</u> (grapefruit)					
<u>C. paradisi</u> X <u>C. reticulata</u> (tangelo)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. reticulata</u> cv. (King orange)					
<u>C. reticulata</u> 'Satsuma'					
<u>C. sinensis</u> (sweet orange)					
<u>Citrus</u> sp.					
<u>Utethesia pulchella</u> (L.) (Arctiidae)	Guam, Viet-Nam, West Pacific.	5	Calif., Hawaii.
Airplane					

TABULATION OF INSECTS (INCLUDING MITES AND SNAILS)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Veronicella moreleti</u> Crosse & Fischer (Veronicellidae).....	Mexico, Puerto Rico ..	1	1	La., Tex.
<u>Chamaedorea oblongata</u> (palm) leaf Plant--unidentified					
<u>Vestistilus testaceus</u> (Fairmaire)(Membracidae). .	Mexico.....	1	Ill.
<u>Gardenia</u> sp. (cut flower)					
<u>Vestistilus variabilis</u> (Fowler)(?)(Membracidae).....	... do	1	Tex.
<u>Chrysanthemum</u> sp. (cut flower)					
<u>Vinsonia stellifera</u> (Westw.)(Coccidae).....	Bahamas, British Honduras, Costa Rica, Dominica, Dominican Republic, Guatemala, Honduras, Jamaica, Nicaragua, Panama, Thailand, Trinidad, Venezuela.	1	59	Calif., Fla., N. Y.
<u>Bletia</u> sp. (orchid) leaf					
<u>Brassavola</u> sp. (orchid) leaf					
<u>Brassia</u> sp. (spider orchid) leaf					
<u>Broughtonia sanguinea</u> (orchid) leaf					
<u>Broughtonia</u> sp. (orchid) leaf					
<u>Catasetum</u> sp. (orchid) leaf					
<u>Cattleya</u> sp. (orchid) leaf					
Cutting--unidentified .					
<u>Epidendrum</u> sp. (orchid) leaf					
<u>Eria amica</u> (orchid) leaf					
<u>Eugenia</u> sp. (eugenia) leaf					
<u>Oncidium</u> sp. (orchid) leaf					
Orchid (leaf)					
<u>Pleurothallis</u> sp. (orchid) leaf					
<u>Stanhopea</u> sp. (orchid) leaf					
<u>Stelis</u> sp. (orchid) leaf					
<u>Xanthophthalma concinnum</u> Ckll. & Parr. (Diaspididae)	Mexico.....	2	Tex.
<u>Chamaedorea elegans</u> (palm) leaf					
<u>Chamaedorea</u> sp. (palm) leaf					
<u>Xenochalepus omoger</u> (Crotch)(Chrysomelidae) ..	Honduras.....	6	Fla.
Bromeliad (plant)					
<u>Xiphistes fuscicornis</u> (Germ.)(Membracidae)....	South Africa.....	2	N. Y.
<u>Vitis</u> sp. (grape)					
<u>Xylobiops parilis</u> Lesne (Bostrichidae).....	Mexico.....	1	Tex.
<u>Diospyros ebenum</u> (ebony persimmon) log					
<u>Xylomeira torquata</u> (F.)(Bostrichidae).....	Puerto Rico	1	P. R.
<u>Ananas comosus</u> (pineapple)					
<u>Xyloperthella crinitarsis</u> (Imh.)(Bostrichidae) ...	Ghana.....	1	La.
<u>Triplochiton scleroxylon</u> (wawa wood) lumber					
<u>Xyloperthodes nitidipennis</u> (Murray)(Bostrichidae).....	Africa [country(?)] , Ghana.	3	La., Minn.
<u>Triplochiton scleroxylon</u> (wawa wood) lumber					
<u>Xystrocera globosa</u> (Ol.)(Cerambycidae).....	Hawaii.....	1	Hawaii.
<u>Ananas comosus</u> (pineapple)					

HOST AND INSECTS

ACACIA:

- Merobruchus insolitus (Coleoptera)
- Phelomerus aberrans (Coleoptera)
- Pseudopachymerina lallemandi (Coleoptera)
- Trogoderma granarium (Coleoptera)

ACROSTICHUM:

- Ceroplastes rubens (Homoptera)

ADENIUM:

- Coccus viridis (Homoptera)

ADIANTUM:

- Pheidole megacephala (Hymenoptera)

AGAVE:

- Helix aspersa (Mollusca)
- Umbonia curvispina (Homoptera)

ALEURITES:

- Oxydema fusiforme (Coleoptera)

ALLIUM ASCALONICUM:

- Acrolepia assetella (Lepidoptera)

ALLIUM CEPA:

- Exosoma lusitanica (Coleoptera)
- Helix aspersa (Mollusca)

ALLIUM PORRUM:

- Acrolepia assetella (Lepidoptera)
- Helix aperta (Mollusca)
- H. aspersa (Mollusca)
- Milax gagates (Mollusca)
- Theba pisana (Mollusca)
- Trichia striolata (Mollusca)

ALLIUM SATIVUM:

- Dyspessa ulula (Lepidoptera)
- Trogoderma granarium (Coleoptera)

ALOCASIA:

- Cacographis osteolalis (Lepidoptera)

ALOE:

- Aleophagus myersi (Homoptera)
- Bradybaena similaris (Mollusca)

ALPINIA:

- Adoretus sinicus (Coleoptera)
- Bradybaena similaris (Mollusca)
- Pentalonia nigronervosa (Homoptera)
- Siphanta acuta (Homoptera)

ALYXIA:

- Ceroplastes rubens (Homoptera)

AMARANTHUS:

- Pheidole megacephala (Hymenoptera)

AMARYLLIDACEAE:

- Lamprodema maurum (Hemiptera)

AMARYLLIS:

- Oxychilus alliarius (Mollusca)
- Trichia hispida (Mollusca)

ANACARDIUM:

- Trogoderma granarium (Coleoptera)

ANANAS:

- Adoretus sinicus (Coleoptera)
- Bradybaena similaris (Mollusca)
- Chelysoma variabilis (Hemiptera)
- Dysmicoccus neobrevipes (Homoptera)
- Lygaeus circumPLICatus (Hemiptera)
- Ochrostomus teapensis (Hemiptera)
- Phalantha intricata (Coleoptera)
- Pheidole megacephala (Hymenoptera)
- Sisamnes contractus (Hemiptera)
- Xylomeira torquata (Coleoptera)
- Xystrocera globosa (Coleoptera)

ANETHUM:

- Trogoderma granarium (Coleoptera)

ANNONA:

- Anastrepha ludens (Diptera)
- A. mombinpraecoptans (Diptera)
- A. suspensa(?) (Diptera)

Ceratitis capitata (Diptera)

Ceronota anonella (Lepidoptera)

Talponia batesi (Lepidoptera)

ANOGEISSUS:

- Trogoderma granarium (Coleoptera)

ANTHEMIS:

- Cochlicella barbara (Mollusca)

Helicella cretica (Mollusca)

H. maritima (Mollusca)

H. variabilis (Mollusca)

Theba pisana (Mollusca)

ANTHURIUM:

Bradybaena similaris (Mollusca)

Ceroplastes rubens (Homoptera)

Conoderus exsul (Coleoptera)

Orchidophilus aterrimus (Coleoptera)

Oxychilus cellarius (Mollusca)

Pentalonia nigronervosa (Homoptera)

ANTIRRHINUM:

Helix aspersa (Mollusca)

Taeniothrips atratus (Thysanoptera)

APIUM:

Conotelus mexicanus (Coleoptera)

Helicella caperata (Mollusca)

H. maritima (Mollusca)

H. pyramidata (Mollusca)

Helix aspersa (Mollusca)

Monacha cantiana (Mollusca)

M. carthusiana (Mollusca)

Theba pisana (Mollusca)

Trogoderma granarium (Coleoptera)

ARAUCARIA:

Neophyllaphis araucariae (Homoptera)

Nysius nemorivagus (Hemiptera)

N. terrestris (Hemiptera)

ARECA:

Aleurocanthus spiniferus (Homoptera)

Aspidiotus destructor (Homoptera)

ARPOPHYLLUM:

Asterolecanium epidendri (Homoptera)

ASPARAGUS:

Helicella conspurcata (Mollusca)

Sybra alternans (Coleoptera)

ASTER(?)

Helicella protea (Mollusca)

ASTRAGALUS:

Trogoderma granarium (Coleoptera)

AVENA:

Eurygaster austriaca (Hemiptera)

BAMBOO:

Bostrychopsis parallela (Coleoptera)

Chlorophorus annularis (Coleoptera)

Myelobia smerinthia (Lepidoptera)

Odonaspis bambusarum (Homoptera)

BAMBUSA:

Asterolecanium inlabefactum (Homoptera)

Minthea rugicollis (Coleoptera)

Myelobia decolorata (Lepidoptera)

Troxoxylon prostomoides (Coleoptera)

BEGONIA:

Bradybaena similaris (Mollusca)

Helicella caperata (Mollusca)

H. conspurcata (Mollusca)

Inglisia vitrea (Homoptera)

BETA:

Gnorimoschema ocellatella (Lepidoptera)

Helicella variabilis (Mollusca)

- BETA--Continued
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Milax gagates (Mollusca)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)
- BLETIA:
Vinsonia stellifera (Homoptera)
- BORASSUS:
Bostrychopsis parallela (Coleoptera)
Halimococcus borassi(?) (Homoptera)
- BRASSAVOLA:
Acutaspis albopicta (Homoptera)
Oxychilus alliarius (Mollusca)
Vinsonia stellifera (Homoptera)
- BRASSIA:
Puto ulter (Homoptera)
Vinsonia stellifera (Homoptera)
- BRASSICA CHINENSIS:
Mamestra brassicae (Lepidoptera)
Thrips angusticeps (Thysanoptera)
- BRASSICA OLERACEA VAR. ACEPHALA:
Ascia monuste (Lepidoptera)
Helix aspersa (Mollusca)
Oeobia ferrugalis (Lepidoptera)
- BRASSICA OLERACEA VAR. BOTRYTIS:
Arianta arbustum (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Mamestra brassicae (Lepidoptera)
Milax gagates (Mollusca)
Otala vermiculata (Mollusca)
Phytomyza rufipes (Diptera)
Pieris brassicae (Lepidoptera)
Theba pisana (Mollusca)
Trichia hispida (Mollusca)
- BRASSICA OLERACEA VAR. CAPITATA:
Arianta arbustum (Mollusca)
Caeporis stigmula (Coleoptera)
Deroceras caruanae (Mollusca)
Evergestis forficalis (Lepidoptera)
Helicella caperata (Mollusca)
H. cretica (Mollusca)
H. maritima (Mollusca)
H. variabilis (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Mamestra brassicae (Lepidoptera)
Milax gagates (Mollusca)
Monacha carthusiana (Mollusca)
Otala vermiculata (Mollusca)
Oxychilus alliarius (Mollusca)
Pieris brassicae (Lepidoptera)
Theba pisana (Mollusca)
Trichia cinctella (Mollusca)
- BRASSICA PEKINENSIS:
Mamestra brassicae (Lepidoptera)
- BRASSICA RAPA:
Psylliodes chrysocephala (Coleoptera)
- BRASSICA SP.:
Bradybaena fodiens (Mollusca)
Graphosoma lineatum (Hemiptera)
Milax gagates (Mollusca)
Thrips angusticeps (Thysanoptera)
- BROMELIAD:
Arphnus melanotylus (Hemiptera)
Asterolecanium epidendri (Homoptera)
Atta mexicana (Hymenoptera)
Aulacizes mutans (Homoptera)
Diabrotica porracea (Coleoptera)
- Diplatys jansoni (Dermaptera)
Diploptera punctata (Orthoptera)
Drymaeus alternans (Mollusca)
D. hegewischi (Mollusca)
Dysmicoccus probrevipes (Homoptera)
Helicella conspurcata (Mollusca)
Helicina zephyrina (Mollusca)
Metriona annexa (Coleoptera)
M. trisignata (Coleoptera)
Neocattarus maculatus (Hemiptera)
Neolobophora inopinata (Dermaptera)
Ogdoecosta catenulata (Coleoptera)
Oplomus pulchra (Hemiptera)
O. rutilus (Hemiptera)
Pároecanthus aztecus (Orthoptera)
Procyrtia intectus (Homoptera)
Statira denticulata (Coleoptera)
Tenthecoris distinctus (Hemiptera)
Xenochalepus omoger (Coleoptera)
- BROUGHTONIA:
Asterolecanium epidendri (Homoptera)
Vinsonia stellifera (Homoptera)
- BRYA:
Duplaspidiotus tesseratus (Homoptera)
- BRYOPHYLLUM:
Helicina convexa (Mollusca)
- BUXUS:
Cochlicella conoidea (Mollusca)
Monacha carthusiana (Mollusca)
Trichia striolata (Mollusca)
- CACTUS:
Cochlicella barbara (Mollusca)
Helicina zephyrina (Mollusca)
Helix aspersa (Mollusca)
Lamellaxis micra (Mollusca)
Monacha syriaca (Mollusca)
Opuntiaspis philococcus (Homoptera)
Trichia hispida (Mollusca)
- CAESALPINIA:
Tricorynus nelumiae (Coleoptera)
- CAJANUS:
Acanthoscelides armitagei (Coleoptera)
Fundella pellucens (Lepidoptera)
Maruca testulalis (Lepidoptera)
Metriona propinquua (Coleoptera)
Sphenarches caffer (Lepidoptera)
Trogoderma granarium (Coleoptera)
- CALLIANDRA:
Conotelus mexicanus (Coleoptera)
- CALLISTEPHUS:
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
- CALLUNA:
Frankliniella intonsa (Thysanoptera)
Gelechia ericotella (Lepidoptera)
Orthotylus erectorum (Hemiptera)
Rhinocola ericae (Homoptera)
Taeniothrips atratus (Thysanoptera)
T. ericae (Thysanoptera)
Thrips major (Thysanoptera)
Ulopa reticulata (Homoptera)
- CALOCARPUM:
Anastrepha serpentina (Diptera)
- CALOPHYLLUM:
Dacus dorsalis(?) (Diptera)
- CALOTROPIS:
Pheidole megacephala (Hymenoptera)
- CAMELLIA:
Auleurotrachelus camelliae (Homoptera)
Cactoblastis cactorum (Lepidoptera)

CAMELLIA--Continued

- Coccus viridis (Homoptera)
Lepidosaphes kamakurensis (Homoptera)
Parlatoria zizyphus (Homoptera)
Trichia striolata (Mollusca)

CANAVALIA:

- Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Taeniothrips hawaiiensis (Thysanoptera)

CAPSICUM:

- Bradybaena similaris (Mollusca)
Ceratitis capitata (Diptera)
Cochlicella barbara (Mollusca)
Euschistus integer (Hemiptera)
Frankliniella sulphurea (Thysanoptera)
Haplothrips gowdeyi (Thysanoptera)
Helix pomatia (Mollusca)
Monacha carthusiana (Mollusca)
Ostrinia nubilalis (Lepidoptera)

CARDUNCELLUS:

- Acanthiophilus eluta (Diptera)
Helicella caperata (Mollusca)
H. maritima (Mollusca)
Larinus flavescens (Coleoptera)

CARICA:

- Trogoderma granarium (Coleoptera)

CASIMIROA:

- Trialeurodes similis (Homoptera)

CASSIA:

- Anypsipyla univitella (Lepidoptera)
Araecerus simulatus(?) (Coleoptera)
Oxydema fusiforme (Coleoptera)
Phelomerus aberrans (Coleoptera)
Trachylepidia fructicassiella (Lepidoptera)
Trogoderma granarium (Coleoptera)

CASTANEA:

- Curculio elephas (Coleoptera)
Hemimene juliana (Lepidoptera)
Lachnus longipes (Homoptera)
Laspeyresia splendana (Lepidoptera)
Sesamia nonagrioides (Lepidoptera)

CATASETUM:

- Tenthecoris bicolor (Hemiptera)
Vinsonia stellifera (Homoptera)

CATTLEYA:

- Asterolecanium epidendri (Homoptera)
Melanaspis aliena (Homoptera)
Orthalicus decolor (Mollusca)
Vinsonia stellifera (Homoptera)

CENTAUREA:

- Acanthiophilus eluta (Diptera)
Helicella caperata (Mollusca)
Macrosiphum ibarae (Homoptera)

CHAMAEDOREA:

- Aleuroplatus cococolus (Homoptera)
Aspidiotus destructor (Homoptera)
Calyptocephala gerstaeckeri (Coleoptera)
C. marginipennis (Coleoptera)
Ctenochira exerpta (Coleoptera)
C. hectica (Coleoptera)
C. hieroglyphica (Coleoptera)
C. vivida (Coleoptera)
C. vivida tabida (Coleoptera)
Dinaspis aculeata (Homoptera)
Drymaeus alternans (Mollusca)
Helicina oweniana (Mollusca)
H. zephyrina (Mollusca)
Metriona trisignata (Coleoptera)
Oncometopia clarior (Homoptera)
Retracarus johnstoni (Acarina)

Tithraustes butes (Lepidoptera)Veronicella moreleti (Mollusca)Xanthophthalma concinnum (Homoptera)

CHEIRANTHUS:

- Milax gagates (Mollusca)

Trichia hispida (Mollusca)

CHRYSANTHEMUM:

Bryobia curiosa (Acarina)Conotelus mexicanus (Coleoptera)Frankliniella formosae (Thysanoptera)F. intonsa (Thysanoptera)F. schultzei (Thysanoptera)Helix aspersa (Mollusca)Isothrips obscuratus (Thysanoptera)Macrosiphum ibarae (Homoptera)Otala lactea (Mollusca)Taeniothrips atratus (Thysanoptera)T. discolor (Thysanoptera)T. hawaiiensis (Thysanoptera)Thrips major (Thysanoptera)T. pilichi (Thysanoptera)Vestistilus variabilis(?) (Homoptera)

CHRYSOPHYLLUM:

Anastrepha mombinpraeoptans (Diptera)

CIBOTIUM:

Bradybaena similaris (Mollusca)Opeas pumilum (Mollusca)Oxychilus cellarius (Mollusca)

CICER:

Callosobruchus analis (Coleoptera)Fundella pellucens (Lepidoptera)Theba pisana (Mollusca)Trogoderma granarium (Coleoptera)

CICHORIUM:

Helix aperta (Mollusca)H. aspersa (Mollusca)Milax gagates (Mollusca)Phytomyza rufipes (Diptera)Theba pisana (Mollusca)Thrips angusticeps (Thysanoptera)Trichia striolata (Mollusca)

CITRUS AURANTIFOLIA:

Aleurocanthus woglumi (Homoptera)Anastrepha ludens (Diptera)Morganella longispina (Homoptera)Mycetaspis personata (Homoptera)Parlatoria cinerea (Homoptera)P. zizyphus (Homoptera)Pseudischnaspis longissima (Homoptera)Trogoderma granarium (Coleoptera)Unaspis yanonensis (Homoptera)

CITRUS AURANTIUM:

Morganella longispina (Homoptera)Parlatoria zizyphus (Homoptera)Tetraleurodes aucubae (Homoptera)Unaspis yanonensis (Homoptera)

CITRUS GRANDIS:

Anastrepha ludens (Diptera)Aonidiella comperei (Homoptera)Morganella longispina (Homoptera)Parlatoria cinerea (Homoptera)P. zizyphus (Homoptera)Unaspis yanonensis (Homoptera)

CITRUS ICHANGENSIS X C. RETICULATA:

Aleurotuberculatus aucubae (Homoptera)Unaspis yanonensis (Homoptera)

CITRUS ICHANGENSIS X C. RETICULATA VAR. AUSTERA:

Aleurotuberculatus aucubae (Homoptera)

CITRUS LIMON:

- Ceratitis capitata(?)(Diptera)
Mycetaspis personata (Homoptera)
Parlatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
Tydeus caudatus (Acarina)
Unaspis yanensis (Homoptera)

CITRUS LIMON VAR. PONDEROSA:

- Anastrepha ludens (Diptera)

CITRUS PARADISII:

- Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Morganella longispina (Homoptera)
Mycetaspis personata (Homoptera)
Parlatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
Unaspis yanensis (Homoptera)

CITRUS PARADISII X C. RETICULATA:

- Aleurotuberculatus aucubae (Homoptera)
Unaspis yanensis (Homoptera)

CITRUS RETICULATA:

- Aonidiella inornata (Homoptera)
Ceratitis capitata (Diptera)
Morganella longispina (Homoptera)
Mycetaspis personata (Homoptera)
Parlatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
Unaspis yanensis (Homoptera)

CITRUS RETICULATA CV.:

- Anastrepha ludens (Diptera)
Unaspis yanensis (Homoptera)

CITRUS RETICULATA 'SATSUMA':

- Unaspis yanensis (Homoptera)

CITRUS SINENSIS:

- Aleurocanthus woglumi (Homoptera)
Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Cryptophlebia leucotreta (Lepidoptera)
Helix aspersa (Mollusca)
Morganella longispina (Homoptera)
Mycetaspis personata (Homoptera)
Oxylilus alliarius (Mollusca)
Parlatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
Temnaspisidiotus excisus (Homoptera)
Theba pisana (Mollusca)
Unaspis yanensis (Homoptera)

CITRUS SP.:

- Aleurocanthus woglumi (Homoptera)
Coccus viridis (Homoptera)
Frankliniella formosae (Thysanoptera)
Paraleyrodes citri (Homoptera)
Parlatoria zizyphus (Homoptera)
Trialeurodes vitrinellus (Homoptera)
Unaspis yanensis (Homoptera)

CLEMATIS:

- Monacha carthusiana (Mollusca)
Trichia cinctella (Mollusca)
T. striolata (Mollusca)

COCOS:

- Acutaspis tingi (Homoptera)
Aonidiella inornata (Homoptera)
Aspidiotus destructor (Homoptera)
Bradybaena similaris (Mollusca)
Brontispa mariana (Coleoptera)
Diocalandra taitensis (Coleoptera)
Furcaspis oceanica (Homoptera)

- Lamellaxis clavulinus (Mollusca)
Lepidosaphes esakii (Homoptera)
Palmicultr oceanicus (Homoptera)
P. palmarum (Homoptera)
Pheidole megacephala (Hymenoptera)

CODIAEUM:

- Coccus viridis (Homoptera)
Lepidosaphes tokionis (Homoptera)

COFFEA:

- Anastrepha serpentina(?)(Diptera)
Auximobasis coffeella (Lepidoptera)
Ceratitis capitata (Diptera)
Coccus viridis (Homoptera)
Cyane terpischorella (Lepidoptera)
Entylia gemmata (Homoptera)
Leucoptera coffeeella (Lepidoptera)
Stephanoderes hampei (Coleoptera)
Trichia striolata (Mollusca)
Trogoderma granarium (Coleoptera)

COIX:

- Helicella caperata (Mollusca)

COLA:

- Ceratitis colae (Diptera)

COLOCASIA:

- Opogona sacchari (Lepidoptera)

COMPOSITAE:

- Haplothrips gowdeyi (Thysanoptera)
Thrips angusticeps (Thysanoptera)
Trichia striolata (Mollusca)

CORDYLINE:

- Bradybaena similaris (Mollusca)
Chrysodeixis chalcites (Lepidoptera)
Conoderus exsul (Coleoptera)
Sybra alternans (Coleoptera)

CORYANDRUM:

- Helix aspersa (Mollusca)
Trogoderma granarium (Coleoptera)

CORYLUS:

- Curculio nucum (Coleoptera)
Laspeyresia splendana (Lepidoptera)
Trogoderma granarium (Coleoptera)

COTONEASTER:

- Succinea horticola (Mollusca)

CRYPTOMERIA:

- Aspidiotus cryptomeriae (Homoptera)
Callidium rufipenne (Coleoptera)
Megastigmus cryptomeriae (Hymenoptera)
Phloeosinus rudis (Coleoptera)

CUCUMIS:

- Aeolus pullatus (Coleoptera)
Blapstinus punctulatus (Coleoptera)
Cissites maculata (Coleoptera)
Conoderus rufangulus (Coleoptera)
Dacus cucurbitae(?)(Diptera)
Galgupha albipennis (Hemiptera)
Haplothrips gowdeyi (Thysanoptera)
Helix aspersa (Mollusca)
Hemiceras albulana(?)(Lepidoptera)
Homalodisca ichthyocephala (Homoptera)
Mecidea major (Hemiptera)
Naupactus xanthographus (Coleoptera)

CUCURBITA:

- Trogoderma granarium (Coleoptera)

CUMINUM:

- Trogoderma granarium (Coleoptera)

CUPRESSUS:

- Pseudococcyx tessulatana (Lepidoptera)
Theba pisana (Mollusca)
Trichia hispida (Mollusca)

CYAMOPSIS:

Trogoderma granarium (Coleoptera)

CYCAS:

Aonidiella inornata (Homoptera)

CYDONIA:

Ceratitis capitata (Diptera)Monacha syriaca (Mollusca)Succinea horticola (Mollusca)

CYMBIDIUM:

Oxycarenus luctuosus (Hemiptera)

CYMOPOGON:

Pheidole megacephala (Hymenoptera)

CYNARA:

Gortyna flavago (Lepidoptera)Helicella caperata (Mollusca)Helix aperta (Mollusca)Oeobia ferrugalis (Lepidoptera)

DAHLIA:

Bradybaena similaris (Mollusca)Frankliniella intonsa (Thysanoptera)Helicella cretica (Mollusca)Milax gagates (Mollusca)Taeniothrips atratus (Thysanoptera)Thrips major (Thysanoptera)Trichia hispida (Mollusca)

DAPHNE:

Monacha carthusiana (Mollusca)

DAUCUS:

Aethes williana (Lepidoptera)Helix aperta (Mollusca)H. aspersa (Mollusca)Monacha carthusiana (Mollusca)Theba pisana (Mollusca)

DELONIX:

Cryptophlebia ombrodelta (Lepidoptera)

DELPHINIUM:

Helix aspersa (Mollusca)

DENDROBIUM:

Bradybaena similaris (Mollusca)Conotelus mexicanus (Coleoptera)Orchidophilus aterrimus (Coleoptera)Siphanta acuta (Homoptera)

DIANTHUS:

Aceria dianthi (Acarina)Conotelus mexicanus (Coleoptera)Frankliniella formosae (Thysanoptera)F. intonsa (Thysanoptera)Helicella maritima (Mollusca)Helix aspersa (Mollusca)Orchidophilus aterrimus (Coleoptera)Otala vermiculata (Mollusca)Oxydema fusiforme (Coleoptera)Pareophora pruni (Hymenoptera)Taeniothrips atratus (Thysanoptera)T. dianthi (Thysanoptera)T. discolor (Thysanoptera)T. hawaiensis (Thysanoptera)Thrips angusticeps (Thysanoptera)T. major (Thysanoptera)

DICKSONIA:

Chirosia parvicornis (Diptera)Trichia cinctella (Mollusca)

DIMORPHOTHECA:

Helicella protea (Mollusca)

DIOSPYROS:

Lepidosaphes conchiformioides (Homoptera)Tenuipalpus japonicus (Acarina)Xylobiops parilis (Coleoptera)

ECHINODORUS:

Aleuroglandulus subtilis (Homoptera)

ENTEROLOBIUM:

Anypsipyla univitella (Lepidoptera)

EPHEDRA:

Cochlicella barbara (Mollusca)

EPIDENDRUM:

Asterolecanium epidendri (Homoptera)Helicina neritella (Mollusca)Procyrta intectus (Homoptera)Vinsonia stellifera (Homoptera)

ERIA:

Vinsonia stellifera (Homoptera)

ERIOBOTRYA:

Ceratitis capitata (Diptera)

ERYTHRINA:

Bradybaena similaris (Mollusca)Clavaspis herculeana (Homoptera)

EUGENIA:

Dacus dorsalis (Diptera)Vinsonia stellifera (Homoptera)

EUPHORIA:

Bemisia tabaci (Homoptera)

EUPHORIA:

Ceratitis capitata (Diptera)Dacus dorsalis (Diptera)Nipaecoccus vastator (Homoptera)Thysanofiorinia nephelii (Homoptera)

FAGRAEA:

Taeniothrips hawaiiensis (Thysanoptera)

FAGUS:

Aceria nervisequa (Acarina)Calepitimerus fagisylvaticus (Acarina)Mikiola fagi (Diptera)

FICUS:

Bradybaena similaris (Mollusca)Cadra calidella (Lepidoptera)Ceratitis capitata (Diptera)Ceroplastes rusci (Homoptera)Pseudaonidia trilobitiformis (Homoptera)Silba aristella (Diptera)S. virescens (Diptera)

FOENICULUM:

Helicella protea (Mollusca)Helix aperta (Mollusca)Kiefferia pimplinellae (Diptera)Milax gagates (Mollusca)Trichia hispida (Mollusca)T. striolata (Mollusca)Trogoderma granarium (Coleoptera)

FORTUNELLA:

Ceratitis capitata (Diptera)Coccus viridis (Homoptera)

FOUQUIERIA:

Spilococcus townsendi (Homoptera)

FRAGARIA:

Taeniothrips atratus (Thysanoptera)

GARCIANIA:

Aspidiotus destructor (Homoptera)Dysmicoccus neobrevipes (Homoptera)

GARDENIA:

Ceroplastes rubens (Homoptera)Coccus viridis (Homoptera)Conotelus mexicanus (Coleoptera)Dialeurodes kirkaldyi (Homoptera)Frankliniella formosae (Thysanoptera)Helix aspersa (Mollusca)Pealius hibisci (Homoptera)Taeniothrips hawaiiensis (Thysanoptera)Vestistilus testaceus (Homoptera)

GENTIANA:

Stenoptilia stigmatodactyla (Lepidoptera)

- GENTIANA--Continued
Thrips major (Thysanoptera)
- GLADIOLUS:
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
F. panamensis (Thysanoptera)
F. schultzei (Thysanoptera)
Helicina zephyrina (Mollusca)
Taeniothrips atratus (Thysanoptera)
- GLYCINE:
Bruchus emarginatus (Coleoptera)
- GOMPHRENA:
Haplothrips gowdeyi (Thysanoptera)
- GOSSYPIUM:
Oxycarenus annulipes (Hemiptera)
Pectinophora gossypiella (Lepidoptera)
P. scutigera (Lepidoptera)
Trogoderma granarium (Coleoptera)
- GUM DAMAR:
Trogoderma granarium (Coleoptera)
- HEDERA:
Filippia viburni (Homoptera)
- HEDYCHIUM:
Conotelus mexicanus (Coleoptera)
Dysmicoccus neobrevipes (Homoptera)
Pentalonia nigronervosa (Homoptera)
- HELIANTHUS:
Taeniothrips dianthi (Thysanoptera)
- HELICONIA:
Bradybaena similaris (Mollusca)
Pheidole megacephala (Hymenoptera)
- HELEBORUS:
Helicella conspurcata (Mollusca)
Macrosiphum hellibori(?) (Homoptera)
Trichia cinctella (Mollusca)
T. hispida (Mollusca)
- HIBISCUS:
Bradybaena similaris (Mollusca)
Dialeurodes kirkaldyi (Homoptera)
Helix aspersa (Mollusca)
Liogenys macropelma (Coleoptera)
Pealius hibisci (Homoptera)
Pectinophora gossypiella (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Phenacoccus hirsutus (Homoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Trichia cinctella (Mollusca)
T. striolata (Mollusca)
- HORDEUM:
Helicella maritima (Mollusca)
- HUMULUS:
Theba pisana (Mollusca)
Trichia hispida (Mollusca)
- INDIGOFERA:
Bruchophagus indigoferae (Hymenoptera)
- IPOMOEA:
Cylas formicarius elegantulus (Coleoptera)
Euscepes postfasciatus (Coleoptera)
Graptostethus manillensis (Hemiptera)
G. nigriceps (Hemiptera)
- IRIS:
Taeniothrips eucharii (Thysanoptera)
- IXORA:
Coccus viridis (Homoptera)
- JACARANDA:
Melanaspis odontoglossi (Homoptera)
- JASMINUM:
Bradybaena similaris (Mollusca)
Dialeurodes kirkaldyi (Homoptera)
Parlatoria crypta (Homoptera)
- Pealius hibisci (Homoptera)
Taeniothrips hawaiiensis (Thysanoptera)
- JUGLANS:
Trichia hispida (Mollusca)
- JUNIPERUS:
Arianta arbustorum (Mollusca)
Dichomeris marginella (Lepidoptera)
- KHAYA:
Cordylomera spinicornis (Coleoptera)
- LACTUCA:
Arianta arbustorum (Mollusca)
Cochlicella barbara (Mollusca)
Conotelus mexicanus (Coleoptera)
Deroceras caruanae (Mollusca)
Helicella caperata (Mollusca)
H. conspurcata (Mollusca)
H. maritima (Mollusca)
H. variabilis (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Milax gagates (Mollusca)
Monacha carthussiana (Mollusca)
Otala lactea (Mollusca)
O. vermiculata (Mollusca)
Spilostethus pandurus (Hemiptera)
Theba pisana (Mollusca)
Thrips angusticeps (Thysanoptera)
Trichia cinctella (Mollusca)
T. striolata (Mollusca)
- LAEVIA:
Melanaspis aliena (Homoptera)
- LANTANA:
Cochlicella barbara (Mollusca)
- LANSIUM:
Planococcus lilacinus (Homoptera)
Pseudococcus hispidus (Homoptera)
- LAPAGERIA:
Helix aspersa (Mollusca)
- LARREA:
Asphondylia albipila (Diptera)
- LATHYRUS:
Bruchus affinis (Coleoptera)
B. tristiculus (Coleoptera)
B. tristis (Coleoptera)
Cochlicella barbara (Mollusca)
Frankliniella intonsa (Thysanoptera)
Kakothrips pisivorus (Thysanoptera)
Taeniothrips atratus (Thysanoptera)
Theba pisana (Mollusca)
Trogoderma granarium (Coleoptera)
- LAURUS:
Ceroplastes japonicus (Homoptera)
Cryptoblabes gnidiella (Lepidoptera)
Trialeurodes lauri (Homoptera)
- LAVANDULA:
Frankliniella intonsa (Thysanoptera)
Taeniothrips atratus (Thysanoptera)
- LENS:
Bruchus emarginatus (Coleoptera)
B. ervi (Coleoptera)
B. lentis (Coleoptera)
B. signaticornis (Coleoptera)
- LEUCAENA:
Araecerus levipennis (Coleoptera)
A. simulatus(?) (Coleoptera)
- LIGUSTRUM:
Trichia striolata (Mollusca)
- LILIUM:
Helix aspersa (Mollusca)
Melanotus cete (Coleoptera)

LITCHI:

- Ceratitis capitata (Diptera)
Cryptophlebia illepida (Lepidoptera)
C. ombrodelta (Lepidoptera)

LONICERA:

- Pealius hibisci (Homoptera)

LUPINUS:

- Bruchus tristis (Coleoptera)

LYCASTE:

- Puto ulter (Homoptera)

LYCOPERSICON:

- Dacus cucurbitae (Diptera)
Epilachna niponica (Coleoptera)
Neoleucinodes elegantalis (Lepidoptera)

LYCORIS:

- Taeniothrips eucharii (Thysanoptera)

MACADAMIA:

- Cryptophlebia illepida (Lepidoptera)
C. ombrodelta (Lepidoptera)

MAJORANA:

- Chrysolina americana (Coleoptera)
Cochlicella barbara (Mollusca)
Helicella cretica (Mollusca)
H. maritima (Mollusca)
Theba pisana (Mollusca)

MALUS:

- Anoplodera rufipes (Coleoptera)
Bruchidius stylophorus (Coleoptera)
Carposina niponensis (Lepidoptera)
Cenopalpus pulcher (Acarina)
Ctenopseustis obliquana (Lepidoptera)
Epiphyas postvittana (Lepidoptera)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Tetranychus viennensis (Acarina)
Theba pisana (Mollusca)
Tortrix excessana (Lepidoptera)

MALVACEAE:

- Pachycoris fabricii (Hemiptera)

MANGIFERA:

- Anastrepha ludens (Diptera)
A. mombinpraecoxans (Diptera)
Aulacaspis tuberculatus (Homoptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)
Lindingaspis ferrisi (Homoptera)
Protaetia fusca (Coleoptera)
Pseudaonidia trilobitiformis (Homoptera)
Sternocetus mangiferae (Coleoptera)

MAXILLARIA:

- Bradybaena fodiens (Mollusca)

MENTHA:

- Bradybaena similaris (Mollusca)
Cochlicella barbara (Mollusca)
Helix aspersa (Mollusca)
Ovatus crataegarius (Homoptera)

MIMOSA:

- Tydeus caudatus (Acarina)

MONSTERA(?):

- Bradybaena similaris (Mollusca)

MUCUNA:

- Araeocorynus cumingi (Coleoptera)

MURRAYA:

- Ceratitis capitata (Diptera)

MUSA:

- Dacus dorsalis (Diptera)
Dysmicoccus neobrevipes (Homoptera)
Epilachna borealis var. (Coleoptera)
Epipocus rufitarsus (Coleoptera)
Lamellaxis micra (Mollusca)

- Ogdoecosta catenulata (Coleoptera)
Pentalonia nigronervosa (Homoptera)
Poecilonotites bermudensis (Mollusca)
Porphyrobaphe iostoma (Mollusca)
Solaropsis monile (Mollusca)

MYRTILLOCACTUS(?):

- Opuntiaspis philococcus (Homoptera)

NARCISSUS:

- Otala vermiculata (Mollusca)

NASTURTIUM:

- Cochlicella barbara (Mollusca)

- Phaedon armoraciae (Coleoptera)

NEOMOOREA:

- Asterolecanium epidendri (Homoptera)

NEPETA:

- Milax gagates (Mollusca)

OLEA:

- Aleurolobus olivinus (Homoptera)

- Dacus oleae (Diptera)

- Helicella itala (Mollusca)

- Leucaspis riccae (Homoptera)

- Phloeotribus scarabaeoides (Coleoptera)

- Prays olellus (Lepidoptera)

ONCIDIUM:

- Acutaspis albopicta (Homoptera)

- Asterolecanium epidendri (Homoptera)

- Drymaeus alternans (Mollusca)

- Vinsonia stellifera (Homoptera)

ONOBRYCHIS:

- Helicella itala (Mollusca)

- Timarcha goettingensis (Coleoptera)

OPERCULINA:

- Conoderus exsul (Coleoptera)

OPUNTIA:

- Cactoblastis cactorum (Lepidoptera)

- Ceratitis capitata (Diptera)

- Helicella virgata (Mollusca)

ORCHID:

- Acutaspis tingi (Homoptera)

- A. umbonifera (Homoptera)

- Aleuroglandulus emmae? (Homoptera)

- Antilocoris punctatus (Hemiptera)

- Arphnus melanotylus (Hemiptera)

- Asterolecanium epidendri (Homoptera)

- Automeris acutissima (Lepidoptera)

- Bradybaena fodiens (Mollusca)

- B. similaris (Mollusca)

- Buliminopsis siamensis (Mollusca)

- Cataenococcus guatemalensis (Homoptera)

- Cryphula apicata (Hemiptera)

- Dendrocoris variegatus (Hemiptera)

- Dinurothrips hookeri (Thysanoptera)

- Drymaeus alternans (Mollusca)

- D. hegewischi (Mollusca)

- Duplaspidotus tesseratus (Homoptera)

- Eudesmia menea (Lepidoptera)

- Eurypedus rigosignatus (Coleoptera)

- Eustrophinus marginatus (Coleoptera)

- Galgupha quadrifasciata (Hemiptera)

- Genaparlatoria pseudaspidotus (Homoptera)

- Helicina denticulata (Mollusca)

- H. substriata (Mollusca)

- H. zephyrina (Mollusca)

- Hemiberlesia mendax (Homoptera)

- Iridomyrmex iniquus (Hymenoptera)

- Ischyurus septem-signatus (Coleoptera)

- Lamellaxis micra (Mollusca)

- Lincus spathuliger (Hemiptera)

- Melanaspis aliena (Homoptera)

- Metriona trisignata (Coleoptera)

ORCHID--Continued

- Milax gagates (Mollusca)
Mormidea pictiventris (Hemiptera)
Nasutitermes nigriceps (Isoptera)
N. rippertii (Isoptera)
Neocattarus maculatus (Hemiptera)
Ochrostomus moa (Hemiptera)
Oplomus rutilus (Hemiptera)
Orchidophilus aterrimus (Coleoptera)
Orthalicus decolor (Mollusca)
O. undatus (Mollusca)
Oxychilus alliarius (Mollusca)
O. cellarius (Mollusca)
Ozophora concava (Hemiptera)
Pangaeus aethiops (Hemiptera)
Paraleyrodes citricolus (Homoptera)
Pheidole megacephala (Hymenoptera)
Procyrtia inectus (Homoptera)
Puto ulter (Homoptera)
Pyrgocorypha hamata (Orthoptera)
Schasalcadia bahamensis (Mollusca)
Tenthecoris confusus (Hemiptera)
T. distinctus (Hemiptera)
Trichia striolata (Mollusca)
Troxylon prostomoides (Coleoptera)
Vinsonia stellifera (Homoptera)

ORIGANUM:

- Monacha carthusiana (Mollusca)

ORNITHOGALUM:

- Epichorista ionephela (Lepidoptera)
Frankliniella schultzei (Thysanoptera)

ORYZA:

- Alkindus atratus (Hemiptera)
Chilo suppressalis (Lepidoptera)
Trogoderma granarium (Coleoptera)

OSMANTHUS:

- Aleurotuberculatus aucubae (Homoptera)

OXALIS:

- Inglisia vitrea (Homoptera)

PAEONIA:

- Frankliniella intonsa (Thysanoptera)
Lepidosaphes kuwacula (Homoptera)
Ostrinia nubilalis (Lepidoptera)

PALM:

- Aonidiella inornata (Homoptera)
A. messengeri (Homoptera)
Clavaspis herculeana (Homoptera)
Helicina zephyrina (Mollusca)

PANDANUS:

- Lepidosaphes esakii (Homoptera)
Pheidole megacephala (Hymenoptera)

PASSIFLORA:

- Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)

PELARGONIUM:

- Brevipalpus essigi (Acarina)
Cryphula apicata (Hemiptera)

PELEA:

- Prays fulvocanellus (Lepidoptera)

PERSEA:

- Ceratitis capitata (Diptera)
Conotrachelus aguacatae (Coleoptera)
C. perseae (Coleoptera)
Dacus dorsalis (Diptera)
Pseudoparlatoria perparvula (Homoptera)
Stenoma catenifer (Lepidoptera)
Trioza anceps (Homoptera)

PETROSELINUM:

- Arianta arbustorum (Mollusca)
Bradybaena fodiens (Mollusca)

Euleia heraclei(?) (Diptera)

Monacha carthusiana (Mollusca)

Otala vermiculata (Mollusca)

Theba pisana (Mollusca)

PHAEOMERIA:

Pentalonia nigronervosa (Homoptera)

PHALAENOPSIS:

Acutaspis tingi (Homoptera)

Planococcus dendrobii (Homoptera)

PHASEOLUS:

Callosobruchus analis (Coleoptera)

Epinotia aporema (Lepidoptera)

Helicella cespitum (Mollusca)

H. maritima (Mollusca)

H. protea (Mollusca)

Maruca testulalis (Lepidoptera)

Matsumuraes es phaseoli (Lepidoptera)

Melanagromyza caerulea (Diptera)

Ostrinia nubilalis (Lepidoptera)

Theba pisana (Mollusca)

Trichia cinctella (Mollusca)

PHASEOLUS(?):

Bruchus tristiculus (Coleoptera)

PHILADELPHUS:

Taeniothrips hawaiiensis (Thysanoptera)

PHILODENDRON:

Aleuroplatus cococolus (Homoptera)

PHILOX:

Helicella caperata (Mollusca)

PHRAGMITES:

Chaetococcus phragmitis(?) (Homoptera)

Gahaniola phragmitis (Hymenoptera)

Graudiella inclusa (Diptera)

Torymus arundinis (Hymenoptera)

PICEA:

Ernobius abietis (Coleoptera)

Ips typographus (Coleoptera)

Laspeyresia strobilella (Lepidoptera)

Pityogenes chalcographus (Coleoptera)

Plemeliella abietina (Diptera)

PINUS:

Callidium rufipenne (Coleoptera)

Cenopalpus lineola (Acarina)

Dichocrocis punctiferalis (Lepidoptera)

Ernobius abietis (Coleoptera)

Ips sexdentatus (Coleoptera)

I. typographus (Coleoptera)

Orsillus reyi (Hemiptera)

Pineus harakawai (Homoptera)

Pityogenes chalcographus (Coleoptera)

P. quadridens (Coleoptera)

Platyplax salviae (Hemiptera)

Rhaphigaster nebulosa (Hemiptera)

Tomicus piniperda (Coleoptera)

PISTACIA:

Lepidosaphes chinensis (Homoptera)

Megastigmus pistaciae (Hymenoptera)

Schneidereria pistaciella (Lepidoptera)

Trogoderma granarium (Coleoptera)

PISUM:

Bruchus lentis (Coleoptera)

Theba pisana (Mollusca)

Trogoderma granarium (Coleoptera)

PLEUROTHALLIS:

Vinsonia stellifera (Homoptera)

PLUMERIA:

Carpophilus maculatus (Coleoptera)

Clavaspis herculeana (Homoptera)

Coccus viridis (Homoptera)

Conotelus mexicanus (Coleoptera)

PLUMERIA--Continued

- Pentalonia nigronervosa (Homoptera)
Sybra alternans (Coleoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Toxoptera citricida (Homoptera)

POLIANTHES:

- Helicella cretica (Mollusca)

PRIMULA:

- Pheidole megacephala (Hymenoptera)

PROTEA:

- Capriobia similis (Hemiptera)
Homothrips distinctus (Thysanoptera)
Oxycarenus maculatus (Hemiptera)

PRUNUS AMYGDALUS:

- Eurytoma amygdali (Hymenoptera)
Trogoderma granarium (Coleoptera)

PRUNUS AVIUM:

- Rhagoletis cerasi (Diptera)

PRUNUS DOMESTICA:

- Ceratitis capitata (Diptera)
Helicella variabilis (Mollusca)

PRUNUS PERSICA:

- Blissus diplopterus (Hemiptera)
Ceratitis capitata (Diptera)
Epichorista ionephela (Lepidoptera)
Isothrips obscuratus (Thysanoptera)

PRUNUS SUBHIRTILLA:

- Phenacaspis kuwanai(?)(Homoptera)

PRUNUS SP. (cherry):

- Pseudaulacaspis simplex(?)(Homoptera)
Rhagoletis cerasi (Diptera)

PSIDIUM:

- Anastrepha striata(?)(Diptera)
A. suspensa (Diptera)
Ceratitis capitata (Diptera)
C. colae (Diptera)
Coccus viridis (Homoptera)
Dacus dorsalis (Diptera)
Paraleyrodes goyabae (Homoptera)
Sesamia nonagrioides (Lepidoptera)

PUERARIA:

- Callosobruchus ademptus (Coleoptera)

PUNICA:

- Ceratitis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Euzophera bigella(?)(Lepidoptera)
Lepidosaphes conchiformioides (Homoptera)
Monacha syriaca (Mollusca)

PYRUS:

- Bruchidius gilvus (Coleoptera)
Lepidosaphes conchiformioides (Homoptera)
Tetranychus viennensis (Acarina)
Tydeus caudatus (Acarina)

QUERCUS:

- Andricus furnessae (Hymenoptera)
Helicella maritima (Mollusca)
Heterobostrychus aequalis (Coleoptera)
Laspeyresia splendana (Lepidoptera)
Plagionotus arcuatus (Coleoptera)
Theba pisana (Mollusca)

RAPHANUS:

- Evergestis forficalis (Lepidoptera)
Helicella cretica (Mollusca)

RHODODENDRON:

- Adoxophyes reticulata (Lepidoptera)
Succinea horticola (Mollusca)

RHUS:

- Monacha carthusiana (Mollusca)

RIBES:

- Planococcus lilacinus (Homoptera)

RICINUS:

- Aeneolamia postica subsp. jugata
(Homoptera)

ROSA:

- Arge ochropus (Hymenoptera)
Cladardis elongatula (Hymenoptera)
Cladius pectinicornis (Hymenoptera)
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
Helicella maritima (Mollusca)
Helix aspersa (Mollusca)
Macrosiphum ibarae (Homoptera)
Taeniothrips atratus (Thysanoptera)
T. ericae (Thysanoptera)
T. hawaiiensis (Thysanoptera)
Theba pisana (Mollusca)
Thrips angusticeps (Thysanoptera)
T. major (Thysanoptera)

ROSMARINUS:

- Cecilioides aperta (Mollusca)
Chrysolina americana (Coleoptera)
Eupteryx zelleri (Homoptera)
Helicella caperata (Mollusca)
H. conspurcata (Mollusca)
H. derbentina (Mollusca)
Helix aspersa (Mollusca)
Milax gagates (Mollusca)
Theba pisana (Mollusca)
Trichia hispida (Mollusca)

RUBUS:

- Asterobemisia carpini (Homoptera)
Kleidocerys ericae (Hemiptera)

SABAL:

- Aspidiotus destructor (Homoptera)

SACCHARUM:

- Diatraea considerata (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Rhabdoscelus obscurus (Coleoptera)
Saccharicoccus sacchari (Homoptera)

SALVIA:

- Aylax salviae (Hymenoptera)
Haplothrips gowdeyi (Thysanoptera)

SAMANEA:

- Anypsipyla univitella (Lepidoptera)
Pheidole megacephala (Hymenoptera)

SAMBUCUS:

- Oxychilus alliarius (Mollusca)

SAND:

- Theba pisana (Mollusca)

SANDORICUM:

- Dacus dorsalis (Diptera)

SAXIFRAGA:

- Trichia hispida (Mollusca)

SECHIUM:

- Maruca testulalis (Pyraustidae)

SELAGINELLA:

- Orthezia selaginellae (Homoptera)

SESAMUM:

- Trogoderma granarium (Coleoptera)

SESBANIA:

- Lampides boeticus (Lepidoptera)

- Maruca testulalis (Lepidoptera)

- Protaetia fusca (Coleoptera)

- Taeniothrips hawaiiensis (Thysanoptera)

SOIL:

- Anaphothrips flavicinctus(?)(Thysanoptera)

- Bradybaena fodiens (Mollusca)

- B. similaris (Mollusca)

- Cochlicella barbara (Mollusca)

- C. conoidea (Mollusca)

SOIL--Continued

- Cyrtomenus bergi (Hemiptera)
Deroberas caruanae (Mollusca)
Evergestis forficalis (Lepidoptera)
Helicella candidula (Mollusca)
H. caperata (Mollusca)
H. conspurcata (Mollusca)
H. cretica (Mollusca)
H. maritima (Mollusca)
H. meda (Mollusca)
H. obvia (Mollusca)
H. pyramidata (Mollusca)
H. trochoides (Mollusca)
Helicina chrysocheila (Mollusca)
H. convexa (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Lamellaxis micra (Mollusca)
Melolontha melolontha (Coleoptera)
Milax gagates (Mollusca)
Monacha cantiana (Mollusca)
M. carthusiana (Mollusca)
M. olivieri (Mollusca)
M. schotti (Mollusca)
Otala vermiculata (Mollusca)
Oxychilus alliarius (Mollusca)
Theba pisana (Mollusca)
Trichia cinctella (Mollusca)
T. hispida (Mollusca)
T. striolata (Mollusca)

SOLANUM MELONGENA:

- Contarinia lycopersici (Diptera)
Leucinodes orbonalis (Lepidoptera)
Neoleucinodes elegantalis (Lepidoptera)
Trichia striolata (Mollusca)

SOLANUM QUITOENSE:

- Neoleucinodes elegantalis (Lepidoptera)

SOLANUM TUBEROSUM:

- Epicaerus cognatus (Coleoptera)
Sciophila varia (Diptera)

SOLANUM SP.:

- Haplothrips gowdeyi (Thysanoptera)

SORBUS:

- Ceratitis capitata (Diptera)

SORGHUM:

- Sesamia cretica (Lepidoptera)
S. nonagrioides (Lepidoptera)

SPATHOGLOTTIS:

- Aonidiella inornata (Homoptera)
Planococcus philippensis (Homoptera)

SPINACIA:

- Bradybaena fodiens (Mollusca)
Conotelus mexicanus (Coleoptera)

SPONDIAS:

- Anastrepha mombinpraeoptans (Diptera)
Ceratitis capitata (Diptera)
Clavaspis herculeana (Homoptera)

STANHOPEA:

- Tenthecoris vestitus (Homoptera)
Vinsonia stellifera (Homoptera)

STELIS:

- Vinsonia stellifera (Homoptera)

STEPHANOTIS:

- Taeniothrips hawaiiensis (Thysanoptera)

STERCULIA:

- Trogoderma granarium (Coleoptera)

STRELITZIA:

- Bradybaena similaris (Mollusca)
Pentalonia nigronervosa (Homoptera)
Protaetia fusca (Coleoptera)

STRONGYLODON:

- Pheidole megacephala (Hymenoptera)
Taeniothrips hawaiiensis (Thysanoptera)

SYMPHORICARPOS:

- Helicella cretica (Mollusca)

SYNSEPALUM:

- Ceratitis rosa (Diptera)
Stictococcus sjostedti (Homoptera)

SYRINGA:

- Lepidosaphes tubulorum (Homoptera)
Monacha carthusiana (Mollusca)
Trichia hispida (Mollusca)

TAMARINDUS:

- Aleurocanthus husaini (Homoptera)
Aleurolobus marlatti (Homoptera)
Cryptophlebia ombrodelta (Lepidoptera)

TERMINALIA:

- Anastrepha mombinpraeoptans (Diptera)
Aspidiotus destructor (Homoptera)
Ceratitis capitata (Diptera)
Dacus dorsalis (Diptera)

THEOBROMA:

- Trogoderma granarium (Coleoptera)

THRIXSPERMUM:

- Acutaspis tingu (Homoptera)

THUJA:

- Monacha carthusiana (Mollusca)

THYMUS:

- Helicella protea (Mollusca)
Spathulina tristis (Diptera)

TILLANDSIA:

- Helicina zephyrina (Mollusca)
Ischnodemus oblongus(?)(Hemiptera)
Leptodictya sinaloana(?)(Hemiptera)
Tenthecoris distinctus (Hemiptera)

TRIFOLIUM:

- Helicella caperata (Mollusca)
Milax gagates (Mollusca)
Sitona humeralis (Coleoptera)

TRIPLOCHITON:

- Heterobostrychus brunneus (Coleoptera)
Xyloperthella crinitarsis (Coleoptera)
Xyloperthodes nitidipennis (Coleoptera)

TRITICUM:

- Haplothrips tritici (Thysanoptera)
Trogoderma granarium (Coleoptera)

TSUGA:

- Callidium rufipenne (Coleoptera)

ULMUS:

- Trichia hispida (Mollusca)

VANDA:

- Asterolecanium epidendri (Homoptera)
Bradybaena similaris (Mollusca)
Chrysodeixis chalcites (Lepidoptera)
Conotelus mexicanus (Coleoptera)
Dichromothrips corbetti (Thysanoptera)
Genaparlatoria pseudaspidotus (Homoptera)
Nysius caledoniae (Hemiptera)
N. kinbergi (Hemiptera)
Orchidophilus aterrimus (Coleoptera)
Pheidole megacephala (Hymenoptera)

VERNONIA:

- Sphaerocoris annulus (Hemiptera)

VICIA:

- Acanthoscelides obvelatus (Coleoptera)
Bruchus dentipes (Coleoptera)
B. ervi (Coleoptera)
B. tristis (Coleoptera)
Contarinia pisi (Diptera)
Helicella conspurcata (Mollusca)

VICIA--Continued

Helicella pyramidata (Mollusca)
Lampides boeticus (Lepidoptera)
Oxychilus cellarius (Mollusca)
Theba pisana (Mollusca)

VIGNA:

Fundella pellucens (Lepidoptera)

VITIS:

Acrosternum fieberi(?)(Hemiptera)
Aeolus pullatus (Coleoptera)
Blapstinus punctulatus (Coleoptera)
Bradybaena fodiens (Mollusca)
Bruchidius bimaculatus (Coleoptera)
B. unicolor (Coleoptera)
Conoderus rufangulus (Coleoptera)
Helicella conspurcata (Mollusca)
Naphius apicalis (Hemiptera)
Phlyctinus callosus (Coleoptera)

Xiphistes fuscicornis (Homoptera)

YUCCA:

Gonioelus deplanatus (Coleoptera)

ZEA:

Busseola fusca (Lepidoptera)
Modna bisinuella (Lepidoptera)
Ostrinia nubilalis (Lepidoptera)
Pagiocerus frontalis (Coleoptera)
Sesamia nonagrioides (Lepidoptera)

ZEPHYRANTHES:

Lamellaxis micra (Mollusca)

ZINGIBER:

Aspidiella hartii (Homoptera)
A. zingiberi (Homoptera)
Bradybaena similaris (Mollusca)
Sesamia nonagrioides (Lepidoptera)

ZINGIBERACEAE:

Pentalonia nigronervosa (Homoptera)

INSECTS INTERCEPTED WITH HOSTS UNKNOWN

AIRPLANE:

Achatina fulica (Mollusca)
Adoretus sinicus (Coleoptera)
Aeneolamia reducta (Homoptera)
Aethus indicus (Hemiptera)
Agalliana sticticollis (Homoptera)
Agraecia philippina (Orthoptera)
Agrotisia subhyalina (Lepidoptera)
Amphimallon majalis (Coleoptera)
Anomala orientalis (Coleoptera)
Argina cribaria (Lepidoptera)
Arugisa porrectalis (Lepidoptera)
Ascia monuste (Lepidoptera)
Autographa gamma (Lepidoptera)
Blapstinus tibialis (Coleoptera)
Brachytrupes portentosus (Orthoptera)
Capritermes nitobei (Isoptera)
Catephia leucomelas (Lepidoptera)
Chalciope hyppasia (Lepidoptera)
Coleotichus blackburniae (Hemiptera)
C. marianensis (Hemiptera)
Conoderus pallipes (Coleoptera)
C. rodriguezi (Coleoptera)
Creatontos gangis (Lepidoptera)
Cryptotermes brevis (Isoptera)
Dacus dorsalis (Diptera)
Deilephila nerii (Lepidoptera)
Delphacodes balboae (Homoptera)
Draeculacephala clypeata (Homoptera)
Ericeia inangulata (Lepidoptera)
Euricania ocellus (Homoptera)
Glaucias nigromarginatus (Hemiptera)
Gryllus bimaculatus (Orthoptera)
G. oceanicus (Orthoptera)
Heraeus guttatus (Hemiptera)
Herse convolvii (Lepidoptera)
Lamprolonchaea aurea (Diptera)
Lamprosema zoilusalis (Lepidoptera)
Liogenys macropelma (Coleoptera)
Loxa flavidollis (Hemiptera)
Macroglossum stellatarum (Lepidoptera)
Macrotermes gilvus (Isoptera)
Mecidea longula (Hemiptera)
Megachile umbripennis (Hymenoptera)
Melolontha melolontha (Coleoptera)
Milax gagates (Mollusca)
Miogryllus ensifer (Orthoptera)
Mocis undata (Lepidoptera)
Nephrotettix apicalis (Homoptera)

Nephrotettix cincticeps (Homoptera)
N. impicticeps (Homoptera)
Nymphalis io (Lepidoptera)
Ollarianus sexmaculatus (Homoptera)
Ozophora atropicta (Hemiptera)
O. concava (Hemiptera)
Pachybrachius albocinctus (Hemiptera)
P. nietneri(?)(Hemiptera)
Paraluperodes suturalis (Coleoptera)
Paulinia acuminata (Orthoptera)
Pentatoma rufipes (Hemiptera)
Phlegetonia fasciatrix (Lepidoptera)
Platypus rugulosus (Coleoptera)
Platysenta illecta (Lepidoptera)
Plocoscelus arthriticus (Diptera)
Prodenia androgea (Lepidoptera)
Protaetia fusca (Coleoptera)
Remaudiereana nigriceps (Hemiptera)
Rhodogastria timolis (Lepidoptera)
Sameodes cancellalis (Lepidoptera)
Scaphoideus morosus (Homoptera)
Sciara thomae (Diptera)
Sideridis vitellina(?)(Lepidoptera)
Sogata nautica (Homoptera)
Spodoptera litura (Lepidoptera)
S. mauritia acronyctoides (Lepidoptera)
S. pecten (Lepidoptera)
Syneda confirmans (Lepidoptera)
Talurus rugosus (Coleoptera)
Theretra clotho celata (Lepidoptera)
T. inornata (Lepidoptera)
T. nessus (Lepidoptera)
T. oldenlandiae (Lepidoptera)
Tropidacris latreillei (Orthoptera)
Tryporyza incertulas (Lepidoptera)
Uhleroides hispaniolae(?)(Homoptera)
Utethesia pulchella (Lepidoptera)

AQUATIC PLANT:

Aleurodicus iridescens (Homoptera)

AUTOMOBILE:

Cochlicella barbara (Mollusca)
C. conoidea (Mollusca)
Helicella maritima (Mollusca)
Helix aspersa (Mollusca)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)

BAGGAGE:

Achatina fulica (Mollusca)
Adoretus sinicus (Coleoptera)

BAGGAGE--Continued

Agroiconota judaica (Coleoptera)
Anacridium aegyptium (Orthoptera)
Araecerus simulatus(?) (Coleoptera)
Araecorynus cumingi (Coleoptera)
Arianta arbustorum (Mollusca)
Atta mexicana (Hymenoptera)
Bradybaena similaris (Mollusca)
Cepaea hortensis (Mollusca)
Cerisium unicolor (Coleoptera)
Colias chrysosome (Lepidoptera)
Conoderus exsul (Coleoptera)
Cryptotermes brevis (Isoptera)
Dacus dorsalis (Diptera)
Helicella cespitum (Mollusca)
H. maritima (Mollusca)
H. seetzeni (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
H. lucorum (Mollusca)
H. pomatia (Mollusca)
Merimna atrata (Coleoptera)
Microcentrum suave (Orthoptera)
Modicogryllus confirmatus (Orthoptera)
Monacha cantiana (Mollusca)
M. carthusiana (Mollusca)
Myzaphis turanica (Homoptera)
Nymphalis urticae (Lepidoptera)
Ogdoecosta catenulata (Coleoptera)
Otala lactea (Mollusca)
O. vermiculata (Mollusca)
Schneidereria pistaciella (Lepidoptera)
Sphenarches caffer (Lepidoptera)
Theba pisana (Mollusca)

BAGGING:

Anomala viridana (Coleoptera)
Callosobruchus analis (Coleoptera)
Trogoderma granarium (Coleoptera)

BARK:

Hylesinus crenatus (Coleoptera)

CARDBOARD:

Cryptotermes brevis (Isoptera)

CARGO:

Achaea janata (Lepidoptera)
Achatina fulica (Mollusca)
Acrolepia assectella (Lepidoptera)
Acrosternum heegeri (Hemiptera)
Adoretus sinicus (Coleoptera)
Anacridium aegyptium (Orthoptera)
Anastrepha ludens (Diptera)
Arianta arbustorum (Mollusca)
Bradybaena fodiens (Mollusca)
B. similaris (Mollusca)
Callidium rufipenne (Coleoptera)
Cepaea hortensis (Mollusca)
Cochlicella barbara (Mollusca)
C. conoidea (Mollusca)
Cossus cossus (Lepidoptera)
Cylas formicarius elegantulus (Coleoptera)
Drymaeus hegwichi (Mollusca)
Gesonula punctifrons (Orthoptera)
Gryllotalpa africana (Orthoptera)
Gryllus bimaculatus (Orthoptera)
Helicella caperata (Mollusca)
H. caroni (Mollusca)
H. cespitum (Mollusca)
H. conspurcata (Mollusca)
H. cretica (Mollusca)
H. derbentina (Mollusca)
H. doumeti (Mollusca)

Helicella itala (Mollusca)

H. maritima (Mollusca)
H. mograbina (Mollusca)
H. protea (Mollusca)
H. pyramidata (Mollusca)
H. trochoides (Mollusca)
H. variabilis (Mollusca)
Helicina convexa (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
H. pomatia (Mollusca)
Heterobostrychus aequalis (Coleoptera)
Lejeania darnaudi (Mollusca)
Mamestra brassicae (Lepidoptera)
Maruca testulalis (Lepidoptera)
Metopoplax ditomoides (Hemiptera)
Monacha carthusiana (Mollusca)
M. olivieri (Mollusca)
M. syriaca (Mollusca)
Nephrotettix impicticeps (Homoptera)
Otala lactea (Mollusca)
O. vermiculata (Mollusca)
Patapius spinosus (Hemiptera)
Pieris brassicae (Lepidoptera)
Plebeiogryllus guttiventris (Orthoptera)
Sinoxylon conigerum (Coleoptera)
Spilostethus pandurus (Hemiptera)
Succinea horticola (Mollusca)
Theba pisana (Mollusca)
Trichia cinctella (Mollusca)
T. hispida (Mollusca)
T. lanuginosa(?) (Mollusca)
T. striolata (Mollusca)
Trogoderma granarium (Coleoptera)

CARGO HOLD:

Anacridium aegyptium (Orthoptera)
Cossus cossus (Lepidoptera)
Otala lactea (Mollusca)
Plagionotus arcuatus (Coleoptera)
Trogoderma granarium (Coleoptera)

CLOTHING:

Achatina fulica (Mollusca)
Chrysodeixis chalcites (Lepidoptera)

CUTTING--UNIDENTIFIED:

Aonidiella inornata (Homoptera)
Dialeurodes kirkaldyi (Homoptera)
Haplothrips gowdeyi (Thysanoptera)
Loxa flavicollis (Hemiptera)
Vinsonia stellifera (Homoptera)

DEBRIS:

Aedes pallescentella (Lepidoptera)
Arianta arbustorum (Mollusca)
Conotelus mexicanus (Coleoptera)
Nephrotettix apicalis (Homoptera)
N. impicticeps (Homoptera)
Trogoderma granarium (Coleoptera)

FERN:

Oxychilus alliarius (Mollusca)

FLOWERS:

Adoretus sinicus (Coleoptera)
Aleurotuberculatus euryae (Homoptera)
Allotaxis unifasciata (Coleoptera)
Bradybaena similaris (Mollusca)
Conotelus mexicanus (Coleoptera)
Frankliniella formosae (Thysanoptera)
F. intonsa (Thysanoptera)
Gynaikothrips ficorum (Thysanoptera)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Homothrips distinctus (Thysanoptera)

FLOWERS--Continued

Isothrips obscuratus (Thysanoptera)
Macrosiphum ibarae (Homoptera)
Mamestra brassicae (Lepidoptera)
Pentalonia nigronervosa (Homoptera)
Perkinsiella saccharicida (Homoptera)
Petrobia latens (Acarina)
Pheidole megacephala (Hymenoptera)
Sybra alternans (Coleoptera)
Taeniothrips atratus (Thysanoptera)
T. dianthi (Thysanoptera)
T. hawaiiensis (Thysanoptera)
Theba pisana (Mollusca)
Thrips major (Thysanoptera)
T. pillichii (Thysanoptera)
Trichia cinctella (Mollusca)

FOOD:

Pheidole megacephala (Hymenoptera)

FRUIT--UNIDENTIFIED:

Ceratitis capitata (Diptera)

GALL NUT:

Melaphis chinensis(?)(Homoptera)

GRAIN:

Trogoderma granarium (Coleoptera)

GRASS:

Chilo suppressalis (Lepidoptera)
Mecidea major (Hemiptera)

GROCERIES:

Dendrocoris suffultus (Hemiptera)

HERBARIUM SPECIMEN:

Nephrotettix apicalis (Homoptera)

HERBS:

Helicella caperata (Mollusca)
H. cretica (Mollusca)
H. maritima (Mollusca)
H. protea (Mollusca)
Monacha olivieri (Mollusca)
M. syriaca (Mollusca)
Trogoderma granarium (Coleoptera)

LEAF--UNIDENTIFIED:

Aleurolobus niloticus (Homoptera)
Aleurotuberculatus psidii(?)(Homoptera)
Bemisia tabaci (Homoptera)
Bradybaena similaris (Mollusca)
Dialeurodes kirkaldyi (Homoptera)
Lindingaspis musae (Homoptera)
Monacha syriaca (Mollusca)
Mycetaspis personata (Homoptera)
Trialeurodes variabilis (Homoptera)

LEGUME:

Bruchus tristis (Coleoptera)
Helicella derbentina (Mollusca)
H. maritima (Mollusca)
Trachylepidia fructicassiella (Lepidoptera)

MAIL:

Acutaspis albopicta (Homoptera)
Adoretus sinicus (Coleoptera)
Anomala expansa(?)(Coleoptera)
Araeocorynus cumingi (Coleoptera)
Archips argyrospilus (Lepidoptera)
Conoderus exsul (Coleoptera)
Helicella maritima (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Hyalopeplus pellucidus (Hemiptera)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)
Troxoxylon prostomoides (Coleoptera)

MOLLUSK:

Bradybaena similaris (Mollusca)

Microplax interrupta (Hemiptera)

MOSS:

Bradybaena similaris (Mollusca)
Lamellaxis micra (Mollusca)
Plinthinus brevipennis (Hemiptera)

NURSERY STOCK:

Kleidocerys truncatulus ericae (Hemiptera)
Thrips pillichii (Thysanoptera)

PACKING MATERIAL:

Neotermes chilensis (Isoptera)
Porotermes quadricollis (Isoptera)
Trogoxylon prostomoides (Coleoptera)

PLANT MATERIAL:

Bradybaena similaris (Mollusca)
Eucheria socialis (Lepidoptera)
Modicogryllus conspersus (Orthoptera)

PLANT--UNIDENTIFIED:

Achatina fulica (Mollusca)
Carpophilus maculatus (Coleoptera)
Cynips insana (Hymenoptera)
Duplaspidiotus claviger (Homoptera)
Helicella conspurcata (Mollusca)
Lochmaea capreae (Coleoptera)
Nasutitermes costalis (Isoptera)
Parlatoria cinerea (Homoptera)
Taeniothrips atratus (Thysanoptera)
Theba pisana (Mollusca)
Trichia hispida (Mollusca)
T. striolata (Mollusca)
Veronicella moreleti (Mollusca)

QUARTERS:

Crastia eleutho (Lepidoptera)
Deuteronoda suturalis (Coleoptera)
Trogoderma granarium (Coleoptera)

SEED:

Bradybaena fodiens (Mollusca)
Bruchus latus (Coleoptera)
B. tristis (Coleoptera)
Helicella caperata (Mollusca)
H. itala (Mollusca)
Monacha carthusiana (Mollusca)
Theba pisana (Mollusca)
Trichia striolata (Mollusca)
Trogoderma granarium (Coleoptera)

SHIP:

Callidium rufipenne (Coleoptera)
Dicladispa armigera (Coleoptera)

STORES:

Callosobruchus analis (Coleoptera)
Chilo suppressalis (Lepidoptera)
Helicella caperata (Mollusca)
H. conspurcata (Mollusca)
H. cretica (Mollusca)
H. maritima (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
H. cincta (Mollusca)
Mamestra brassicae (Lepidoptera)
Milax gagates (Mollusca)
Monacha carthusiana (Mollusca)
Nephrotettix impicticeps (Homoptera)
Otala vermiculata (Mollusca)
Theba pisana (Mollusca)
Trichia holotricha (Mollusca)
Trogoderma granarium (Coleoptera)

VEGETABLES:

Bradybaena similaris (Mollusca)
Haplothrips gowdeyi (Thysanoptera)

WOOD:

Callidium rufipenne (Coleoptera)

WOOD--Continued

- Cryphalus abietis (Coleoptera)
- Cryptotermes brevis (Isoptera)
- C. dudleyi (Isoptera)
- Dinoderus bifoveolatus (Coleoptera)
- Helix aspersa (Mollusca)
- Heterobostrychus aequalis (Coleoptera)
- Hylurgops palliatus (Coleoptera)
- Hylurgus ligniperda (Coleoptera)
- Leperisinus varius (Coleoptera)
- Minthea rugicollis (Coleoptera)
- Neoclytus acuminatus (Coleoptera)
- Neotermes chilensis (Isoptera)
- Pheidole megacephala (Hymenoptera)
- Pityogenes bidentatus (Coleoptera)
- P. chalcographus (Coleoptera)
- Plagionotus arcuatus (Coleoptera)
- Platypus rugulosus (Coleoptera)
- Polygraphus poligraphus (Coleoptera)
- Pteleobius kraatzii (Coleoptera)
- Sinoxylon anale (Coleoptera)
- S. conigerum (Coleoptera)
- S. crassum var. dekkanense (Coleoptera)
- Tomicus piniperda (Coleoptera)

COUNTRIES OF ORIGIN AND INSECTS

AFGHANISTAN:

Megastigmus pistaciae

AFRICA [country(?)] :

Helix aperta

Heterobostrychus brunneus

Xyloperthodes nitidipennis

ALGERIA:

Acanthiophilus eluta

Helicella caperata

H. maritima

Otala vermiculata

Trichia striolata

AMERICAN SAMOA:

Crastia eleutho

Graptostethus nigriceps

Pheidole megacephala

AMERICAN VIRGIN ISLANDS:

Pectinophora gossypiella

ANGOLA:

Stephanoderes hampei

ANTIGUA:

Haplothrips gowdeyi

Pectinophora gossypiella

ARGENTINA:

Caeporis stigmula

Ceratitis capitata

Parlatoria cinerea

ARGENTINA(?):

Delphacodes balboae

ASIA [country(?)] :

Lindingaspis ferrisi

Scaphoideus morosus

• Sternochetus mangiferae

Trogoderma granarium

AUSTRALIA:

Allotaxis unifasciata

Ceroplastes rubens

Epiphyas postvittana

Frankliniella formosae

Helix aspersa

Isothrips obscuratus

Merimna atrata

Oxycarenus luctuosus

Petrobia latens

Theba pisana

Unaspis yanensis

AUSTRIA:

Chaetococcus phragmitis(?)

Frankliniella intonsa

Gahaniola phragmitis

Graudiella inclusa

Plemeliella abietina

Rhagoletis cerasi

Torymus arundinis

AZORES:

Bruchus tristiculus

Cecilioides aperta

Cochlicella barbara

Helicella caperata

H. conspurcata

H. maritima

Helix aperta

H. aspersa

Milax gagates

Myzaphis turanica

Nymphalis io

Opocona sacchari

Ovatus crataegarius

Sesamia nonagrioides

Theba pisana

BAHAMAS:

Asterolecanium epidendri

Cylas formicarius elegantulus

Lamellaxis micra

Loxa flavicollis

Nasutitermes nigriceps

N. rippertii

Ochrostomus moa

Ozophora atropicta

Pachybrachius albocinctus

Pheidole megacephala

Schascalcadia bahamensis

Trachylepida fructicassiella

Vinsonia stellifera

BARBADOS:

Fundella pellucens

Pheidole megacephala

BELGIUM:

Acrolepia assetella

Bruchus lantis

Evergestis forficalis

Frankliniella intonsa

Helix aperta

H. aspersa

Hylesinus crenatus

Leperisinus varius

Mamestra brassicae

Milax gagates

Phytomyza rufipes

Plemeliella abietina

Polygraphus poligraphus

Pteleobius kraatzi

Trogoderma granarium

BELGIUM(?):

Plagionotus arcuatus

BERMUDA:

Bradybaena similaris

Haplothrips gowdeyi

Helicina convexa

Otala lactea

Poecilonotites bermudensis

BRAZIL:

Anastrepha mombinpraeoptans

Bradybaena fodiens

B. similaris

Cerconota anonella

Cryptoblabes gnidiella

Cryptotermes dudleyi

Entylia gemmata

Epinotia aporema

Helix aspersa

Leucoptera coffeella

Minthea rugicollis

Morganella longispina

Mycetaspis personata

Oxychilus alliarius

Parlatoria cinerea

Pectinophora gossypiella

Pheidole megacephala

Pseudaonidia trilobitiformis

Trichia striolata

BRAZIL(?):

Stephanoderes hampei

BRITISH HONDURAS:

Acutaspis albopicta

A. umbonifera

Anastrepha ludens

Anypsipyla univitella

Asterolecanium epidendri

Helicina denticulata

Lamellaxis micra

Phelomerus aberrans

Trogoxylon prostomoides

Vinsonia stellifera

BRITISH WEST INDIES

[island(?)] :

Pentalonia nigronervosa

BURMA:

Trogoderma granarium

CAMBODIA:

Anaphothrips flavicinctus(?)

CAMEROON:

Cordylomera spinicornis

Nephrotettix apicalis

Stephanoderes hampei

CANADA:

Dichomeris marginella

Trichia hispida

CANAL ZONE:

Acutaspis albopicta

Asterolecanium epidendri

Pentalonia nigronervosa

CANTON ISLAND:

Unaspis yanensis

CAYMAN ISLANDS:

Helicina substriata

CEYLON:

Trogoderma granarium

CHILE:

Aeolus pullatus

Blapstinus punctulatus

Conoderus rufangulus

Galgupha albipennis

Helix aspersa

Naupactus xanthographus

Neoterpes chilensis

Porotermes quadricollis

Tydeus caudatus

CHINA:

Callosobruchus analis

Minthea rugicollis

Parlatoria zizyphus

Tetranychus viennensis

COLOMBIA:

Acanthoscelides armitagei

Agroiconota judaica

Aleurocanthus woglumi

Aleuroplatus cocolonus

Alkindus atratus

Asterolecanium epidendri

Auximobasis coffeella

Brevipalpus essigi

Cerconota anonella

Draeculacephala clypeata

Eudesmia menea

Frankliniella panamensis

Milax gagates

Neoleucinodes elegantalis

Parlatoria cinerea

Stenoma catenifer

CONGO (Kinshasa):

Ceratitis capitata

COSTA RICA:

Anastrepha mombinpraeoptans

Asterolecanium epidendri

Cerconota anonella

Drymaeus hegewischi

Epinotia aporema

Genaparlatoria pseudaspidiotus

Melanaspis aliena

COSTA RICA--Continued

Oxychilus alliarius
Stenoma catenifer
Vinsonia stellifera

CRETE:

Cochlicella barbara
Helicella variabilis
Theba pisana

CRETE(?):

Anacridium aegyptium

CUBA:

Bradybaena similaris
Cryptotermes brevis
Cylas formicarius elegantulus
Saccharicoccus sacchari

CYPRUS:

Ceratitidis capitata

CZECHOSLOVAKIA:

Rhagoletis cerasi

DENMARK:

Deroferas caruanae
Frankliniella intonsa
Gelechia ericotella
Plemeliella abietina
Taeniothrips ericae
Thrips angusticeps
T. major
Trogoderma granarium

DOMINICA:

Helicina neritella
Vinsonia stellifera

DOMINICAN REPUBLIC:

Anastrepha mombinpraeoptans
A. suspensa
Coccus viridis
Cylas formicarius elegantulus
Frankliniella sulphurea
Fundella pellucens
Haplothrips gowdeyi
Metrionia propinquaa
Nasutitermes costalis
Pectinophora gossypiella
Pentalonia nigronervosa
Sphenarches caffer
Tricorynus nelumiae
Uhleroides hispaniolae(?)
Vinsonia stellifera

DOMINICAN REPUBLIC(?):

Platypus rugulosus

ECUADOR:

Agrotisia subhyalina
Anastrepha mombinpraeoptans
Lamellaxis micra
Milax gagates
Neoleucinodes elegantalis
Pagiocerus frontalis
Paraleyrodes citricolus
Porphyrobaphe iostoma
Sogata nautica
Solaropsis monile
Stenoma catenifer

EL SALVADOR:

Acutaspis umbonifera
Anastrepha mombinpraeoptans
A. striata(?)
Aspidiotus destructor
Aulacaspis tubercularis
Cataenococcus guatemalensis
Ozophora concava
Stenoma catenifer

ENGLAND:

Aceria nervisequa
Archips argyrospilus
Asterobemisia carpini
Calepitimerus fagisylvaticus
Cladus pectinicornis
Cochlicella barbara
Evergestis forficalis
Filippia viburni
Frankliniella intonsa
Helicella candidula
H. caperata
Helix aperta
H. aspersa
Macrosiphum hellibori(?)
Mamestra brassicae
Milax gagates
Otala vermiculata
Oxychilus alliarius
Rhagoletis cerasi
Rhinocola ericae
Taeniothrips atratus
Theba pisana
Thrips angusticeps
T. major
T. pillichii
Trichia hispida
T. striolata
Trogoderma granarium

ENGLAND(?):

Bruchus signaticornis

ETHIOPIA:

Lejeania darnaudi
Sphaerocoris annulus

EUROPE [country(?)] :

Arge ochropus
Chilo suppressalis
Cladardis elongatula
Euleia heraclei(?)
Frankliniella intonsa
Helicella variabilis
Helix aperta
H. aspersa
Ips typographus
Pityogenes chalcographus
Plagionotus arcuatus
Rhagoletis cerasi
Taeniothrips atratus
T. dianthi
Theba pisana
Tydeus caudatus

FIJI:

Aspidiella hartii
A. zingiberi
Bradybaena similaris
Pheidole megacephala
Rhabdoscelus obscurus

FORMOSA:

Anomala viridana
Chlorophorus annularis
Dinoderus bifoveolatus
Heterobostrychus aequalis
Lepidosaphes chinensis
Parlatoria cinerea
P. zizyphus
Trogoderma granarium

FORMOSA(?):

Cylas formicarius elegantulus

FRANCE:

Acrolepia assectella

Amphimallon majalis

Arianta arbustorum
Asterobemisia carpini
Bruchus ervi
B. lentis
B. signaticornis
Cepaea hortensis
Ceratitidis capitata
Cladardis elongatula
Cladius pectinicornis
Cochlicella barbara
Curculio elephas
Evergestis forficalis
Frankliniella intonsa
Helicella caperata
H. maritima
H. pyramidata
Helix aperta
H. aspersa
H. pomatia
Hylurgops palliatus
Hylurgus ligniperda
Kakothrips pisivorus
Laspeyresia splendana
Mamestra brassicae
Milax gagates
Monacha cantiana
M. carthusiana
Otala vermiculata
Oxychilus alliarius
Parlatoria cinerea
P. zizyphus
Phaedon armoraciae
Pieris brassicae
Plemeliella abietina
Plinthisus brevipennis
Pseudococcyx tessulatana
Psylliodes chrysoccephala
Rhagoletis cerasi
Sciara thomae
Taeniothrips atratus
T. ericae
Theba pisana
Thrips major
T. pillichii
Trichia cinctella
T. hispida
T. striolata
Trogoderma granarium
Tydeus caudatus

FRANCE(?):

Kleidocerys ericae

Pentatoma rufipes

GERMANY:

Acrolepia assectella
Arianta arbustorum
Asterobemisia carpini
Bruchus affinis
B. lentis
Cenopalpus lineola
C. pulcher
Cladardis elongatula
Cochlicella conoidea
Cryphalus abietis
Curculio nucum
Deroferas caruanae
Ernobius abietis
Frankliniella intonsa
Helicella caperata
Helix aperta

GERMANY--Continued

Ips sexdentatus
Mamestra brassicae
Melolontha melolontha
Milax gigates
Monacha olivieri
Otala vermiculata
Phytomyza rufipes
Pityogenes bidentatus
P. chalcographus
Plagionotus arcuatus
Rhagoletis cerasi
Schneidereria pistaciella
Taeniothrips atratus
T. dianthi
T. ericae
Tetranychus viennensis
Theba pisana
Thrips angusticeps
T. pillichi
Tomicus piniperda
Trichia hispida
T. striolata
Trogoderma granarium

GERMANY(?):

Anoplodera rufipes

GHANA:

Ceratitis colae
C. rosa
Leucinodes orbonalis
Xyloperthella crinitarsis
Xyloperthodes nitidipennis

GREECE:

Aylax salviae
Bruchus ervi
B. lenthis
B. signaticornis
Cadra calidella
Ceratitis capitata
Cochlicella barbara
Cryptoblabes gnidiella
Curculio elephas
Dacus oleae
Eurytoma amygdali
Helicella conspurcata
H. cretica
H. maritima
H. pyramidata
H. trochooides
Helix aperta
H. aspersa
H. pomatia
Hemimene juliana
Laspeyresia splendana
Milax gagates
Monacha carthusiana
Orsillus reyi
Otala vermiculata
Pieris brassicae
Prays oleellus
Schneidereria pistaciella
Sesamia cretica
Silba aristella
S. virescens
Spathulina tristis
Spilostethus pandurus
Theba pisana
Thrips angusticeps
T. major
Trialeurodes lauri

Trichia hispidaT. striolata

GREECE(?):

Aceria dianthi
Trogoderma granarium
GUADELOUPE:

Pheidole megacephala

GUAM:

Achatina fulica
Aonidiella inornata
Aspidiotus destructor
Aulacaspis tubercularis
Bradybaena fodiens
Clavaspis herculeana
Coleotichus mariannensis
Conotelus mexicanus
Gryllus oceanicus
Lepidosaphes esakii
Parlatoria zizyphus
Pentalonia nigronervosa
Pheidole megacephala
Platysenta illecta
Sternochetus mangiferae
Utethesia pulchella

GUAM(?):

Adoretus sinicus

GUATEMALA:

Anastrepha mombinpraeoptans
Anypsipyلا univitella
Asterolecanium epidendri
Cataenococcus guatemalensis
Conotelus mexicanus
Cryphula apicata
Crytomenus bergi
Drymaeus alternans
Gonicoelus deplanatus
Hemiberlesia mendax
Lamellaxis micra
Loxa flavicollis
Metriona trisignata
Moodna bisinuella
Orthalicus decolor
Ozophora concava
Parlatoria cinerea
Pheidole megacephala
Procypta intectus
Pseudischaspis longissima
Puto ulter
Stenoma catenifer
Tenthecoris confusus
Vinsonia stellifera

HAITI:

Anastrepha mombinpraeoptans
Carpophilus maculatus
Cylas formicarius elegantulus
Helix aspersa
Pachycoris fabricii
Parlatoria zizyphus
Pectinophora gossypiella

HAWAII:

Achaea janata
Achatina fulica
Adoretus sinicus
Aonidiella inornata
Araecerus levipennis
A. simulatus(?)
Araeocorynus cumingi
Bradybaena similaris
Cactoblastis cactorum
Carpophilus maculatus

Ceratitis capitataCeresium unicolorCeroplastes rubensChrysodeixis chalcitesClavaspis herculeanaCoccus viridisConoderus exsulConotelus mexicanusCryptophlebia illepidaC. ombrodeltaCryptotermes brevisCyane terpischorellaDacus cucurbitaeDacus dorsalisDialeurodes kirkaldyiDichromothrips corbettiDiocalandra taitensisDuplaspidiotus clavigerDysmicoccus neobrevipesEuscepes postfasciatusGenaparlatoria pseudaspidiotusGraptostethus manillensisHaplothrips gowdeyiHyalopeplus pellucidusLamellaxis clavulinusLamellaxis micraLampides boeticusLepidosaphes tokionisMaruca testulalisModicogryllus conspersusNeophyllaphis araucariaeNysius caledoniaeN. kinbergiN. nemorivagusN. terrestrisOpeas pumilumOrchidophilus aterrimusOxychilus cellariusOxydema fusiformePalmicultor oceanicusP. palmarumPealius hibisciPectinophora gossypiellaP. scutigeraPentalonia nigronervosaPerkinsiella saccharicidaPheidole megacephalaPrays fulvocanellusProtaetia fuscaRemaudiereana nigricepsSaccharicoccus sacchariSiphanta acutaStephanoderes hampeiSternochetus mangiferaeSybra alternansTaeniothrips hawaiiensisToxoptera citricidaXystroceria globosa

HAWAII(?):

Lepidosaphes esakii

HONDURAS:

Anastrepha mombinpraeoptansArphnus melanotylusAspidiotus destructorAsterolecanium epidendriAtta mexicanaAulacaspis tubercularisDiabrotica porraceaDiplatys jansoniDrymaeus alternans

HONDURAS--Continued

Eurypedus nigrosignatus
Metriona annexa
M. trisignata
Mormidea pictiventris
Oplomus pulchra
O. rutilus
Parlatoria cinerea
Phelomerus aberrans
Platypus rugulosus
Statira denticulata
Stenoma catenifer
Tenthecoris bicolor
Vinsonia stellifera
Xenochalepus omoger

HONG KONG:

Aleurotuberculatus psidii(?)
Aulacaspis tubercularis
Bemisia tabaci
Lepidosaphes conchiformioides
Nipaecoccus vastator
Parlatoria zizphus
Thysanofiorinia nephelii
Trogoderma granarium
Trogoxylon prostomoides
Unaspis yanonensis

HUNGARY:

Cladardis elongatula
Rhagoletis cerasi
Sciophila varia
Taeniothrips dianthi

INDIA:

Aleurocanthus husaini
Aleurolobus marlatti
Bostrychopsis parallela
Bruchus emarginatus
B. latus
Halimococcus borassi(?)
Heterobostrychus aequalis
Minthea rugicollis
Oxycarenus annulipes
Parlatoria crypta
Parlatoria zizyphus
Pectinophora gossypiella
Planococcus dendrobii
Sinoxylon anale
S. conigerum
Sternochetus mangiferae
Trogoderma granarium

INDIA(?):

Dicladispa armigera
Nephrotettix impicticeps

INDONESIA:

Trogoderma granarium

IRAN:

Bruchus latus
Helicella derbentina
Parlatoria zizyphus
Trichia hispida
Trogoderma granarium

IRAQ:

Trogoderma granarium

IRELAND:

Frankliniella intonsa
Helicella caperata
H. obvia
Helix aspersa
Milax gagates
Rhinocola ericae
Taeniothrips atratus

T. ericae

Trichia hispida

ISRAEL:

Aleurolobus niloticus
Bruchus emarginatus
B. latus
Ceratitis capitata
Cochlicella barbara
Cryptoblabes gnidiella
Helicella cretica
H. itala
H. protea
H. setzeni
Helix aperta
Hemimene juliana
Monacha olivieri
M. schotti
M. syriaca
Parlatoria cinerea
P. zizyphus
Pseudopachymerina lallemandi
Rhagoletis cerasi
Taeniothrips dianthi
T. discolor
Theba pisana
Thrips angusticeps
Trichia striolata

ISRAEL(?)

Lepidosaphes conchiformioides

ITALY:

Aceria nervisequa
Aethes williana
Aleurolobus olivinus
Anacridium aegyptium
Arianta arbustorum
Bruchidius bimaculatus
B. galvus
B. stylophorus
B. unicolor
Bruchus ervi
B. latus
B. signaticornis
B. tristiculus
B. tristis
Cadra calidella
Callosobruchus analis
Cenopalpus pulcher
Ceratitis capitata
Ceroplastes japonicus
Chirosia parvicornis
Chrysolina americana
Cochlicella barbara
C. conoidea
Colias chrysotheme
Contarinia pisi
Cryptoblabes gnidiella
Curculio elephas
C. nucum
Cynips insana
Dacus oleae
Deroceras caruanae
Dyspessa ulula
Eupteryx zelleri
Frankliniella intonsa
Gortyna flavago
Gnorimoschema ocellatella
Helicella cespita
H. conspurcata
H. cretica
H. itala

H. maritima

H. pyramidata

H. variabilis

H. virgata

Helix aperta

H. aspersa

H. lucorum

H. pomatia

Hemimene juliana

Hylurgus ligniperda

Kiefferia pimplinellae

Lachnus longipes

Lampides boeticus

Lamprodema maurum

Laspeyresia splendana

L. strobilella

Mamestra brassicae

Milax gagates

Monacha cantiana

M. carthusiana

M. olivieri

Oeobia ferrugalis

Ostrinia nubilalis

Otala lactea

O. vermiculata

Pareophora pruni

Parlatoria cinerea

Parlatoria zizyphus

Phloeotribus scarabaeoides

Pieris brassicae

Platyplax salviae

Plemeliella abietina

Prays oleellus

Rhagoletis cerasi

Raphigaster nebulosa

Schneidereria pistaciella

Sesamia cretica

S. nonagrioides

Silba virescens

Taeniothrips atratus

T. dianthi

Theba pisana

Thrips angusticeps

T. major

Tomicus piniperda

Trichia cinctella

T. hispida

T. striolata

Trogoderma granarium

IVORY COAST:

Stephanoderes hampei

Trogoderma granarium

JAMAICA:

Acanthoscelides armitagei

Aleurocanthus woglumi

Anastrepha mombinpraefontans

A. suspensa(?)

Aspidiotus destructor

Asterolecanium epidendri

Coccus viridis

Cylas formicarius elegantulus

Diploptera punctata

Duplaspidiotus tesseratus

Fundella pellucens

Genaparlatoria pseudaspidotus

Heraeus guttatus

Inglisia vitrea

Iridomyrmex iniquus

Maruca testulalis

Orthalicus undatus

COUNTRIES OF ORIGIN AND INSECTS--continued

JAMAICA--Continued

Pectinophora gossypiella
Pentalonia nigronervosa
Talponia batesi
Trialeurodes variabilis
Vinsonia stellifera
JAMAICA(?):
Arugisa porrectalis
JAPAN:
Adoxophyes reticulata
Aleurotrachelus camelliae
Aleurotuberculatus aucubae
A. euryae
Anomala expansa(?)
A. orientalis
Aonidiella inornata
Aspidiotus cryptomeriae
Bradybaena fodiens
B. similaris
Callidium rufipenne
Carposina nipponensis
Catephia leucomelas
Ceroplastes rubens
Chilo suppressalis
Chlorophorus annularis
Cylas formicarius elegantulus
Dichocrois punctiferalis
Epilachna niponica
Ericeia inangulata
Frankliniella formosae
Gesonula punctifrons
Gynaikothrips ficorum
Ips typographus
Lepidosaphes conchiformoides
L. kamakurensis
L. kuwacula
L. tubulorum
Macrosiphum ibarae
Mamestra brasicae
Matsumuraeses phaseoli
Megastigmus cryptomeriae
Melanotus cete
Minthea rugicollis
Morganella longispina
Mycetaspis personata
Nephrotettix cincticeps
Ostrinia nubilalis
Parlatoria cinerea
P. zizyphus
Pheidole megacephala
Phenacaspis kuwanai(?)
Phloeosinus rudis
Pineus harukawai
Planococcus lilacinus
Platysenta illecta
Pseudaulacaspis simplex(?)
Spodoptera litura
S. pecten
Succinea horticola
Sybra alternans
Taeniothrips eucharii
T. hawaiiensis
Tenuipalpus japonicus
Tetraleurodes aucubae
Tetranychus viennensis
Theretra nessus
Trogoderma granarium
Tryporyza incertulas
Unaspis yanensis

JAPAN(?):

Achatina fulica
Aonidiella messengeri
Odonaspis bambusarum
JOHNSTON ISLAND:
Spodoptera mauritia acronyctoides
JORDAN:
Ceratitis capitata
Dacus oleae
Helicella conspurcata
KENYA:
Busseola fusca
KOREA:
Callosobruchus ademptus
Chilo suppressalis
Frankliniella formosae
Melaphis chinensis(?)
Tetranychus viennensis
Unaspis yanensis
KUWAIT:
Trogoderma granarium
KWAJALEIN:
Furcaspis oceanica
Lepidosaphes esakii
Taeniothrips hawaiiensis
LEBANON:
Bruchus ervi
Cochlicella barbara
Dacus oleae
Haplothrips tritici
Helicella protea
Monacha syriaca
Phloeotribus scarabaeoides
Theba pisana
Trogoderma granarium
LIBERIA:
Stephanoderes hampei
Trogoderma granarium
LIBYA:
Anacridium aegyptium
Helicella caroni
H. cespitum
H. doumeti
H. maritima
H. pyramidata
H. variabilis
Theba pisana
MALAYSIA:
Trogoderma granarium
MALTA:
Cryptoblabes gnidiella
Helicella meda
MARIANA ISLANDS:
Brontispa mariana
MAURITIUS:
Achatina fulica
MEXICO:
Acanthoscelides obvelatus
Acutaspis tingu
Aeneolamia postica subsp. jugata
Aleurocanthus woglumi
Aleuroglandulus emmae(?)
Aleuroplatus cococolus
Anastrepha ludens
A. mombinpraeoptans
A. serpentina
Andricus furnessae
Anypsipyلا univittella

Arphnus melanotylus

Asphondylia albipila
Aspidiota destructor
Asterolecanium inlabefactum
Atta mexicana
Aulacizes mutans
Aulacaspis tubercularis
Bemisia tabaci
Bradybaena fodiens
B. similaris
Bryobia curiosa
Cacographis osteolalis
Calyptocephala gerstaeckeri
C. marginipennis
Cerconota anonella
Chelysoma variabilis
Cissites maculata
Conotelus mexicanus
Conotrachelus aguacatae
C. perseae
Contarinia lycopersici
Cryphula apicata
Ctenochira exerpta
C. hectica
C. hieroglyphica
C. vivida
C. vivida tabida
Cylas formicarius elegantulus
Dendrocoris variegatus
Diatraea considerata
Dinaspis aculeata
Diplatys jansoni
Drymaeus alternans
D. hegewischi
Duplaspidotus tesseratus
Dysmicoccus probrevipes
Epicaerus cognatus
Epilachna borealis var.
Epipocus rufitarsus
Eucheria socialis
Euschistus integer
Eustrophinus marginatus
Galgupha quadrisignata
Helicina chrysocheila
H. oweniana
H. zephyrina
Helix aspersa
Hemiceras albulana(?)
Homalodisca ichthyocephala
Ischnodemus oblongus(?)
Ischyurus septem-signatus
Lamellaxis micra
Leptodictya sinaloana(?)
Lygaeus circumPLICatus
Mecidea major
Melanagromyza caerulea
Melanaspis aliena
Merobruchus insolitus
Metriona trisignata
Microcentrum suave
Milax gagates
Moodna bisinuella
Mycetaspis personata
Myelobia decolorata
M. smerinthia
Neocattarus maculatus
Neoleucinodes elegantalis
Neolobophora inopinata
Ochrostomus teapensis

COUNTRIES OF ORIGIN AND INSECTS--continued

MEXICO--Continued

Ogdoecosta catenulata
Oncometopia clarior
Oplomus rutilus
Opuntiaspis philococcus
Orthezia selaginellae
Oxychilus alliarius
O. cellarius
Pangaeus aethiops
Paraleyrodes citri
P. goyabae
Parlatoria cinerea
P. zizyphus
Paroecanthus aztecus
Pectinophora gossypiella
Phalantha intricata
Phelomerus aberrans
Procyrtia intectus
Pseudoparlatoria perparvula
Retracarus johnstoni
Saccharicoccus sacchari
Sisamnes contractus
Spilococcus townsendi
Stenoma catenifer
Talponia batesi
Tenthecoris distinctus
T. vestitus
Tithraustes butes
Trialeurodes similis
T. vitrinellus
Trioza anceps
Trogoxylon prostomoides
Umbonia curvispina
Veronicella moreleti
Vestistilus variabilis(?)
V. testaceus
Xanthophthalma concinnum
Xylobiops parilis

MEXICO(?):

Dendrocoris suffultus
Lamprosema zoilusalis

MIDWAY:

Megachile umbripennis
Mocis undata
Spodoptera pecten

MIDWAY(?):

Tryporyza incertulas

MOROCCO:

Ceratitis capitata
Cochlicella barbara
Exosoma lusitanica
Helicella conspurcata
H. maritima
H. mograbina
H. variabilis
Helix aperta
H. aspersa
Larinus flavesiens
Monacha carthusiana
Otala lactea
O. vermiculata
Parlatoria zizyphus
Theba pisana

NETHERLANDS:

Evergestis forficalis
Helicella caperata
Helix aperta
H. aspersa
Kleidocerys truncatulus
ericae

Mamestra brassicae
Milax gagates
Monacha carthusiana
Nymphalis urticae
Otala vermiculata
Oxychilus cellarius
Phytomyza rufipes
Pieris brassicae
Taeniothrips atratus
T. ericae
Theba pisana
Thrips pillichii
Tomicus piniperda
Trichia hispida
Trogoderma granarium

NETHERLANDS(?):

Taeniothrips dianthi

NEVIS:

Pheidole megacephala

NEW CALEDONIA:

Clavaspis herculeana

NEW ZEALAND:

Ctenopseustis obliquana
Epiphyas postvittana
Isothrips obscuratus
Tortrix excessana

NICARAGUA:

Anastrepha mombinpraeoptans
Automeris acutissima
Drymaeus alternans
Lamellaxis micra
Moodna bisinuella
Ollarianus sexmaculatus
Pseudischnaspis longissima
Pyrgocorypha hamata
Stenoma catenifer
Vinsonia stellifera

NIGERIA:

Ceratitis colae
Leucinodes orbonalis
Lindingaspis musae
Minthea rugicollis
Stephanoderes hampei
Stictococcus sjostedti
Trogoderma granarium

NORWAY:

Helicella caperata
Orthotylus ericetorum
Rhinocola ericae
Taeniothrips ericae

OKINAWA:

Achatina fulica
Adoretus sinicus
Aonidiella inornata
Bradybaena fodiens
B. similaris
Capritermes nitobei
Spodoptera pecten

OKINAWA(?):

Parlatoria zizyphus
Succinea horticola
Tetranychus viennensis

PAKISTAN:

Achatina fulica
Callosobruchus analis
Pectinophora gossypiella
Sinoxylon anale
S. conigerum
S. crassum var.
dekkanense

Trogoderma granarium

PANAMA:

Acanthoscelides armitagei
Agrotisia subhyalina
Cerconota anonella
Epinotia aporema
Liogenys macropelma
Maruca testulalis
Miogryllus ensifer
Neoleucinodes elegantalis
Parlatoria cinerea
Pentalonia nigronervosa
Stenoma catenifer
Temnaspidiotus excisus
Vinsonia stellifera

PANAMA(?):

Aeneolamia reducta
Deuteronoda suturalis

PERU:

Aleurodicus iridescent
Anastrepha serpentina(?)
Anypsipyla univittella
Antilocoris punctatus
Dinurothrips hookeri
Helix aspersa
Lincus spathuliger
Melanaaspis odontoglossi
Pagiocerus frontalis
Pseudaonidia trilobitiformis
Stenoma catenifer

PHILIPPINES:

Acutaspis tingi
Aleurocanthus spiniferus
Aonidiella inornata
Aspidiella hartii
A. zingiberi
Aspidiotus destructor
Aulacaspis tubercularis
Bradybaena similaris
Clavaspis herculeana
Coleotichus blackburniae
Conotelus mexicanus
Cryptophlebia ombrodelta
Dacus dorsalis
Dialeurodes kirkaldyi
Dysmicoccus neobrevipes
Haplothrips gowdeyi
Heterobostrychus aequalis
Macrotermes gilvus
Maruca testulalis
Morganella longispina
Nephottelix impicticeps
Orchidophilus aterrimus
Palmicultor palmarum
Parlatoria zizyphus
Pealius hibisci
Planococcus lilacinus
P. philippinensis
Pseudococcus hispidus
Remaudiereana nigriceps
Rhodogastria timolis
Sternochetus mangiferae
Tryporyza incertulas

PHILIPPINES(?):

Coccus viridis
Furcaspis oceanica
Unaspis yanonensis

POLAND:

Cladius pectinicornis
Frankliniella intonsa

POLAND--Continued

Helicella itala
Laspeyresia splendana
Plemeliella abietina
Rhagoletis cerasi
Taeniothrips atratus
Theba pisana
Thrips major
Timarcha goettingensis

PORTUGAL:

Ceratitis capitata
Ceroplastes rusci
Cochlicella barbara
C. conoidea
Cryptoblabes gnidiella
Curculio elephas
Graphosoma lineatum
Helicella caperata
H. conspurcata
Helix aspersa
Laspeyresia splendana
Mamestra brassicae
Oeobia ferrugalis
Oxychilus alliarius
Pieris brassicae
Sesamia nonagrioides
Theba pisana

PUERTO RICO:

Anastrepha mombinpraepoptans
Aulacaspis tubercularis
Bradybaena similaris
Cylas formicarius elegantulus
Haplothrips gowdeyi
Maruca testulalis
Morganella longispina
Sphenarches caffer
Veronicella moreleti
Xylomeira torquata

RUMANIA:

Plemeliella abietina
Taeniothrips dianthi

ST. KITTS:

Coccus viridis
Pectinophora gossypiella
Trachylepidia fructicassiella

ST. MARTIN:

Ascia monuste

SAUDI ARABIA:

Trogoderma granarium

SCOTLAND:

Oxychilus alliarius
Rhinocola ericae
Taeniothrips atratus
T. ericae
Ulopa reticulata

SCOTLAND(?):

Tomicus piniperda

SENEGAL:

Maruca testulalis

SINGAPORE:

Coccus viridis
Minthea rugicollis
Parlatoria zizyphus
Sinoxylon conigerum
Trogoderma granarium
Unaspis yanonensis

SOUTH AFRICA:

Acrosternum fiebri(?)
Aleophagus myersi
Blissus diplopterus

Bruchophagus indigoferae
Bruchus ervi
Caprhiobia similis
Ceratitis capitata
Cryptophlebia leucotreta
Epichorista ionephela
Frankliniella schultzei
Homothrips distinctus
Maruca testulalis
Naphius apicalis
Oxycarenus annulipes
O. maculatus
Parlatoria zizyphus
Phlyctinus callosus
Pseudaonidia trilobitiformis
Xiphistes fuscicornis

SOUTH AMERICA [country(?)] :

Agalliana sticticollis
Anastrepha mombinpraepoptans

SOUTH PACIFIC:

Bradybaena fodiens

SPAIN:

Acrolepia assetella
Acrosternum heegeri
Asterobemisia carpini
Ceratitis capitata
Chilo suppressalis
Cochlicella barbara
C. conoidea
Cryptoblabes gnidiella
Curculio elephas
Dyspessa ulula
Eurygaster austriaca
Helicella caperata
H. cespitum
H. conspurcata
H. cretica
H. maritima
H. pyramidata
H. variabilis
Helix aspersa
H. cincta
Larinus flavescens
Laspeyresia splendana
Mamestra brassicae
Milax gagates
Microplax interrupta
Monacha carthusiana
Otala lactea
O. vermiculata
Oxychilus cellarius
Parlatoria zizyphus
Patapius spinosus
Rhagoletis cerasi
Schneidereria pistaciella
Sesamia nonagrioides
Tetranychus viennensis
Theba pisana
Trichia holotricha
T. lanuginosa(?)

SPAIN(?):

Helicella itala

Trogoderma granarium

SUDAN:

Trogoderma granarium

SWEDEN:

Acrolepia assetella
Frankliniella intonsa
Helicella caperata
Pityogenes chalcographus

Plemeliella abietina

Thrips major

SWITZERLAND:

Arianta arbustorum
Cepaea hortensis
Ernobius abietis
Frankliniella intonsa
Helicella caperata
Helix pomatia
Laspeyresia strobilella
Lochmaea capreae
Otala lactea
Rhagoletis cerasi
Stenoptilia stigmatodactyla
Taeniothrips atratus

SYRIA:

Bruchus dentipes
Dacus oleae
Trogoderma granarium

TAHITI:

Dialeurodes kirkaldyi
Glaucias nigromarginatus
Morganella longispina

TANZANIA(?):

Sinoxylon conigerum

THAILAND:

Aonidiella comperei
A. inornata
Autographa gamma
Buliminopsis siamensis
Cylas formicarius elegantulus
Heterobostrychus aequalis
Parlatoria zizyphus
Pheidole megacephala
Phenacoccus hirsutus
Trogoderma granarium
Vinsonia stellifera

THAILAND(?):

Theretra clotho celata

TORTOLA:

Cactoblastis cactorum
Haplothrips gowdeyi

TRINIDAD:

Acanthoscelides armitagei
Aspidiotus destructor
Asterolecanium epidendri
Inglisia vitrea
Parlatoria cinerea
Pectinophora gossypiella
Sphenarches caffer
Trachylepidia fructicassiella
Vinsonia stellifera

TRINIDAD(?):

Parlatoria zizyphus

TUNISIA:

Bruchus signaticornis
Ceratitis capitata
Helicella caperata
H. maritima
Sitona humeralis

TURKEY:

Bruchus lantis
Helicella cretica
H. derbentina
H. maritima
H. protea
H. pyramidata
H. variabilis
Helix aspersa

TURKEY --Continued

Monacha carthusiana
M. olivieri
M. syriaca
Pectinophora gossypiella
Theba pisana
Thrips major
Trichia cinctella
T. hispida
T. striolata
Trogoderma granarium

TURKEY(?):

Metopoplax ditomoides

UNION OF SOVIET SOCIALIST REPUBLICS:

Euzophera bigella(?)
Plemeliella abietina
Taeniothrips atratus

UNITED ARAB REPUBLIC:

Helicella protea
Helix aspersa
Monacha carthusiana
Pieris brassicae
Sinoxylon anale
Trogoderma granarium

UNKNOWN:

Acedes pallescentella
Adoretus sinicus
Agraecia philippina
Amphimallon majalis
Ascia monuste
Arianta arbustorum
Asterobemisia carpini
Bradybaena similaris
Bruchus latus
B. signaticornis
B. tristis
Callidium rufipenne
Callosobruchus analis
Ceratitidis capitata
Chalciope hyppasia
Cladardis elongatula
Conoderus rodriguezi
Cossus cossus
Cryptoblabes gnidiella
Cryptotermes brevis
Euricania ocellus
Frankliniella formosae
Gryllus bimaculatus
Helicella caperata
H. conspurcata
H. maritima
H. trochoidea
H. variabilis

Helix aspersa
Herse convolvii
Heterobostrychus aequalis
Leucaspis riccae
Macroglossum stellatarum
Macrosiphum ibarae
Melolontha melolontha
Mikiola fagi
Mycetaspis personata
Neoclytus acuminatus
Neoleucinodes elegantalis
Nephrotettix apicalis
N. impicticeps
Otala vermiculata
Pachybrachius nietneri(?)
Paraluperodes suturalis
Parlatoria cinerea
P. zizyphus
Paulinia acuminata
Pectinophora gossypiella
Pentalonia nigronervosa
Pityogenes chalcographus
P. quadridens
Platysenta illecta
Plocoscelus arthriticus
Porphyrobaphe iostoma
Prodenia androgea
Rhagoletis cerasi
Sideridis vitellina(?)
Sinoxylon conigerum
Spodoptera litura
S. mauritia acronyctoides
Stephanoderes hampei
Taeniothrips atratus
T. discolor
T. hawaiiensis
Talurus rugosus
Theba pisana
Theretra inornata
Thrips angusticeps
T. major
Tomicus piniperda
Trogoderma granarium
Tropidacris latreillei
Tryporyza incertulas
Unaspis yanonensis

VENEZUELA:

Aleurogladulus subtilis
Blapstinus tibialis
Melanaspis aliena
Pectinophora gossypiella
Syneda confirmans
Vinsonia stellifera

VIET-NAM:

Aspidiotus destructor
Gryllotalpa africana
Gryllus bimaculatus
Modicogryllus confirmatus
Nephrotettix impicticeps
Parlatoria cinerea
P. zizyphus
Plebeiogryllus guttiventris
Theretra oldenlandiae
Tryporyza incertulas
Utethesia pulchella

VIET-NAM(?):

Brachytrupes portentosus
Heterobostrychus aequalis

WAKE ISLAND:

Remaudiereana nigriceps

WAKE ISLAND(?):

Lampralonchaea aurea
Macrotermes gilvus
Platysenta illecta

WEST INDIES [island(?)] :

Mecidea longula

WEST PACIFIC:

Aethus indicus
Argina cribaria
Chalciope hyppasia
Conoderus pallipes
Creatonotos gangis
Deilephila nerii
Mocis undata
Nephrotettix impicticeps
Conotelus mexicanus
Parlatoria zizyphus
Phlegetonia fasciatrix
Platysenta illecta
Sameodes cancellalis
Spodoptera litura
S. pecten
Utethesia pulchella

YUGOSLAVIA:

Bruchus latus
Cenopalpus pulcher
Curculio elephas
Laspeyresia splendana
Mamestra brassicae
Monacha cantiana
Otala vermiculata
Phytomyza rufipes
Plemeliella abietina
Rhagoletis cerasi
Taeniothrips atratus
T. dianthi
Theba pisana

TABULATION OF DISEASES (INCLUDING NEMATODES)

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<i>Aecidium hostae</i> Diet.....	Japan	4	Alaska.
<i>Hosta</i> sp. (plantain lily) leaf					
Leaf--unidentified					
<i>Aphelenchoïdes fragariae</i> (Ritzema Bos, 1891)					
Christie, 1932 (nematode).....	Japan, Netherlands	21	Calif., N.J., Wash.
<i>Astilbe</i> sp. (root)					
<i>Paeonia suffruticosa</i> (tree peony)					
<i>Aphysa semiana</i> (Sacc.) Dodge	South Africa	4	Mich., N.Y.
<i>Protea</i> sp. (leaf of cut flower)					
<i>†Ascochyta brachypodii</i> (Syd.) Sprague & A. G. Johnson	Mexico	1	Tex.
<i>Chloris</i> sp. (windmill grass) leaf and stem					
<i>Ascochyta citri</i> Penz.....	Australia, Japan	2	Calif.
<i>Citrus limon</i> (lemon)					
<i>C. sinensis</i> (sweet orange)					
<i>Ascochyta fabae</i> Speg.....	Italy	1	N.Y.
<i>Vicia faba</i> (broadbean)					
* <i>Ascochyta graminicola</i> Sacc.....	Japan	1	Calif.
<i>Triticum aestivum</i> (wheat) straw packing					
* <i>Ascochyta lycopersici</i> (Plowr.) Brun.....	Panama	1	Fla.
<i>Lycopersicon esculentum</i> (tomato)					
<i>Ascochyta oryzae</i> Catt.....	Japan	1	Calif.
<i>Oryza sativa</i> (rice) straw					
<i>Ascochyta passiflorae</i> Penz. & Sacc.....	Colombia, *Ecuador, *Mexico, unknown.	61	1	1	Fla., N.Y., P.R.
<i>Passiflora mollissima</i> (softleaf passionfruit)					
<i>Passiflora</i> sp.					
* <i>Botrytis squamosa</i> J. C. Walker	Peru	1	P.R.
<i>Allium sativum</i> (garlic) bulb					
<i>Bubakia erythroxylonis</i> Cumm.....	Bolivia, *Colombia, *Panama.	8	1	Fla.
<i>Erythroxylon coca</i> (Huanuco cocaine tree)					
* <i>Catacauma palmicola</i> F. L. Stevens	Mexico	1	Tex.
<i>Chamaedorea</i> sp. (palm) leaf					
* <i>Ceratocystis radicicola</i> (Bliss) C. Moreau.....	Panama	1	Ala.
Palm(?) (nut)					
<i>Cercospora angraeci</i> Feuill. & Roum.....	*Colombia, England, Indonesia.	3	Calif., Fla., N.J.
<i>Dendrobium</i> sp. (orchid) leaf					
<i>Lycaste</i> sp. (orchid) leaf					
<i>Miltonia roezlii</i> (orchid) leaf					
* <i>Cercospora antirrhini</i> Muller & Chupp(?)	Haiti	1	P.R.
<i>Antirrhinum majus</i> (snapdragon) leaf					
* <i>Cercospora armoraciae</i> Sacc.....	Mexico	1	Calif.
<i>Rorippa</i> sp. (leaf)					
* <i>Cercospora bougainvilleae</i> Muntañola	do	1	Tex.
<i>Bougainvillea</i> sp. (leaf)					
* <i>Cercospora brachiata</i> Ell. & Ev.....	Haiti, Panama, Philippines.	1	1	1	Calif., Fla.
<i>Amaranthus</i> sp. (pigweed) leaf					
<i>Phaseolus vulgaris</i> cv. (string bean)					
<i>Cercospora caribaea</i> Chupp & Cif.....	*Colombia, Dominican Republic.	6	1	Fla., Md.
<i>Manihot esculenta</i> (common cassava)					
<i>Manihot</i> sp. (leaf)					
<i>Cercospora chrysanthemi</i> Heald & Wolf.....	*Japan, Mexico	2	1	Ill., Tex.
<i>Chrysanthemum</i> sp. (leaf)					
<i>Cercospora colerooides</i> Sacc.....	Mexico	1	Tex.
<i>Casimiroa edulis</i> (white sapote)					
* <i>Cercospora coriandri</i> Jacz.....	Dominican Republic...	1	N.Y.
<i>Coriandrum sativum</i> (coriander) leaf					
* <i>Cercospora epipactidis</i> C. Mass.....	Costa Rica	1	Tex.
Orchid (leaf)					
* <i>Cercospora forsteriana</i> Chupp & Viégas	El Salvador	1	Tex.
<i>Juglans</i> sp. (walnut) leaf of plant					

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
† <u>Cercospora genipae</u> Rangel	Canal Zone	2	Fla.
<u>Genipa americana</u> (marmaladebox genip) leaf					
* <u>Cercospora gerberae</u> Chupp & Viégas	Trinidad	1	Fla.
<u>Gerbera</u> sp. (leaf of plant)					
<u>Cercospora insulana</u> Sacc.	Haiti, Mexico, unknown, *Venezuela.	5	Fla., P. R., Tex.
<u>Limonium sinuatum</u> (notchleaf sea-lavender) leaf and stem					
<u>Limonium</u> sp. (statice) leaf and stem					
† <u>Cercospora kikuchii</u> Matsumoto & Tomoyasii	Japan	1	Tex.
<u>Glycine max</u> (soybean) seed					
<u>Cercospora mangiferae</u> Koord.	Mexico	1	Tex.
<u>Mangifera indica</u> (mango) leaf					
<u>Cercospora odontoglossi</u> Prill. & Del.	Colombia	1	Fla.
<u>Stanhopea shuttleworthii</u> (orchid)					
* <u>Cercospora pancretii</u> Ell. & Ev.	Bahamas	1	Fla.
<u>Amaryllis</u> sp. (leaf of plant)					
† <u>Cercospora penzigii</u> Sacc.	Dominican Republic, Ecuador, Mexico.	3	Ariz., Fla.
<u>Citrus</u> sp. (leaf)					
† <u>Cercospora phyllitidis</u> Hume	Jamaica	1	Fla.
Fern (leaf)					
* <u>Cercospora piperis</u> Pat.	Guatemala	1	Fla.
<u>Piper</u> sp. (pepper) leaf					
* <u>Cercospora punicae</u> P. Henn.	Venezuela	1	Fla.
<u>Punica granatum</u> (pomegranate)					
† <u>Cercospora subsessilis</u> H. & P. Sydow	Jamaica	1	Fla.
<u>Swietenia mahagoni</u> (West Indies mahogany)					
<u>Cercosporella lilliicola</u> (Richon) Sacc.	Chile	1	Fla.
<u>Lapageria rosea</u> (red chilebells) leaf					
<u>Cerotelium fici</u> (Butl.) Arth.	*Colombia, *Costa Rica, Ecuador.	4	Fla.
<u>Ficus carica</u> (fig) fruit and leaf					
<u>Chaetopatella setulosa</u> (Hino & Katumoto) Hino & Katumoto	Formosa	1	Oreg.
<u>Bambusa</u> sp. (bamboo) leaf					
<u>Chrysomyxa ledi</u> d By. var. <u>rhododendri</u> (d By.) Savile	Austria, Germany, Switzerland	16	3	Ill., N. Y., Wash.
<u>Rhododendron ferrugineum</u> (rock rhododen- dron) leaf of cutting					
<u>R. kotschy</u> ("Alpine rose") leaf					
<u>Rhododendron</u> sp. (azalea and rhododendron)					
† <u>Cladosporium nervale</u> Ell. & Dearn.	Canada	1	Hawaii.
<u>Euphorbia</u> sp. (leaf)					
<u>Coccostroma chamaedoreae</u> (Syd.) Arx & Muller	Mexico	1	Tex.
<u>Chamaedorea wendlandiana</u> (palm) leaf					
† <u>Coleosporium merrillii</u> P. Henn.	India	1	Wash.
<u>Calanthe</u> sp. (orchid)					
<u>Coleosporium plumierae</u> Pat.	Mexico	1	Tex.
<u>Plumeria</u> sp. (frangipani) leaf of cutting					
† <u>Coniothyrium dracaenae</u> Stevens & Weedon	do	1	Tex.
<u>Dracaena</u> sp. (leaf)					
* <u>Coniothyrium leguminum</u> (Rab.) Sacc.	Netherlands	1	N. J.
<u>Laburnum X watereri</u> (Waterer laburnum)					
† <u>Corynebacterium sepedonicum</u> (Speck & Kotth.) Skapt. & Burkh. (bacterium)	Ecuador	1	Fla.
<u>Solanum tuberosum</u> (potato)					
<u>Corynespora cassiicola</u> (Berk. & Curt.) Wei	Mexico, *Panama	2	Ala., Tex.
<u>Chamaedorea</u> sp. (palm) cutting					
<u>Cucumis melo</u> (muskmelon)					
* <u>Criconema celetum</u> Wu, 1960 (nematode)	Philippines	1	Hawaii.
Soil with <u>Bambusa</u> sp. (bamboo) root					
* <u>Criconemoides mutable</u> Taylor, 1936 (nematode). Soil with <u>Ficus</u> sp. (fig) root	Venezuela	1	N. Y.

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Criconemoides xenoplax</u> Raski, 1952 (nematode)	Japan	2	2	Calif.
<u>Juniperus chinensis</u> (pyramid Chinese juniper) dwarf tree					
<u>Picea</u> sp. (spruce) dwarf tree					
<u>Cronartium quercuum</u> (Berk.) Shirai.....	do	1	Hawaii.
<u>Castanea crenata</u> (Japanese chestnut) leaf					
<u>Cryptospora longispora</u> Servazzi	Australia, New Zealand.	4	Calif.
<u>Araucaria excelsa</u> (Norfolk-Island-pine) seed					
† <u>Curvularia andropogonis</u> (Zimm.) Boed.	Mexico	1	Tex.
<u>Cymbopogon citratus</u> (lemon grass) leaf					
† <u>Curvularia trifolii</u> (Wakk.) Boed.	Honduras, Mexico	2	Fla., Tex.
<u>Cucumis sativus</u> (cucumber)					
<u>Gladiolus</u> sp. (stem)					
† <u>Cylindrocladium quinqueseptatum</u> Boed. & Reitsma	England	1	Fla.
<u>Hedera helix</u> (English ivy) leaf					
<u>Cylindrosporium toxicodendri</u> Ell. & Ev.	Mexico	1	Calif.
<u>Nerium oleander</u> (oleander) leaf					
† <u>Cytospora bambusae</u> Pat. & Gaillard.....	France	1	Fla.
<u>Bambusa</u> sp. (bamboo) stake					
† <u>Cytospora theae</u> Petch.....	Uruguay	1	Fla.
<u>Camellia japonica</u> (common camellia)					
<u>Dasturella divina</u> (Syd.) Mund. & Kheswalla	Formosa	1	Fla.
<u>Bambusa</u> sp. (bamboo)					
† <u>Dendrophoma inocarpi</u> Pat.	Papua	1	Hawaii.
<u>Inocarpus fagiferus</u> (Tahiti chestnut)					
* <u>Diaporthe arctii</u> (Lasch) Nits.....	Bahamas, Honduras, Japan.	3	2	Calif., Fla.
<u>Cocos nucifera</u> (coconut)					
<u>Euphorbia pulcherrima</u> (common poinsettia)					
Palm (seed)					
* <u>Diaporthe oncostoma</u> (d By.) Fckl.	Netherlands	1	N. J.
<u>Robinia pseudoacacia</u> 'Besson' (black locust)					
† <u>Diplodia antiqua</u> Pass.	South Africa	3	N. J.
<u>Euphorbia obesa</u> (stem)					
<u>E. stellaeispina</u> (star-spine euphorbia)					
<u>E. stellata</u> (stem)					
* <u>Diplodia inocarpi</u> Sacc.	Papua	1	Hawaii.
<u>Inocarpus fagiferus</u> (Tahiti chestnut)					
* <u>Diplodia pinea</u> (Desm.) Kickx	Mexico	1	Tex.
<u>Pinus</u> sp. (pine)					
<u>Ditylenchus dipsaci</u> (Kühn, 1857) Filipjev, 1936 (nematode)	England, Mexico	2	1	Calif., N. J.
<u>Allium sativum</u> (garlic)					
Bulb--unidentified					
* <u>Dothidella depazeoides</u> (Desm.) Th. & Syd.....	Italy	1	N. Y.
<u>Buxus sempervirens</u> (boxwood)					
<u>Dothiorella barringtoniae</u> (Cke. & Mass.) Petr. & Syd.	Hawaii, *Jamaica	2	1	Calif., Fla., Hawaii.
<u>Barringtonia speciosa</u> (India barringtonia) seed pod					
<u>Elsinoe australis</u> Bitanc. & Jenkins.....	Argentina, Brazil, Paraguay, South America [country(?)] unknown, Uruguay.	30	351	Ala., Am. V.I., Calif., Del., Fla., Hawaii, Ill., La., Mass., Md., Minn., N. C., N. J., N. Y., Ohio, Pa., P. R., S. C., Tex., Va.
<u>Citrus aurantifolia</u> (lime)					
<u>C. paradisi</u> (grapefruit)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. reticulata</u> cv. (cultivar orange)					
<u>C. sinensis</u> (sweet orange)					
<u>Citrus</u> sp.					
<u>Elsinoe mangiferae</u> Bitanc. & Jenkins.....	Bahamas, Brazil, British Honduras, Colombia, Costa Rica, Dominican Republic,	100	23	Calif., Fla., N. Y., P. R., Tex.
<u>Mangifera indica</u> (mango)					

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Elsinoe mangiferae</u> --Continued					
<u>Elsinoe phaseoli</u> Jenkins.....	Ecuador, El Salvador, Haiti, Honduras, Jamaica, Mexico, Panama, *Paraguay, Puerto Rico, Trini- dad, unknown, Venezuela.				
<u>Phaseolus lunatus</u> (lima bean) pod	Jamaica, Puerto Rico.	3	Fla., N. Y., P. R.
<u>Graphiola borassi</u> Syd. & Butl.....	India	5	Ga., Oreg., Tex.
<u>Borassus flabellifera</u> (palmyra palm) stalk					
<u>Guignardia citricarpa</u> Kiely (<u>Phyllostictina</u> stage)	Africa [country(?)], Argentina, Australia, Brazil, China, For- mosa, Hong Kong, Indonesia, Japan, Korea, Malaysia, Mozambique, New Zealand, Okinawa, Philippines, South Africa, Thailand, un- known, Viet-Nam.	255	358	1	Ala., Alaska, Ariz., Calif., Fla., Hawaii, Ill., La., Mass., Md., Mich., N. J., N. Y., Ohio, Oreg., Pa., P. R., S. C., Tex., Va., Wash.
<u>Citrus aurantifolia</u> (lime)					
<u>C. aurantium</u> (sour orange)					
<u>C. grandis</u> (pummelo)					
<u>C. limon</u> (lemon)					
<u>C. paradisi</u> (grapefruit)					
<u>C. reticulata</u> (mandarin orange)					
<u>C. reticulata</u> cv. (cultivar orange)					
<u>C. sinensis</u> (sweet orange)					
<u>Citrus</u> sp. (fruit and dried peel)					
* <u>Gymnosporangium clavariiforme</u> (Pers.) DC.....	Canada	1	Wash.
<u>Juniperus communis</u> var. <u>suecica</u> 'Dwarf' (Swedish juniper)					
<u>Gymnosporangium cornutum</u> Kern	Norway	1	N. Y.
<u>Sorbus aucuparia</u> (European mountain-ash) leaf with fruit					
<u>Gymnosporangium haraeaneum</u> Syd.	Japan	1	Hawaii.
<u>Juniperus chinensis</u> (pyramid Chinese juniper) leaf and stem of plant					
† <u>Helicotylenchus platyurus</u> Perry in Perry, Darling & Thorne, 1959 (nematode).....	Hawaii	1	Calif.
Zingiberaceae (ginger) root of plant					
<u>Helminthosporium cynodontis</u> Marig.	Mexico, *Nigeria	1	D. C., Tex.
<u>Cynodon dactylon</u> (Bermuda grass) packing and plant					
* <u>Helminthosporium sacchari</u> (B. de Haan) Butl.(?)	Haiti, Peru	2	Fla.
<u>Cymbopogon citratus</u> (lemon grass)					
* <u>Helminthosporium torulosum</u> (Syd.) Ashby.....	Nicaragua	1	Fla.
<u>Musa X paradisiaca</u> (common banana)					
* <u>Hemicronemoides squamosus</u> (Cobb, 1913)					
Siddiqi & Goodey, 1963 (nematode)	Honduras, Philippines	1	1	Fla., Hawaii.
Soil sample					
Soil with <u>Bambusa</u> sp. (bamboo) root					
<u>Heterodera avenae</u> Wollenweber, 1924					
(nematode).....	Czechoslovakia, Eng- land, Europe [coun- try(?)], Germany, Greece, Italy, Neth- erlands, Scotland.	45	1	10	Calif., Mass., N. J., N. Y., Wash.
Soil					
Soil with automobile and tractor					
Soil with propagative material (<u>Ficus</u> sp., <u>Nerium oleander</u> , <u>Pelargonium</u> sp., <u>Picea</u> sp., <u>Polianthes tuberosa</u> , <u>Rosa</u> sp., and unidentified plants)					
Soil with <u>Solanum tuberosum</u> (potato)					
<u>Heterodera cruciferae</u> Franklin, 1945 (nematode)	England	1	Wash.
Soil with tractor (used)					
* <u>Heterodera fici</u> Kirjanova, 1954 (nematode).....	Azores	1	N. Y.
Soil with <u>Colocasia esculenta</u> (dasheen)					
† <u>Heterodera galeopsidis</u> Goffart, 1936 (nematode).	England, Europe [country(?)] .	2	Wash
Soil with automobile and tractor					

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
* <u>Heterodera goettingiana</u> Liebscher, 1892 (nematode)..... Soil	Mexico	1	Ariz.
<u>Heterodera humuli</u> Filipjev, 1934 (nematode) Soil with tractor (used)	England	1	Wash.
† <u>Heterodera oryzae</u> Luc et Berdon Brizuela, 1961 (nematode)..... Soil with <u>Amaryllis</u> sp. (bulb)	Japan	1	N. Y.
<u>Heterodera punctata</u> Thorne, 1928 (nematode).... Soil Soil with automobile, shoes, tractor, and trailer Soil with propagative material (<u>Calluna</u> <u>vulgaris</u> , <u>Cyclamen</u> sp., <u>Dianthus</u> <u>caryo-</u> <u>phyllus</u> , <u>Dracaena</u> spp., <u>Forsythia</u> sp., grass, <u>Lycopodium</u> sp., <u>Narcissus</u> sp., <u>Ornithogalum</u> sp., <u>Tilia</u> sp. (?), <u>Trifolium</u> <u>repens</u> cv., and unidentified plants) Soil with stores (herbs) Soil with <u>Trifolium repens</u> cv. (shamrock) leaf	Belgium, Czechoslo- vakia, England, Germany, Ireland, Netherlands, Poland, Scotland, Spain.	28	3	16	Ala., Calif., Del., Fla., Ill., Mass., N. C., N. J., N. Y., Tex., Va., Wash.
<u>Heterodera rostochiensis</u> Wollenweber, 1923 (nematode)..... Soil Soil with <u>Armoracia lapathifolia</u> (horseradish) Soil with automobile, equipment, shoes, tractor, and truck Soil with propagative material (<u>Allium</u> sp., cactus, <u>Calluna vulgaris</u> , <u>Chrysanthemum</u> sp., <u>Dianthus</u> sp., <u>Hedera</u> sp., orchid, <u>Primula</u> sp., <u>Trollius</u> sp., unidentified plants, and <u>Viola</u> sp.) Soil with <u>Solanum tuberosum</u> (potato) Soil with stores (<u>Allium porrum</u> , <u>Apium</u> <u>graveolens</u> var. <u>dulce</u> , <u>A. graveolens</u> var. <u>rapaceum</u> , <u>Beta vulgaris</u> , <u>Brassica napo-</u> <u>brassica</u> , <u>B. rapa</u> , <u>Daucus carota</u> var. <u>sativa</u> , and <u>Petroselinum crispum</u> var. <u>latifolium</u>) Soil with <u>Trifolium repens</u> cv. (shamrock) leaf	Argentina, Azores, Belgium, Denmark, England, Finland, France, Germany, Ireland, Italy, Neth- erlands, Northern Ireland, Norway, Poland, Scotland, Sweden, unknown, *Yugoslavia.	37	29	18	Calif., Fla., Ill., Mass., Mich., N. J., N. Y., Ohio, Pa., S. C., Tex., Wash.
<u>Heterodera trifolii</u> Goffart, 1932 (nematode).... Soil with automobile and tractor Soil with vegetables Soil with <u>Vicia</u> sp. (plant)	England, Germany, Italy.	3	1	1	Calif., N. Y., Wash.
† <u>Hobsonia mirabilis</u> (Pk.) Linder..... Quercus sp. (oak) leaf	Mexico	1	Ariz.
† <u>Hyalotia lateripes</u> (Ell. & Ev.) Guba..... <u>Amaryllis</u> sp. (bulb)	do	1	Ariz.
<u>Leptosphaeria culmifraga</u> (Fr.) Ces. & de N. <u>Oryza sativa</u> (rice) straw with fireworks	Japan(?)	1	Ariz.
<u>Leptosphaeria eustomoides</u> Sacc..... <u>Triticum aestivum</u> (wheat) leaf and liquor jacket	*Brazil, France, Netherlands.	3	Calif., Fla.
* <u>Leptosphaeria obtusispora</u> Speg. <u>Coffea</u> sp. (coffee) twig with berries	Brazil	1	N. Y.
<u>Leptosphaeria oryzina</u> Sacc. <u>Oryza sativa</u> (rice) grain, hull, and straw	Formosa, India, Japan, *Korea, Philippines.	1	161	Calif.
<u>Leptosphaeria protearum</u> Syd. <u>Protea</u> sp. (leaf of cut flower)	South Africa	2	N. Y.
* <u>Lophostomum maculare</u> (Fr.) de N. <u>Quercus</u> sp. (oak) leaf	Honduras	1	Fla.

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Macrophoma araucariae</u> De Lac..... <u>Araucaria cookii</u> (seed) <u>A. excelsa</u> (Norfolk-Island-pine) seed	Australia, New Zealand, Norfolk Island.	6	Calif.
* <u>Macrophoma oleae</u> (DC.) Berl. & Vogl..... <u>Olea europaea</u> (common olive) green	Lebanon.....	1	Ohio.
<u>Meloidogyne arenaria</u> (Neal, 1889) Chitwood, 1949 (nematode)..... <u>Alocasia</u> sp. (root) <u>Alpinia purpurata</u> (galangal) root <u>Solanum tuberosum</u> (potato)	Chile, *Jamaica, Mexico.	2	2	N. Y., Pa., Tex.
<u>Meloidogyne hapla</u> Chitwood, 1949 (nematode).... <u>Ajuga pyramidalis</u> (bugle) root <u>Astilbe</u> 'Red Sentinel' (root) <u>Centaurea glastifolia</u> (root) <u>Clematis</u> 'Fairy Queen' (root) <u>C. montana</u> (anemone clematis) root <u>Hepatica triloba</u> and var. (root) <u>Saxifraga peltata</u> (umbrella saxifrage) root <u>S. przewalskii</u> (root)	*Austria, England, Germany, Netherlands.	11	N. J., N. Y.
<u>Meloidogyne incognita acrita</u> Chitwood, 1949 (nematode)..... <u>Begonia</u> sp. (root) <u>Ficus benghalensis</u> (banyan fig) dwarf tree <u>Lactuca sativa</u> (lettuce) root <u>Petroselinum crispum</u> var. <u>latifolium</u> (parsley) root <u>Sechium edule</u> (chayote) root <u>Solanum tuberosum</u> (potato) Succulent (plant) root	Azores, *Cape Verde Islands(?), Dominican Republic, Italy, Ivory Coast, Japan, Mexico, Peru.	2	3	3	Calif., Mass., N. C., N. Y.
<u>Meloidogyne incognita incognita</u> (Kofoid & White, 1919) Chitwood, 1949 (nematode)..... <u>Agapanthus</u> sp. (root) <u>Alocasia</u> sp. (root) <u>Begonia</u> sp. (root) <u>Caladium</u> sp. (corm) <u>Schefflera actinophylla</u> (umbrella tree) root <u>Solanum tuberosum</u> (potato)	Guatemala, Hawaii, Mexico, Peru, Portugal.	1	6	Calif., Mass., Pa., Tex.
<u>Meloidogyne javanica javanica</u> (Treub, 1885) Chitwood, 1949 (nematode)..... <u>Calathea</u> sp. (root) <u>Cryptocoryne willisii</u> (root) <u>Heliconia</u> sp. (root) <u>Zantedeschia aethiopica</u> (calla lily) bulb	Argentina, *Ceylon, *Dominica, Italy.	4	N. Y.
<u>Monilinia fructigena</u> (Aderh. & Ruhl.) Honey.... <u>Malus sylvestris</u> (apple) <u>Prunus armeniaca</u> (apricot) <u>P. persica</u> (peach) <u>P. persica</u> var. <u>nectarina</u> (nectarine) <u>Prunus</u> sp. (cherry) <u>Pyrus communis</u> (pear)	England, Europe [country(?)], France, Germany, Italy, Netherlands, Yugoslavia.	6	12	Calif., N. Y., Pa.
* <u>Mycosphaerella basicola</u> (Frank) Lind. <u>Secale cereale</u> (rye) straw packing	Italy, Spain.....	1	1	Calif.
<u>Mycosphaerella cattleyae</u> Cash & Watson..... <u>Cattleya bowringiana</u> (orchid) leaf of plant <u>C. skinneri</u> (orchid) leaf of plant <u>Cattleya</u> sp. (leaf of plant) <u>Epidendrum</u> sp. (orchid) leaf of plant Orchid (leaf of plant) <u>Sobralia</u> sp. (orchid) leaf of plant	Bahamas, Brazil, Colombia, Costa Rica, El Salvador, Guatemala, Honduras, *Peru.	19	Ariz., Fla.
* <u>Mycosphaerella coffeicola</u> (Cke.) Stevenson & Wellman <u>Coffea arabica</u> (Arabian coffee) leaf	Hawaii.....	1	Hawaii.

*First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
† <u>Mycosphaerella metrosideri</u> Stevens & Young.... <u>Metrosideros villosa</u> (iron-tree) branch <u>Metrosideros</u> sp.	Hawaii.....	2	Hawaii.
<u>Mycosphaerella opuntiae</u> (Ell. & Ev.) Dearn.... Cactus (plant) <u>Echinocactus</u> sp. (cactus) plant <u>Thelocactus saussieri</u> (cactus)	Guatemala, Mexico.....	1	2	Fla., Tex.
<u>Mycosphaerella palmae</u> Miles..... Palm (leaf and stem)	Bahamas.....	1	Fla.
† <u>Mycosphaerella patouillardii</u> Sacc. <u>Buxus sempervirens</u> (boxwood) leaf	France, Italy.....	1	1	N. Y.
* <u>Mycosphaerella philodendri</u> (Pat.) Lindau..... <u>Philodendron</u> sp. (leaf)	Colombia.....	1	Fla.
<u>Mycosphaerella schoenoprasii</u> (Ces. & de N.) Schroet. <u>Allium fistulosum</u> (Welsh onion) <u>A. porrum</u> (leek) <u>A. sativum</u> (garlic)	*Formosa, Japan	1	28	Calif., Fla., Hawaii, Ohio, Pa., Tex.
* <u>Mycosphaerella stemmatea</u> (Fr.) Rom. <u>Vaccinium</u> sp. (blueberry) leaf	Germany.....	1	N. Y.
* <u>Mycosphaerella washingtoniae</u> Rehm. Palm (herbarium specimen)	Mexico.....	1	Ariz.
† <u>Naemacyclus palmarum</u> Syd. (?).... <u>Chamaedorea wendlandiana</u> (palm) leaf	... do	1	Tex.
<u>Neovossia horrida</u> (Tak.) Padw. & A. Khan <u>Oryza sativa</u> (rice) grain, hull, and straw	*Formosa, Hong Kong, India, Japan, Philip- pines, Thailand.	9	246	Calif., Ill., N. Y.
<u>Oligostroma proteae</u> Syd. <u>Protea cynaroides</u> (honeypot protea) leaf <u>Protea</u> sp. (leaf of cut flower)	South Africa.....	3	Hawaii, Mass., N. Y.
* <u>Ophiobolus versisporus</u> Ell. & G. Martin Palm (leaf of plant)	Panama.....	1	Fla.
<u>Ophiiodothella orchidearum</u> Cash & Watson <u>Odontoglossum</u> sp. (orchid) stem of plant Orchid (plant)	Guatemala, Mexico.....	2	Fla., Tex.
<u>PhaeoSeptoria oryzae</u> Miyake..... <u>Oryza sativa</u> (rice) hull packing and straw rope	*Formosa, Japan	3	Calif.
† <u>Phaeosphaerella oryzae</u> Hara..... <u>Oryza sativa</u> (rice) straw packing and rope	Japan.....	1	2	Calif.
<u>Phakopsora gossypii</u> (Arth.) Hirat. f. <u>Gossypium</u> sp. (cotton) leaf	Jamaica.....	2	Fla.
<u>Phakopsora jatrophicola</u> Cumm. <u>Jatropha gossypiifolia</u> (bellyache nettle- spurge) <u>Jatropha</u> sp. (leaf)	Dominican Republic, Haiti.	2	Fla., N. Y.
* <u>Phoma cajani</u> Rangel..... <u>Cajanus cajan</u> (pigeonpea) pod	Panama.....	1	Fla.
† <u>Phoma lathyrina</u> Sacc. <u>Albizzia lebbek</u> (Lebbek albizia) pod	American Virgin Islands.	1	Fla.
<u>Phoma oryzae</u> Cke. & Mass. <u>Oryza sativa</u> (rice) straw jacket	India.....	1	Calif.
<u>Phoma pomi</u> Pass. <u>Malus sylvestris</u> (apple)	*Australia, *France, Italy, Japan.	4	14	Calif.
† <u>Phoma prunicola</u> (Opiz) Wr. & Hochapf. <u>Malus sylvestris</u> (apple)	Europe [country(?)]...	1	Tex.
<u>Phomopsis coeces</u> Petch <u>Cocos nucifera</u> (coconut)	*Bahamas, Hawaii ...	2	1	Calif., Fla.
<u>Phyllachora canafistulae</u> F. L. Stevens & Dalbey..... <u>Cassia</u> sp., poss. <u>nodosa</u> (jointwood senna)	Jamaica.....	1	Fla.

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Phyllachora engleri</u> Speg. <u>Anthurium</u> sp. (leaf of plant)	Costa Rica, *Trinidad	2	Fla.
<u>Phyllosticta berolinensis</u> P. Henn. <u>Rhododendron</u> sp. (leaf of plant)	England	1	N. Y.
* <u>Phyllosticta bromeliae</u> Alm. & Cam. Bromeliad (leaf of plant)	Brazil	1	Fla.
<u>Phyllosticta camelliae</u> West. <u>Camellia japonica</u> (common camellia) leaf	Japan	2	Calif.
<u>Phyllosticta cocos</u> Cke. <u>Chamaedorea</u> sp. (palm) leaf	Mexico	1	Pa.
<u>Phyllosticta coffeicola</u> Delacr. <u>Coffea</u> sp. (leaf)	Costa Rica	1	Fla.
* <u>Phyllosticta cymbidii</u> Verpl. (?) <u>Epidendrum variegatum</u> (orchid)	Venezuela	1	Fla.
† <u>Phyllosticta epipactidis</u> (Died.) (?) <u>Cattleya</u> sp. (orchid) leaf of plant	Guatemala, Venezuela	1	1	Fla.
<u>Oncidium</u> sp. (orchid) leaf of plant					
† <u>Phyllosticta eriobotryae</u> Thuem. <u>Eriobotrya japonica</u> (loquat) leaf	El Salvador, Mexico..	2	Fla.
* <u>Phyllosticta erythroxyle</u> Graz. (?) <u>Erythroxylon coca</u> (Huanuco cocaine tree)	Colombia	1	Fla.
<u>Phyllosticta hedericola</u> Dur. & Mont. <u>Hedera helix</u> (English ivy)	England	1	Calif.
<u>Phyllosticta limbalis</u> Pers. <u>Buxus sempervirens</u> (boxwood) leaf and seed	Europe [country(?)]	1	1	N. J., N. Y.
* <u>Phyllosticta maculicola</u> Hals. <u>Dracaena</u> sp. (dracena)	Trinidad	1	Fla.
<u>Phyllosticta mortoni</u> Fairm. <u>Mangifera indica</u> (mango) leaf	Mexico	1	Ariz.
† <u>Phyllosticta moscosoi</u> Cif. & Frag. (?) <u>Spathodea campanulata</u> (bell flambeautree)	Canal Zone	1	Fla.
† <u>Phyllosticta nephellii</u> Delacr. <u>Litchi chinensis</u> (lychee) leaf	Unknown	1	N. Y.
† <u>Phyllosticta oryzae</u> Hori <u>Oryza sativa</u> (rice) hull, rope, and straw bottle jacket	Japan	2	3	Calif.
† <u>Phyllosticta pleurothallidis</u> Keissl.... Orchid (leaf of plant)	Colombia	1	Fla.
† <u>Phyllosticta primulicola</u> Desm. <u>Primula vulgaris</u> (English primrose) leaf	Italy	1	Ill.
<u>Phyllosticta ruscicola</u> Dur. & Mont.... <u>Ruscus</u> sp. (butchersbroom)	do	3	La., N. Y.
† <u>Phyllostictina arecae</u> (Died.) Petr. & Syd. <u>Areca catechu</u> (betelnut palm) nut	Guam	1	Hawaii.
<u>Phyllostictina cordylines</u> (Thuem.) Petr. & Syd. <u>Cordyline terminalis</u> (common dracena) leaf	Hawaii	2	Hawaii.
<u>Phyllostictina cruenta</u> (Fr.) Petr. & Syd. <u>Polygonatum multiflorum</u> (Eurasian solomon-seal) stem	Japan	1	Hawaii.
<u>Phyllostictina musarum</u> (Cke.) Petr. <u>Musa nana</u> (dwarf banana)	Australia, *Hawaii, Japan, *Panama, Philippines, Viet-Nam.	10	6	Calif., Fla., Hawaii, Wash.
<u>Musa X paradisiaca</u> (common banana) fruit and leaf					
<u>Musa</u> sp. (fruit and leaf)					
<u>Phyllostictina pyriformis</u> Cash & Watson.... <u>Ascocentrum</u> sp. (leaf of plant)	Guatemala, Hawaii, Japan, *Mauritius, Philippines,	11	Calif., Fla., Hawaii,
<u>Cirrhopetalum longiflorum</u> (orchid)	Thailand.				
<u>Cymbidium</u> sp. (orchid) leaf of plant					
<u>Cypripedium callosom</u> (orchid) leaf of plant					
<u>Dendrobium chrysotoxum</u> (orchid) leaf					
<u>D. topaziacum</u>					

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Phyllostictina pyriformis</u> --Continued					
<u>Lycaste</u> sp. (orchid) leaf of plant					
<u>Phalaenopsis</u> sp. (orchid) leaf of plant					
<u>Vanda luzonica</u> (orchid) leaf of plant					
* <u>Physalospora ilicis</u> (Fr.) Sacc.	Bahamas.....	1	Fla.
<u>Ilex cassine</u> (dahooon) cutting					
* <u>Pleospora orchidearum</u> P. Henn.	Canal Zone.....	1	Fla.
<u>Sobralia</u> sp. (orchid) stem of plant					
<u>Pratylenchus coffeae</u> (Zimmermann, 1898) Filipjev & Schuurmans Stekhoven, 1941 (nematode)....	Jamaica.....	2	N. Y.
<u>Dioscorea</u> sp. (yam)					
† <u>Pratylenchus neglectus</u> (Rensch, 1924) Filipjev & Schuurmans Stekhoven, 1941 (nematode)....	England.....	1	N. J.
<u>Geranium</u> 'Wargrave Pink' (root of plant)					
<u>Pratylenchus penetrans</u> (Cobb, 1917) Filipjev & Schuurmans Stekhoven, 1941 (nematode)....	Japan, Netherlands...	2	Calif., N. J.
<u>Acer</u> sp. (maple) root of tree					
<u>Epimedium lilacinum</u> (root of plant)					
<u>Prosopodium appendiculatum</u> (Wint.) Arth.	Mexico.....	1	Tex.
<u>Tecoma stans</u> (Florida trumpetbush) leaf					
<u>Puccinia arenariae</u> (Schum.) Wint.	Germany, Netherlands	2	N. Y., Va.
<u>Dianthus barbatus</u> (sweetwilliam) leaf					
<u>Puccinia boutelouae</u> (Jennings) Holw.	Mexico.....	1	Tex.
<u>Bouteloua</u> sp. (grama grass) leaf and stem					
<u>Puccinia buxi</u> DC.	England, France, Germany, Ireland, Italy, *Luxembourg, Spain, *Venezuela(?).	4	59	1	Fla., Ill., Mass., N. Y.
<u>Buxus sempervirens</u> (boxwood) leaf					
<u>Puccinia cacabata</u> Arth. & Holw.	Mexico.....	1	Ariz.
<u>Gossypium hirsutum</u> (Upland cotton) leaf					
† <u>Puccinia carduncelli</u> Syd.	Algeria, Morocco....	4	D. C.
<u>Carduncellus caeruleus</u> (leaf with seed)					
<u>C. calvus</u> (leaf with seed)					
<u>Puccinia carthami</u> Cda.	Mexico.....	1	Ariz.
<u>Carthamus tinctorius</u> (safflower) leaf					
† <u>Puccinia clavata</u> Syd.	New Zealand.....	2	Calif.
<u>Clematis hexasepala</u>					
<u>C. indivisa</u> (New Zealand clematis)					
<u>Puccinia cynodontis</u> Desm.	Mexico.....	2	Ariz.
<u>Cynodon dactylon</u> (Bermuda grass) sod					
† <u>Puccinia diplachnis</u> Arth. do	3	Tex.
<u>Leptochloa dubia</u> (green sprangletop grass)					
<u>Puccinia exasperans</u> Holw. do	1	Tex.
<u>Bouteloua</u> sp. (grama grass) packing					
† <u>Puccinia fumosa</u> Holw. do	1	Tex.
<u>Loeselia mexicana</u> (leaf)					
† <u>Puccinia holcina</u> Eriks.	Africa [country(?)] ...	1	Fla.
<u>Avena</u> sp. (?) (packing)					
<u>Puccinia horiana</u> P. Henn.	Japan, *Okinawa.....	80	103	Alaska, Calif., Hawaii, Wash.
<u>Chrysanthemum morifolium</u> (florists chrysanthemum) leaf of cut flower					
<u>Chrysanthemum</u> sp. (leaf of cut flower)					
* <u>Puccinia kusanoi</u> Diet. (?)	Formosa.....	1	Wash.
<u>Bambusa</u> sp. (bamboo) leaf					
* <u>Puccinia lantanae</u> Farl.	Haiti.....	1	Fla.
<u>Lantana</u> sp. (leaf of cut flower)					
* <u>Puccinia levis</u> (Sacc. & Bizz.) Magn.	Mexico.....	1	Tex.
<u>Paspalum</u> sp. (paspalum grass)					
<u>Puccinia magnusiana</u> Koern.	Austria, Germany....	3	N. C., Oreg., Pa.
<u>Phragmites communis</u> (common reed) mat					
† <u>Puccinia morrisoni</u> McAlp.	Australia.....	1	Calif.
<u>Pelargonium zonale</u> (horseshoe geranium)					

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
* <u>Puccinia nakanishikii</u> Diet. <u>Cymbopogon citratus</u> (lemon grass) leaf	Indonesia.....	1	Calif.
<u>Puccinia ornithogali-thyrsoides</u> Diet. <u>Ornithogalum thyrsoides</u> (Cape chinkerichee) petal of cut flower	South Africa.....	1	N. Y.
<u>Puccinia psidii</u> Wint. <u>Eugenia caryophyllata</u> (?) (clovetree) leaf <u>Myrceugenia</u> sp. (leaf and stem of cutting) <u>Pimenta dioica</u> (allspice pimenta) leaf	*Argentina, British West Indies [is- land(?)], Jamaica.	10	1	1	Fla., N. Y.
† <u>Puccinia pygmaea</u> Eriks. <u>Mahonia aquifolium</u> (oregongrape) leaf of plant	Canada.....	1	Wash.
<u>Puccinia scirpi</u> DC. <u>Scirpus</u> sp. (bulrush) bottle jacket and packing	Italy, Portugal.....	1	1	N. Y., Tex.
† <u>Puccinia stenotaphri</u> Cumm. <u>Eremochloa ophiuroides</u> (centipede grass) leaf	Bahamas.....	1	Bahamas.
* <u>Puccinia tanaceti</u> DC. <u>Artemesia</u> sp. (leaf)	Mexico.....	1	Ill.
* <u>Puccinia thaliae</u> Diet. <u>Canna</u> sp. (leaf of plant)	Dominican Republic, Paraguay.	2	Fla.
<u>Puccinia urbaniana</u> P. Henn. <u>Stachytarpheta jamaicensis</u> (Jamaica false- valerian) leaf	*Bahamas, Puerto Rico.	2	Fla., P. R.
<u>Puccinia versicolor</u> Diet. & Holw. <u>Heteropogon contortus</u> (tanglehead grass) leaf	Mexico.....	1	Tex.
<u>Radopholus similis</u> (Cobb, 1893) Thorne, 1949 (nematode) <u>Anthurium</u> sp. (root of plant) <u>Musa</u> sp. (banana) root of plant <u>Strelitzia reginae</u> (Queens bird-of-paradise- flower) root of plant	*Fiji, Hawaii.....	4	Calif., Hawaii.
† <u>Ravenelia spinulosa</u> Diet. & Holw. <u>Cassia galeottiana</u> (senna) pod	Mexico.....	1	Tex.
* <u>Rotylenchus uniformis</u> (Thorne, 1949) Loof & Oostenbrink, 1958 (nematode) Soil with <u>Lilium</u> sp. (lily) bulb	Jersey (Isle of)	1	N. Y.
<u>Scirrhia rimosa</u> (Alb. & Schw.) Fckl. <u>Phragmites communis</u> (common reed) mat	Germany, *Poland ...	3	Pa., Tex.
<u>Sclerotiosis testudinea</u> Dearn. <u>Paeonia suffruticosa</u> (tree peony) <u>Paeonia</u> sp.	Japan.....	10	Calif.
† <u>Scopella sapotae</u> Cumm. <u>Manilkara achras</u> (sapodilla) leaf of plant	Bahamas.....	1	Fla.
<u>Scutellonema brachyurum</u> (Steiner, 1938) Andrassy, 1959 (nematode).... Soil with <u>Pilea microphylla</u> (artillery clearweed)	Brazil.....	1	N. Y.
<u>Scutellonema bradyi</u> (Steiner & LeHew, 1933) Andrassy, 1958 (nematode).... <u>Dioscorea</u> sp. (yam)	Jamaica, unknown....	2	N. Y.
† <u>Septogloew oxysporum</u> Bomm., Rouss., & Sacc. <u>Paspalum</u> sp. (paspalum grass) leaf and stem	Mexico.....	3	Tex.
† <u>Septoria bidentis</u> Sacc. <u>Bidens</u> sp. (?) (beggarticks) stem	... do.	1	Ariz.
† <u>Septoria eugenicolae</u> Speg. <u>Eugenia caryophyllata</u> (clovetree) leaf	Jamaica.....	1	Fla.
<u>Septoria fructigena</u> Berk. & Curt. <u>Passiflora quadrangularis</u> (giant granadilla)	Dominican Republic, *Haiti.	2	Fla., P. R.

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
† <u>Septoria iridis</u> C. Mass. Iridaceae (plant)	Korea.....	1	Hawaii.
<u>Septoria limonum</u> Pass. Citrus limon (lemon)	France.....	1	N. Y.
<u>Septoria musiva</u> Pk. Populus deltoides (Eastern poplar) leaf	Mexico.....	2	Ariz.
<u>Septoria oryzae</u> Catt. Oryza sativa (rice) hull, straw, and rope	*Hong Kong, Japan....	2	44	Calif.
† <u>Septoria samararum</u> (Desm.) Wr. (?) Tipuana tipu (common tiputree) samara	Uruguay.....	1	D. C.
* <u>Septoria sapotae</u> Batista(?) Manilkara achras (sapodilla) leaf	Bahamas.....	1	Fla.
<u>Septoria selenophomoides</u> Cash & Watson	Australia, Brazil, Oncidium sp. (orchid) leaf of plant Orchid (leaf of plant)	4	Calif., Tex.
† <u>Septoria uliginosa</u> Speg. Nasturtium officinale (watercress)	Colombia.....	1	Fla.
<u>Sphaceloma fawcettii</u> Bitanc. & Jenkins var. scabiosa (McAlp. & Tryon) Jenkins	Australia.....	2	S. C., Tex.
Citrus limon (lemon)
<u>Sphaceloma punicae</u> Bitanc. & Jenkins	Jamaica, Mexico....	14	Ariz., La., Tex.
Punica granatum (pomegranate)
<u>Spilocaea eriobotryae</u> (Cav.) Hughes	Italy.....	3	1	1	Mass., N. Y.
Eriobotrya japonica (loquat) fruit and plant
† <u>Sporidesmium bambusicola</u> M. B. Ellis(?) Bambusa sp. (bamboo) stake	France.....	1	Fla.
<u>Stereostratum corticioides</u> (Berk. & Br.) Magn.. Bamboo (rod with rug)	Japan.....	2	N. C.
<u>Stomatogene agaves</u> (Ell. & Ev.) Th.	Mexico.....	1	Tex.
<u>Yucca aloifolia</u> (aloe yucca or "Spanish dagger") leaf
<u>Thecaphora solani</u> Barrus do	6	Tex.
<u>Solanum stoloniferum</u> (tuber) <u>S. tuberosum</u> (potato)
<u>Trematosphaerella oryzae</u> (Miyake) Padw. Oryza sativa (rice) straw packing	India.....	1	Calif.
<u>Trochila ilicis</u> (Fr.) Crouan	Italy.....	1	Pa.
Ilex sp. (holly) bale of dried leaves
* <u>Uredo anthurii</u> (Har.) Sacc. Anthurium sp. (leaf of plant)	British Honduras....	1	Fla.
* <u>Uredo ignava</u> Arth. Bambusa sp. (bamboo) leaf and bottle jacket	Jamaica, Trinidad ...	2	Fla., N. Y.
† <u>Uredo mexicana</u> (Arth.) Cumm. Rhus sp. (sumac) leaf and stem	Mexico.....	1	Ariz.
<u>Uredo phaji</u> Racib. Dendrobium sp. (orchid) leaf of plant	Philippines.....	1	Fla.
* <u>Uredo scabies</u> Cke. Vanilla pompona (orchid) leaf of cutting	Honduras.....	1	Fla.
<u>Uredo tillandsiae</u> Cumm. Tillandsia sp. (bromeliad) leaf of plant	Guatemala, *Honduras	5	Fla.
<u>Uromyces alyxiae</u> Arth. Alyxia olivaeformis (maile alyxia) leaf lei	Hawaii.....	5	Hawaii.
† <u>Uromyces croci</u> Pass. Crocus sp. (crocus) root	Netherlands	1	N. J.
† <u>Uromyces peglerae</u> Pole Evans	South Africa.....	1	D. C.
Digitaria sp. (grass)
† <u>Uromyces savulescui</u> Rayss	Greece.....	1	La.
Limonium sp. (sea-lavender or statice) stem
* <u>Uromyces setariae-italicae</u> (Diet.) Yosh. Digitaria decumbens (pangola grass)	Venezuela.....	1	Fla.

†First interception. *First from country.

TABULATION OF DISEASES (INCLUDING NEMATODES)--continued

PEST AND HOST	COUNTRY OF ORIGIN	NUMBER INTERCEPTIONS IN			COLLECTED IN--
		CONSUMPTION	NONENTRY	PROPAGATION	
<u>Uromyces viciae-fabae</u> (Pers.) Schroet.	Chile, Ecuador, France, Italy, Mexico, Peru.	5	12	Ala., Fla., La., Md., N. Y., S. C., Tex.
<u>Lens culinaris</u> (lentil) leaf, seed and stem					
<u>Vicia faba</u> (broadbean) pod					
<u>Vicia</u> sp. (straw bottle jacket)					
<u>Ustilago grandis</u> Fr.	Germany, Netherlands	2	Pa.
<u>Phragmites communis</u> (common reed) mat					
† <u>Ustilago tillandsiae</u> Patterson.	Mexico.....	1	Tex.
<u>Tillandsia</u> sp. (bromeliad) flower spike					
<u>Valsa salicina</u> Fr.	England.....	1	N. Y.
<u>Salix</u> sp. (willow) stem					
<u>Valsella pedicellata</u> Cash & Watson.	Canal Zone.....	1	Fla.
<u>Sobralia</u> sp. (orchid) stem of plant					
† <u>Venturia cerasi</u> Aderh.	France.....	1	Va.
<u>Prunus domestica</u> (plum)					
<u>Xanthomonas citri</u> (Hasse) Dowson (bacterium) ..	Afghanistan, Asia [country(?)], China, Formosa, Hong Kong, India, Japan, Mariana Islands, Okinawa, Philip- pines, Singapore, Thailand, unknown.	102	396	1	Ala., Alaska, Calif., Fla., Hawaii, Ill., La., Mass., Md., Mich., N. Y., Oreg., Pa., Tex., Va., Wash.
<u>Citrus aurantifolia</u> (lime)					
<u>C. aurantium</u> (sour orange)					
<u>C. aurantium</u> cv. (daidai)					
<u>C. limon</u> (lemon)					
<u>C. paradisi</u> (grapefruit)					
<u>C. paradisi</u> X <u>C. reticulata</u> (tangelo)					
<u>C. paradisi</u> X <u>C. sinensis</u>					
<u>C. reticulata</u> (mandarin orange)					
<u>C. reticulata</u> cv. (cultivar orange)					
<u>C. reticulata</u> 'Satsuma'					
<u>C. sinensis</u> (sweet orange)					
<u>Citrus</u> sp.					
<u>Xanthomonas hederae</u> (Arn.) Dows. (bacterium) ..	England.....	1	Ill.
<u>Hedera helix</u> (English ivy) leaf					
<u>Xanthomonas</u> sp. (Cancrosis B)(bacterium).....	Argentina, Brazil....	22	Ala., Fla., La., N. Y., S. C., Tex.
<u>Citrus limon</u> (lemon)					
<u>C. sinensis</u> (sweet orange)					

†First interception. *First from country.

ACER:	
<i>Pratylenchus penetrans</i>	
AGAPANTHUS:	
<i>Meloidogyne incognita</i>	
<i>incognita</i>	
AJUGA:	
<i>Meloidogyne hapla</i>	
ALBIZZIA:	
† <i>Phoma lathyrina</i>	
ALLIUM:	
* <i>Botrytis squamosa</i>	
<i>Ditylenchus dipsaci</i>	
* <i>Mycosphaerella schoenoprasii</i>	
ALOCASIA:	
<i>Meloidogyne arenaria</i>	
<i>M. incognita incognita</i>	
ALPINIA:	
* <i>Meloidogyne arenaria</i>	
ALYXXIA:	
<i>Uromyces alyxiae</i>	
AMARANTHUS:	
* <i>Cercospora brachiata</i>	
AMARYLLIS:	
* <i>Cercospora pancratii</i>	
† <i>Hyalotia lateripes</i>	
ANTHURIUM:	
* <i>Phyllachora engleri</i>	
<i>Radopholus similis</i>	
* <i>Uredo anthurii</i>	
ANTIRRHINUM:	
† <i>Cercospora antirrhini</i> (?)	
ARAUCARIA:	
<i>Cryptospora longispora</i>	
<i>Macrophoma araucariae</i>	
ARECA:	
† <i>Phyllostictina arecae</i>	
ARTEMESIA:	
* <i>Puccinia tanaceti</i>	
ASCOCENTRUM:	
<i>Phyllostictina pyriformis</i>	
ASTILBE:	
<i>Aphelenchoides fragariae</i>	
<i>Meloidogyne hapla</i>	
AVENA(?):	
† <i>Puccinia holcina</i>	
BAMBOO:	
<i>Stereostratum corticioides</i>	
BAMBUSA:	
<i>Chaetopatella setulosa</i>	
† <i>Cytospora bambusae</i>	
<i>Dasturella divina</i>	
* <i>Puccinia kusanoi</i> (?)	
† <i>Sporidesmium bambusicola</i> (?)	
* <i>Uredo ignava</i>	
BARRINGTONIA:	
* <i>Dothiorella barringtoniae</i>	
BEGONIA:	
<i>Meloidogyne incognita acrita</i>	
<i>M. incognita incognita</i>	
BIDENS(?):	
† <i>Septoria bidentis</i>	
BORASSUS:	
<i>Graphiola borassi</i>	
BOUGAINVILLEA:	
* <i>Cercospora bougainvilleae</i>	
BOUTELOUA:	
<i>Puccinia boutelouae</i>	
<i>P. exasperans</i>	
BROMELIAD:	
* <i>Phyllosticta bromeliae</i>	
	BUXUS:
	* <i>Dothidella depazeoides</i>
	† <i>Mycosphaerella patouillardii</i>
	<i>Phyllosticta limbalis</i>
	* <i>Puccinia buxi</i>
	CACTUS:
	<i>Mycosphaerella opuntiae</i>
	CAJANUS:
	* <i>Phoma cajani</i>
	CALADIUM:
	<i>Meloidogyne incognita</i>
	<i>incognita</i>
	CALANTHE:
	† <i>Coleosporium merrillii</i>
	CALATHEA:
	<i>Meloidogyne javanica javanica</i>
	CAMELLIA:
	† <i>Cytospora theae</i>
	<i>Phyllosticta camelliae</i>
	CANNA:
	* <i>Puccinia thaliae</i>
	CARDUNCELLUS:
	† <i>Puccinia carduncelli</i>
	CARTHAMUS:
	<i>Puccinia carthami</i>
	CASIMIROA:
	<i>Cercospora colerooides</i>
	CASSIA:
	<i>Phyllachora canafistulae</i>
	† <i>Ravenelia spinulosa</i>
	CASTANEA:
	<i>Cronartium quercuum</i>
	CATTLEYA:
	* <i>Mycosphaerella cattleyae</i>
	† <i>Phyllosticta epipactidis</i> (?)
	CENTAUREA:
	<i>Meloidogyne hapla</i>
	CHAMAEDOREA:
	* <i>Catacauma palmicola</i>
	<i>Coccostroma chamaedoreae</i>
	<i>Corynespora cassiicola</i>
	† <i>Naemacyclus palmarum</i> (?)
	<i>Phyllosticta cocos</i>
	CHLORIS:
	† <i>Ascochyta brachypodii</i>
	CHRYSANTHEMUM:
	* <i>Cercospora chrysanthemi</i>
	* <i>Puccinia horiana</i>
	CIRRHOPELALUM:
	* <i>Phyllostictina pyriformis</i>
	CITRUS AURANTIFOLIA:
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS AURANTIUM:
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS AURANTIUM CV.:
	<i>Xanthomonas citri</i>
	CITRUS GRANDIS:
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS LIMON:
	<i>Ascochyta citri</i>
	<i>Guignardia citricarpa</i>
	<i>Septoria limonum</i>
	<i>Sphaelomma fawcettii</i> var.
	<i>scabiosa</i>
	<i>Xanthomonas citri</i>
	<i>Xanthomonas</i> sp. (Cancrosis B)
	CITRUS PARADISII:
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS PARADISII X C.
	RETICULATA:
	<i>Xanthomonas citri</i>
	CITRUS PARADISII X C.
	SINENSIS:
	<i>Xanthomonas citri</i>
	CITRUS RETICULATA:
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS RETICULATA CV.:
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CITRUS RETICULATA
	'SATSUMA':
	<i>Xanthomonas citri</i>
	CITRUS SINENSIS:
	<i>Ascochyta citri</i>
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	<i>Xanthomonas</i> sp. (Cancrosis B)
	CITRUS SP.:
	† <i>Cercospora penzigii</i>
	<i>Elsinoe australis</i>
	<i>Guignardia citricarpa</i>
	<i>Xanthomonas citri</i>
	CLEMATIS:
	<i>Meloidogyne hapla</i>
	† <i>Puccinia clavata</i>
	COCOS:
	* <i>Diaporthe arctii</i>
	* <i>Phomopsis coconis</i>
	COFFEA:
	* <i>Leptosphaeria obtusispora</i>
	* <i>Mycosphaerella coffeicola</i>
	<i>Phyllosticta coffeicola</i>
	CORDYLINE:
	<i>Phyllostictina cordylines</i>
	CORIANDRUM:
	† <i>Cercospora coriandri</i>
	CROCUS:
	† <i>Uromyces croci</i>
	CRYPTOCORYNE:
	* <i>Meloidogyne javanica javanica</i>
	CUCUMIS:
	* <i>Corynespora cassiicola</i>
	† <i>Curvularia trifolii</i>
	CYMBIDIUM:
	<i>Phyllostictina pyriformis</i>
	CYMOPOGON:
	† <i>Curvularia andropogonis</i>
	* <i>Helminthosporium sacchari</i> (?)
	* <i>Puccinia nakanishikii</i>
	CYNODON:
	* <i>Helminthosporium cynodontis</i>
	<i>Puccinia cynodontis</i>
	CYPRIOPEDIUM:
	<i>Phyllostictina pyriformis</i>
	DENDROBIUM:
	<i>Cercospora angraeci</i>
	<i>Phyllostictina pyriformis</i>
	<i>Uredo phaji</i>
	DIANTHUS:
	<i>Puccinia arenariae</i>

†First interception. *First time intercepted from country of origin.

DIGITARIA:
 †*Uromyces peglerae*
 **U. setariae-italicae*

DIOSCOREA:
Pratylenchus coffeae
Scutellonema bradyi

DRACAENA:
 †*Coniothyrium dracaenae*
 **Phyllosticta maculicola*

ECHINOCACTUS:
Mycosphaerella opuntiae

EPIDENDRUM:
 **Mycosphaerella cattleyae*
 **Phyllosticta cymbidii(?)*

EPIMEDIUM:
Pratylenchus penetrans

EREMOCHLOA:
 †*Puccinia stenotaphri*

ERIOBOTRYA:
 †*Phyllosticta eriobotryae*
Spilocaea eriobotryae

ERYTHROXYLON:
 **Bubakia erythroxylonis*
 **Phyllosticta erythroxyli(?)*

EUGENIA:
 †*Septoria eugenicola*

EUGENIA(?)
Puccinia psidii

EUPHORBIA:
 †*Cladosporium nervale*
 **Diaporthe arctii*
 †*Diplodia antiqua*

FERN:
 †*Cercospora phyllitidis*

FICUS:
 **Cerotelium fici*
Meloidogyne incognita acrita

GENIPA:
 †*Cercospora genipae*

GERANIUM:
 †*Pratylenchus neglectus*

GERBERA:
Cercospora gerberae

GLADIOLUS:
 †*Curvularia trifolii*

GLYCINE:
 †*Cercospora kikuchii*

GOSSYPIUM:
Phakopsora gossypii
Puccinia cacabata

HEDERA:
 †*Cylindrocladium quinque-septatum*
Phyllosticta hedericola
Xanthomonas hederae

HELICONIA:
 **Meloidogyne javanica javanica*

HEPATICA:
 **Meloidogyne hapla*

HETEROPOGON:
Puccinia versicolor

HOSTA:
Aecidium hostae

ILEX:
 **Physalospora ilicis*
Trochila ilicis

INOCARPUS:
 †*Dendrophoma inocarpi*
 **Diplodia inocarpi*

IRIDACEAE:
 †*Septoria iridis*

JUGLANS:
 †*Cercospora forsteriana*

JATROPHA:
Phakopsora jatrophicola

JUNIPERUS:
Criconemoides xenoplax
 **Gymnosporangium clavariiforme*
G. haraeanaum

LABURNUM:
Coniothyrium leguminum

LACTUCA:
Meloidogyne incognita acrita

LANTANA:
 **Puccinia lantanae*

LAPAGERIA:
Cercosporella lilliicola

LENS:
Uromyces viciae-fabae

LEPTOCHLOA:
 †*Puccinia diplachnis*

LIMONIUM:
 **Cercospora insulana*
 †*Uromyces savulescui*

LITCHI:
 †*Phyllosticta nephellii*

LOESELIA:
 †*Puccinia fumosa*

LYCASTE:
Cercospora angraeci
Phyllostictina pyriformis

LYCOPERSICON:
 **Ascochyta lycopersici*

MAHONIA:
 †*Puccinia pygmaea*

MALUS:
Monilinia fructigena
 **Phoma pomi*
 †*P. prunicola*

MANGIFERA:
Cercospora mangiferae
 **Elsinoe mangiferae*
Phyllosticta mortoni

MANIHOT:
 **Cercospora caribaea*

MANILKARA:
 †*Scopella sapotae*
 **Septoria sapotae(?)*

METROSIDEROS:
 †*Mycosphaerella metrosideri*

MILTONIA:
 **Cercospora angraeci*

MUSA:
 **Helminthosporium torulosum*
 **Phyllostictina musarum*
 **Radopholus similis*

MYRCEUGENIA:
 **Puccinia psidii*

NASTURTIUM:
 †*Septoria uliginosa*

NERIUM:
Cylindrosporium toxicodendri

ODONTOGLOSSUM:
Ophiiodothella orchidearum

OLEA:
 **Macrophoma oleae*

ONCIDIUM:
 †*Phyllosticta epipactidis(?)*
Septoria selenophomoides

ORCHID:
 †*Cercospora epipactidis*
Mycosphaerella cattleyae
Ophiiodothella orchidearum
 †*Phyllosticta pleurothallidis*
 **Septoria selenophomoides*

ORNITHOGALUM:
Puccinia ornithogali-thyrsoides

ORYZA:
Ascochyta oryzae
Leptosphaeria culmifraga
 **L. oryzina*
 **Neovossia horrida*
 **Phaeoseptoria oryzae*
 †*Phaeosphaerella oryzae*
Phoma oryzae
 **Phyllosticta oryzae*
 **Septoria oryzae*
Trematosphaerella oryzae

PAEONIA:
Aphelenchoides fragariae
Sclerotiopsis testudinea

PALM:
 **Diaporthe arctii*
Mycosphaerella palmae
 **M. washingtoniae*
 **Ophiobolus versisporus*

PALM(?):
 **Ceratocystis radicicola*

PASPALUM:
 **Puccinia levis*
 †*Septogloewum oxysporum*

PASSIFLORA:
 **Ascochyta passiflorae*
 **Septoria fructigena*

PELARGONIUM:
 †*Puccinia morrisoni*

PETROSELINUM:
Meloidogyne incognita acrita

PHALAENOPSIS:
Phyllostictina pyriformis

PHASEOLUS:
 **Cercospora brachiata*
Elsinoe phaseoli

PHILODENDRON:
 **Mycosphaerella philodendri*

PHRAGMITES:
Puccinia magnusiana
 **Scirrhia rimosa*
Ustilago grandis

PICEA:
Criconemoides xenoplax

PIMENTA:
Puccinia psidii

PINUS:
 **Diplodia pinea*

PIPER:
 **Cercospora piperis*

PLUMERIA:
Coleosporium plumierae

POLYGONATUM:
Phyllostictina cruenta

POPULUS:
Septoria musiva

PRIMULA:
 †*Phyllosticta primulicola*

†First interception. *First time intercepted from country of origin.

PROTEA:
Aphysa senniana
Leptosphaeria protearum
Oligostroma proteae

PRUNUS:
Monilinia fructigena
†Venturia cerasi

PUNICA:
*Cercospora punicae
Sphaceloma punicae

PYRUS:
Monilinia fructigena

QUERCUS:
†Hobsonia mirabilis
*Lophodermium maculare

RHODODENDRON:
Chrysomyxa ledi var.
rhododendri
Phyllosticta berolinensis

RHUS:
†Uredo mexicana

ROBINIA:
*Diaporthe oncostoma

RORIPPA:
†Cercospora armoraciae

RUSCUS:
Phyllosticta ruscicola

SALIX:
Valsa salicina

SAXIFRAGA:
Meloidogyne hapla

SCHEFFLERA:
Meloidogyne incognita
incognita

SCIRPUS:
Puccinia scirpi

SECALE:
*Mycosphaerella basicola

SECHIUM:
Meloidogyne incognita acrita

SOBRALIA:
Mycosphaerella cattleyae
*Pleospora orchidearum
Valsella pedicellata

SOIL:
*Criconema celetum
*Criconemooides mutabile
*Hemicriconemooides squamosus
Heterodera avenae
H. cruciferae
*H. fici
†H. galeopsidis
*H. goettingiana
H. humuli
†H. oryzae
H. punctata
*H. rostochiensis
H. trifolii
*Rotylenchus uniformis
Scutellonema brachyurum

SOLANUM:
†Corynebacterium sepedonicum
Meloidogyne arenaria
*M. incognita acrita
M. incognita incognita
Thecaphora solani

SORBUS:
Gymnosporangium cornutum

SPATHODEA:
†Phyllosticta moscosoi(?)

STACHYTARPHETA:
*Puccinia urbaniana

STANHOPEA:
Cercospora odontoglossi

STRELITZIA:
Radopholus similis

SWIETENIA:
†Cercospora subsessilis

TECOMA:
Prospodium appendiculatum

THELOCACTUS:
Mycosphaerella opuntiae

TILLANDSIA:
*Uredo tillandsiae
†Ustilago tillandsiae

TIPUANA:
†Septoria samararum(?)

TRITICUM:
*Ascochyta graminicola
*Leptosphaeria eustomoides

VACCINIUM:
*Mycosphaerella stemmatae

VANDA:
Phyllostictina pyriformis

VANILLA:
*Uredo scabies

VICIA:
Ascochyta fabae
Uromyces viciae-fabae

YUCCA:
Stomatogene agaves

ZANTEDESCHIA:
Meloidogyne javanica javanica

ZINGIBERACEAE:
†Helicotylenchus platyurus

Hosts Unknown

BULB--UNIDENTIFIED:
Ditylenchus dipsaci

LEAF--UNIDENTIFIED:
Aecidium hostae

SUCCULENT:
Meloidogyne incognita acrita

COUNTRIES OF ORIGIN AND DISEASES

AFGHANISTAN:
Xanthomonas citri

AFRICA [country(?)]:
Guignardia citricarpa
†Puccinia holcina

ALGERIA:
†Puccinia carduncelli

AMERICAN VIRGIN ISLANDS:
†Phoma lathyrina

ARGENTINA:
Elsinoe australis
Guignardia citricarpa
Heterodera rostochiensis
Meloidogyne javanica javanica
*Puccinia psidii
Xanthomonas sp. (Cancrosis B)

ASIA [country(?)]:
Xanthomonas citri

AUSTRALIA:
Ascochyta citri
Cryptospora longispora
Guignardia citricarpa
Macrophoma araucariae
*Phoma pomi
Phyllostictina musarum

†Puccinia morrisoni
Septoria selenophomoides
Sphaceloma fawcettii var.
scabiosa

AUSTRIA:
Chrysomyxa ledi var.
rhododendri
*Meloidogyne hapla
Puccinia magnusiana

AZORES:
*Heterodera fici
Heterodera rostochiensis
Meloidogyne incognita acrita

BAHAMAS:
*Cercospora pancratii
*Diaporthe arctii
Elsinoe mangiferae
Mycosphaerella cattleyae
M. palmae
*Phomopsis cocoae
*Physalospora ilicis
†Puccinia stenotaphri
*P. urbaniana
†Scopella sapotae
*Septoria sapotae(?)

BELGIUM:
Heterodera punctata
H. rostochiensis

BOLIVIA:
Bubakia erythroxylonis

BRAZIL:
Elsinoe australis
E. mangiferae
Guignardia citricarpa
*Leptosphaeria eustomoides
*L. obtusispora
Mycosphaerella cattleyae
*Phyllosticta bromeliae
Scutellonema brachyurum
Septoria selenophomoides
Xanthomonas sp. (Cancrosis B)

BRITISH HONDURAS:
Elsinoe mangiferae
*Uredo anthurii

BRITISH WEST INDIES [island(?)]:
Puccinia psidii

CANADA:
†Cladosporium nervale
*Gymnosporangium clavariiforme

†First interception. *First time intercepted from country.

CANADA--Continued

Puccinia pygmaea

CANAL ZONE:

*Cercospora genipae**Phyllosticta moscosoi(?)**Pleospora orchidearum**Valsella pedicellata*

CAPE VERDE ISLANDS(?) :

Meloidogyne incognita acrita

CEYLON:

Meloidogyne javanica javanica

CHILE:

*Cercosporella lilliicola**Meloidogyne arenaria**Uromyces viciae-fabae*

CHINA:

*Guignardia citricarpa**Xanthomonas citri*

COLOMBIA:

*Ascochyta passiflorae**Bubakia erythroxylonis**Cercospora angraeci**C. caribaea**C. odontoglossi**Cerotelium fici**Elsinoe mangiferae**Mycosphaerella cattleyae**M. philodendri**Phyllosticta erythroxyli(?)**P. pleurothallidis**Septoria uliginosa*

COSTA RICA:

*Cercospora epipactidis**Cerotelium fici**Elsinoe mangiferae**Mycosphaerella cattleyae**Phyllachora engleri**Phyllosticta coffeicola*

CZECHOSLOVAKIA:

*Heterodera avenae**H. punctata*

DENMARK:

Heterodera rostochiensis

DOMINICA:

Meloidogyne javanica javanica

DOMINICAN REPUBLIC:

*Cercospora caribaea**C. coriandri**C. penzigi**Elsinoe mangiferae**Meloidogyne incognita acrita**Phakopsora jatrophicola**Puccinia thaliae**Septoria fructigena*

ECUADOR:

*Ascochyta passiflorae**Cercospora penzigii**Cerotelium fici**Corynebacterium sepedonicum**Elsinoe mangiferae**Uromyces viciae-fabae*

EL SALVADOR:

*Cercospora forsteriana**Elsinoe mangiferae**Mycosphaerella cattleyae**Phyllosticta eriobotryae*

ENGLAND:

*Cercospora angraeci**Cylindrocladium quinque-**septatum**Ditylenchus dipsaci**Heterodera avenae**H. cruciferae**H. galeopsidis**H. humuli**H. punctata**H. rostochiensis**H. trifolii**Meloidogyne hapla**Monilinia fructigena**Phyllosticta berolinensis**P. hedericola**Pratylenchus neglectus**Puccinia buxi**Valsa salicina**Xanthomonas hederae*

EUROPE [country(?)] :

*Heterodera avenae**H. galeopsidis**Monilinia fructigena**Phoma prunicola**Phyllosticta limbalis*

FIJI:

Radopholus similis

FINLAND:

Heterodera rostochiensis

FORMOSA:

*Chaetopatella setulosa**Dasturella divina**Guignardia citricarpa**Leptosphaeria oryzina**Mycosphaerella schoenoprasii**Neovossia horrida**Phaeoseptoria oryzae**Puccinia kusanoi(?)**Xanthomonas citri*

FRANCE:

*Cytospora bambusae**Heterodera rostochiensis**Leptosphaeria eustomoides**Monilinia fructigena**Mycosphaerella patouillardii**Phoma pomi**Puccinia buxi**Septoria limonum**Sporidesmium bambusicola**Uromyces viciae-fabae**Venturia cerasi*

GERMANY:

*Chrysomyza ledi var.**rhododendri**Heterodera avenae**H. punctata**H. rostochiensis**H. trifolii**Meloidogyne hapla**Monilinia fructigena**Mycosphaerella stemmatea**Puccinia arenariae**P. buxi**P. magnusiana**Scirrhia rimosa**Ustilago grandis*

GREECE:

*Heterodera avenae**Uromyces savulescui*

GUAM:

Phyllostictina arecae

GUATEMALA:

*Cercospora piperis**Meloidogyne incognita**incognita**Mycosphaerella cattleyae**M. opuntiae**Ophiodothella orchidearum**Phyllosticta epipactidis(?)**Phyllostictina pyriformis**Uredo tillandsiae*

HAITI:

*Cercospora antirrhini**C. brachiata**C. insulana**Elsinoe mangiferae**Helminthosporium sacchari(?)**Phakopsora jatrophicola**Puccinia lantanae**Septoria fructigena*

HAWAII:

*Dothiorella barringtoniae**Helicotylenchus platyurus**Meloidogyne incognita**incognita**Mycosphaerella coffeicola**M. metrosideri**Phomopsis cocoae**Phyllostictina cordylines**P. musarum**P. pyriformis**Radopholus similis**Uromyces alyxiae*

HONDURAS:

*Curvularia trifolii**Diaporthe arctii**Elsinoe mangiferae**Hemicronemoides squamosus**Lophodermium maculare**Mycosphaerella cattleyae**Uredo scabies**U. tillandsiae*

HONG KONG:

*Guignardia citricarpa**Neovossia horrida**Septoria oryzae**Xanthomonas citri*

INDIA:

*Coleosporium merrillii**Graphiola borassi**Leptosphaeria oryzina**Neovossia horrida**Phoma oryzae**Trematosphaerella oryzae**Xanthomonas citri*

INDONESIA:

*Cercospora angraeci**Guignardia citricarpa***Puccinia nakanishikii*

IRELAND:

*Heterodera punctata**H. rostochiensis**Puccinia buxi*

ITALY:

*Ascochyta fabae***Dothidella depazeoides**Heterodera avenae**H. rostochiensis*

†First interception. *First time intercepted from country.

ITALY--Continued

Heterodera trifolii
Meloidogyne incognita acrita
M. javanica javanica
Monilinia fructigena
*Mycosphaerella basicola
†M. patouillardii
Phoma pomi
Phyllosticta limbalis
†P. primulicola
P. ruscicola
Puccinia buxi
P. scirpi
Spilocaea eriobotryae
Trochila ilicis
Uromyces viciae-fabae

IVORY COAST:

Meloidogyne incognita acrita
JAMAICA:
†Cercospora phyllitidis
†C. subsessilis
*Dothiorella barringtoniae
Elsinoe mangiferae
E. phaseoli
*Meloidogyne arenaria
Phakopsora gossypii
Phyllachora canafistulae
Pratylenchus coffeae
Puccinia psidii
Scutellonema bradys
†Septoria eugenicola
Sphaceloma punicae
*Uredo ignava

JAPAN:

Aecidium hostae
Aphelenchoides fragariae
Ascochyta citri
*A. graminicola
A. oryzae
*Cercospora chrysanthemi
†C. kikuchii
Criconemooides xenoplax
Cronartium quercuum
*Diaporthe arctii
Guignardia citricarpa
Gymnosporangium haraeicum
†Heterodera oryzae
Leptosphaeria oryzina
Meloidogyne incognita acrita
Mycosphaerella schoenoprasii
Neovossia horrida
Phaeoseptoria oryzae
†Phaeosphaerella oryzae
Phoma pomi
Phyllosticta camelliae
†P. oryzae
Phyllostictina cruenta
P. musarum
P. pyriformis
Pratylenchus penetrans
Puccinia horiana
Sclerotiopsis testudinea
Septoria oryzae
Stereostratum corticioides
Xanthomonas citri

JAPAN(?) :

Leptosphaeria culmifraga
JERSEY (Isle of):
*Rotylenchus uniformis

KOREA:

Guignardia citricarpa
*Leptosphaeria oryzina
†Septoria iridis
LEBANON:
*Macrophoma oleae
LUXEMBOURG:
*Puccinia buxi
MALAYSIA:
Guignardia citricarpa
*Septoria selenophomoides
MARIANA ISLANDS:
Xanthomonas citri
MAURITIUS:
*Phyllostictina pyriformis
MEXICO:
†Ascochyta brachypodii
*A. passiflorae
*Catacauma palmicola
†Cercospora armoraciae
*C. bougainvilleae
C. chrysanthemi
C. colerooides
C. insulana
C. mangiferae
†C. penzigi
Coccostroma chamaedoreae
Coleosporium plumierae
†Coniothyrium dracaenae
Corynespora cassiicola
†Curvularia andropogonis
†C. trifolii
Cylindrosporium toxicodendri
*Diplodia pinea
Ditylenchus dipsaci
Elsinoe mangiferae
Helminthosporium cynodontis
*Heterodera goettingiana
†Hobsonia mirabilis
†Hyalotia lateripes
Meloidogyne arenaria
M. incognita acrita
M. incognita incognita
Mycosphaerella opuntiae
*M. washingtoniae
†Naemacyclus palmarum(?)
Ophiodeothella orchidearum
Phyllosticta cocos
†P. eriobotryae
Phyllosticta mortoni
Prosopodium appendiculatum
Puccinia boutelouae
P. cacabata
P. carthami
P. cynodontis
†P. diplachnis
P. exasperans
†P. fumosa
*P. levis
*P. tanaceti
P. versicolor
†Ravenelia spinulosa
†Septogloeum oxysporum
†Septoria bidentis
S. musiva
S. selenophomoides
Sphaceloma punicae
Stomatogene agaves
Thecaphora solani

†Uredo mexicana

Uromyces viciae-fabae
†Ustilago tillandsiae

MOROCCO:

†Puccinia carduncelli

MOZAMBIQUE:

Guignardia citricarpa

NETHERLANDS:

Aphelenchoides fragariae

*Coniothyrium leguminum

*Diaporthe oncostoma

Heterodera avenae

H. punctata

H. rostochiensis

Leptosphaeria eustomoides

Meloidogyne hapla

Monilinia fructigena

Pratylenchus penetrans

Puccinia arenariae

†Uromyces croci

Ustilago grandis

NEW ZEALAND:

Cryptospora longispora

Guignardia citricarpa

Macrophoma araucariae

†Puccinia clavata

NICARAGUA:

*Helminthosporium torulosum

NIGERIA:

*Helminthosporium cynodontis

NORFOLK ISLAND:

Macrophoma araucariae

NORTHERN IRELAND:

Heterodera rostochiensis

NORWAY:

Gymnosporangium cornutum

Heterodera rostochiensis

OKINAWA:

Guignardia citricarpa

*Puccinia horiana

Xanthomonas citri

PANAMA:

*Ascochyta lycopersici

*Bubakia erythroxylonis

*Ceratocystis radicicola

*Cercospora brachiata

*Corynespora cassiicola

Elsinoe mangiferae

*Ophiobolus versisporus

*Phoma cajani

*Phyllostictina musarum

PAPUA:

†Dendrophoma inocarpi

*Diplodia inocarpi

PARAGUAY:

Elsinoe australis

*E. mangiferae

*Puccinia thaliae

PERU:

*Botrytis squamosa

*Helminthosporium sacchari(?)

Meloidogyne incognita acrita

M. incognita incognita

*Mycosphaerella cattleyae

Uromyces viciae-fabae

PHILIPPINES:

*Cercospora brachiata

*Criconema celetum

Guignardia citricarpa

†First interception. *First time intercepted from country.

PHILIPPINES--Continued

*Hemicronemoides squamosus
Leptosphaeria oryzina
Neovossia horrida
Phyllostictina musarum
P. pyriformis
Uredo phaji
Xanthomonas citri

POLAND:

Heterodera punctata
H. rostochiensis
*Scirrhia rimosa

PORTUGAL:

Meloidogyne incognita
incognita
Puccinia scirpi

PUERTO RICO:

Elsinoe mangiferae
E. phaseoli
Puccinia urbaniana

SCOTLAND:

Heterodera avenae
H. punctata
H. rostochiensis

SINGAPORE:

Xanthomonas citri
SOUTH AFRICA:

Aphylla senniana
Diplodia antiqua

Guignardia citricarpa
Leptosphaeria protearum
Oligostroma proteae
Puccinia ornithogali-thyrsoides
†Uromyces peglerae

SOUTH AMERICA [country(?)] :

Elsinoe australis

SPAIN:

Heterodera punctata
*Mycosphaerella basicola
Puccinia buxi

SWEDEN:

Heterodera rostochiensis
Chrysomyxa ledi var.
rhododendri

THAILAND:

Guignardia citricarpa
Neovossia horrida
Phyllostictina pyriformis
Xanthomonas citri

TRINIDAD:

*Cercospora gerberae
Elsinoe mangiferae
*Phyllachora engleri
*Phyllosticta maculicola
*Uredo ignava

UNKNOWN:

Ascochyta passiflorae

Cercospora insulana
Elsinoe australis
E. mangiferae
Guignardia citricarpa
Heterodera rostochiensis
†Phyllosticta nephellii
Scutellonema bradys
Xanthomonas citri

URUGUAY:

†Cytospora theae
Elsinoe australis
†Septoria samararum(?)

VENEZUELA:

*Cercospora insulana
*C. punicae
*Cronemoides mutabile
Elsinoe mangiferae
*Phyllosticta cymbidii(?)
†P. epipactidis(?)
*Uromyces setariae-
italicae

VENEZUELA(?) :

*Puccinia buxi

VIET-NAM:


Guignardia citricarpa
*Phyllostictina musarum

YUGOSLAVIA:

*Heterodera rostochiensis
Monilinia fructigena

†First interception.

*First time intercepted from country.



PESTINA, the hitchhiking bug, is used by the U.S. Department of Agriculture to symbolize destructive foreign plant and animal pests and diseases that threaten U.S. resources. Such pests, capable of causing millions of dollars damage, often hide on foreign fruits, plants, and meats that are as innocent-looking as PESTINA. The symbol is used to remind travelers to leave behind such items unless they have USDA clearance.